

For more information and technical assistance contact:

Chevron Phillips Chemical Company LP
P.O. Box 4910
The Woodlands, TX 77387-4910
800.231.3260



AlphaPlus® C20-24 Technical Data

Suggested Applications

C20-24 alpha olefin, another quality product from Chevron Phillips Chemical Company LP, is recommended for applications such as maleic anhydride copolymers, lube-oil additives, di-/polyhalides, and functional drilling fluids just to name a few.

Property	Method	Typical Value
Carbon Number, wt. % <C ₁₈	GLC	0.00
Carbon Number, wt. % C ₁₈	GLC	0.86
Carbon Number, wt. % C ₂₀	GLC	41.10
Carbon Number, wt. % C ₂₂	GLC	34.93
Carbon Number, wt. % C ₂₄	GLC	22.38
Carbon Number, wt. % C ₂₆	GLC	0.72
Carbon Number, wt. % >C ₂₆	GLC	0.06
n-Alpha Olefin, wt. %	GLC	86.7
Vinylidene, wt. %	GLC	8.8
cis- and trans- 2-Olefin, wt%	GLC	1.5
Paraffin, wt. %	GLC	0.3
Color, Saybolt	ASTM D 156	30.00
Specific Gravity Solid, 60°/60°F, 15.6°/15.6°C	ASTM D 287	0.814
API Gravity, 60°F/60°F (15.6°C/15.6°C)	ASTM D 287	42.4
Density, lb./gal., 60°F, (15.6°C)	--	6.67
Water, ppm by wt.	ASTM E 1064	25.0
Flash Point, PM °F, °C	ASTM D 93	362 (183)
Melting Point, °F, (°C)	ASTM D 87	96 (35.6)
Appearance	ASTM D 4176	Clear and Bright
Penetration, 0.10 mm, @ 77°F (25°C)	ASTM D 1321	150

1. The nominal properties herein are typical of the product but do not reflect normal production and testing variances and therefore should not be used for specification purposes. Values are rounded.

MSDS #PE0025

Revision Date June 2011

Another quality product from



Before using this product, the user is advised and cautioned to make its own determination and assessment of the safety and suitability of the product for the specific use in question and is further advised against relying on the information contained herein as it may relate to any specific use or application. It is the ultimate responsibility of the user to ensure that the product is suited and the information is applicable to the user's specific application. Chevron Phillips Chemical Company LP does not make, and expressly disclaims, all warranties, including warranties of merchantability or fitness for a particular purpose, regardless of whether oral or written, express or implied, or allegedly arising from any usage of any trade or from any course of dealing in connection with the use of the information contained herein or the product itself. The user expressly assumes all risk and liability, whether based in contract, tort or otherwise, in connection with the use of the information contained herein or the product itself. Further, information contained herein is given without reference to any intellectual property issues, as well as federal, state or local laws which may be encountered in the use thereof. Such questions should be investigated by the user.