



## Synfluid® PAO 4 cSt

Version 3.12

Revision Date 2024-05-02

According to Regulation (EC) No. 1907/2006, Regulation (EC) No. 2020/878

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

##### Product information

Product Name : Synfluid® PAO 4 cSt  
 Material : 1126174, 1111739, 1111738, 1111733, 1079673, 1079928,  
 1079872, 1079835, 1079702

##### EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
1-Decene, Trimer, Hydrogenated	157707-86-3 500-393-3	Chevron Phillips Chemical Company LP 01-2119486452-34-0000
1-Decene, Trimer, Hydrogenated	157707-86-3 500-393-3	Chevron Phillips Chemicals International NV 01-2119486452-34-0006

#### 1.2

##### Relevant identified uses of the substance or mixture and uses advised against

Relevant Identified Uses Supported : Manufacture  
 Use as an intermediate  
 Formulation  
 Use in coatings – industrial  
 Use in coatings – professional  
 Use in Coatings - Consumer  
 Lubricants - Industrial  
 Lubricants - Professional  
 Lubricants - Consumer  
 Metal working fluids / rolling oils - Industrial  
 Metal working fluids / rolling oils – Professional  
 Functional Fluids - Industrial  
 Functional Fluids - Professional  
 Functional Fluids - Consumer  
 Use in polymer production – industrial  
 Agrochemical uses  
 Agrochemical uses  
 Other consumer uses

#### 1.3

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**Details of the supplier of the safety data sheet**

**Company** : Chevron Phillips Chemical Company LP  
10001 Six Pines Drive  
The Woodlands, TX 77380

**Local** : Chevron Phillips Chemicals International N.V.  
Airport Plaza (Stockholm Building)  
Leonardo Da Vincilaan 19  
1831 Diegem  
Belgium

SDS Requests: (800) 852-5530  
Responsible Party: Product Safety Group  
Email:sds@cpchem.com

**1.4****Emergency telephone:****Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02

66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia

clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù

Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000;

POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326;

POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870;

POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055

7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382

24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883

300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011

858;

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)  
 Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Lithuania: +370 (85) 2362052  
 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)  
 Malta: +356 2395 2000  
 The Netherlands: NVIC: +31 (0)88 755 8000  
 Norway: 22 59 13 00 (24 hours/day, 7 days/week)  
 Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Portugal: CIAV phone number: +351 800 250 250  
 Romania: +40213183606  
 Slovakia: +421 2 5477 4166  
 Slovenia: Phone number: 112  
 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)  
 Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com

**SECTION 2: Hazards identification****2.1****Classification of the substance or mixture  
REGULATION (EC) No 1272/2008**

Aspiration hazard, Category 1

H304:

May be fatal if swallowed and enters airways.

**2.2****Labeling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H304

May be fatal if swallowed and enters airways.

Precautionary Statements : **Response:**  
P301 + P310IF SWALLOWED: Immediately call a  
POISON CENTER/ doctor.  
Do NOT induce vomiting.

P331

**Storage:**

P405

Store locked up.

**Disposal:**

P501

Dispose of contents/ container to an  
approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

- 157707-86-3 1-Decene, Trimer, Hydrogenated

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**2.3****Other hazards**

Results of PBT and vPvB assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients****3.1 - 3.2****Substance or Mixture**

Synonyms : Polyalphaolefin  
PAO

Molecular formula : UVCB

**Hazardous ingredients**

Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]	Specific Conc. Limits, M-factors and ATEs
1-Decene, Trimer, Hydrogenated	157707-86-3 500-393-3	Asp. Tox. 1; H304	100	

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: First aid measures****4.1****Description of first-aid measures**

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. Do not ingest. If swallowed then seek immediate medical assistance.

**4.2 Most important symptoms and effects, both acute and delayed**

SDS Number:100000010950

4/38

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**Notes to physician**

Symptoms : No information available.

Risks : No information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : No information available.

**SECTION 5: Firefighting measures**Flash point : 219°C (426°F)  
Method: Cleveland Open Cup

Autoignition temperature : 343°C (649°F)

**5.1****Extinguishing media**

Unsuitable extinguishing media : High volume water jet.

**5.2****Special hazards arising from the substance or mixture**

Specific hazards during fire fighting : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**5.3****Advice for firefighters**

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Fire and explosion protection : Normal measures for preventive fire protection.

Hazardous decomposition products : Carbon oxides.

**SECTION 6: Accidental release measures****6.1****Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment. Ensure adequate ventilation.

**6.2****Environmental precautions**

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

**6.3**

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**Methods and materials for containment and cleaning up**

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

**6.4****Reference to other sections**

Reference to other sections : For personal protection see section 8. For disposal considerations see section 13.

A quantitative risk assessment is not required for the environment.

A quantitative risk assessment is not required for human health.

**SECTION 7: Handling and storage****7.1****Precautions for safe handling  
Handling**

Advice on safe handling : Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

**7.2****Conditions for safe storage, including any incompatibilities****Storage**

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

German storage class : Combustible liquids

**7.3****Specific End Use**

Use : Synthetic Lubricants

**SECTION 8: Exposure controls/personal protection****8.2****Exposure controls  
Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

- Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as: Air-Purifying Respirator for Dusts and Mists / P100. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Protective suit. Safety shoes.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

A quantitative risk assessment is not required for the environment.  
A quantitative risk assessment is not required for human health.

**SECTION 9: Physical and chemical properties****9.1****Information on basic physical and chemical properties****Appearance**

- Form : liquid  
Physical state : liquid  
Color : Clear, colorless  
Odor : Odorless

**Safety data**

- Flash point : 219°C (426°F)  
Method: Cleveland Open Cup
- Lower explosion limit : No data available
- Upper explosion limit : No data available
- Autoignition temperature : 343°C (649°F)
- Molecular formula : UVCB

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

Boiling point/boiling range	: 414°C (777°F)
Vapor pressure	: 1,70 MMHG at 177°C (351°F)
Relative density	: 0,82 at 15,6 °C (60,1 °F)
Viscosity, kinematic	: 16 cSt at 37,8°C (100,0°F)
Evaporation rate	: No data available

**SECTION 10: Stability and reactivity****10.1**

**Reactivity** : Stable at normal ambient temperature and pressure.

**10.2**

**Chemical stability** : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**10.3****Possibility of hazardous reactions**

**Hazardous reactions** : Further information: No decomposition if stored and applied as directed.

**10.4**

**Conditions to avoid** : No data available.

**10.5**

**Materials to avoid** : No data available.

**10.6**

**Hazardous decomposition products** : Carbon oxides

**Other data** : No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information****11.1****Information on toxicological effects**

**Synfluid® PAO 4 cSt**  
**Acute oral toxicity** : LD50: > 5.000 mg/kg  
Species: Rat

**Synfluid® PAO 4 cSt**  
**Acute inhalation toxicity** : LC50: > 5,2 mg/l



**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

Exposure time: 4 h  
 Species: Rat  
 Sex: male and female  
 Test atmosphere: dust/mist

**Synfluid® PAO 4 cSt**  
**Acute dermal toxicity**

: LD50: > 2.000 mg/kg  
 Species: Rat

**Synfluid® PAO 4 cSt**  
**Skin irritation**

: No skin irritation

**Synfluid® PAO 4 cSt**  
**Eye irritation**

: No eye irritation

**Synfluid® PAO 4 cSt**  
**Repeated dose toxicity**

: No adverse effects expected

**Synfluid® PAO 4 cSt**  
**Genotoxicity in vitro**

: Metabolic activation: with and without metabolic activation  
 Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
 Result: negative

**Synfluid® PAO 4 cSt**  
**Genotoxicity in vivo**

: Remarks: Not classified due to data which are conclusive although insufficient for classification., Based on data from similar materials

**Synfluid® PAO 4 cSt**  
**Reproductive toxicity**

: Animal testing did not show any effects on fertility.  
 Based on data from similar materials

**Synfluid® PAO 4 cSt**  
**Developmental Toxicity**

: Animal testing did not show any effects on fetal development. Information given is based on data obtained from similar substances.

**Synfluid® PAO 4 cSt**  
**Aspiration toxicity**

: May be fatal if swallowed and enters airways.

**Synfluid® PAO 4 cSt**  
**Specific Target Organ Toxicity (Single Exposure)**

: Remarks: Not classified due to data which are conclusive although insufficient for classification. :

**Synfluid® PAO 4 cSt**  
**Specific Target Organ Toxicity (Repeated Exposure)**

: Remarks: Not classified due to data which are conclusive although insufficient for classification. :

11.2

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**Information on other hazards****Synfluid® PAO 4 cSt****Further information**

Endocrine disrupting properties

: Solvents may degrease the skin.  
 : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 12: Ecological information****12.1****Toxicity****Ecotoxicity effects****Toxicity to fish**

: LC50: > 1.000 mg/l  
 Exposure time: 96 h  
 Species: Salmo gairdneri (Rainbow trout)

LC50: > 750 mg/l  
 Exposure time: 96 h  
 Species: Pimephales promelas (fathead minnow)

**Toxicity to daphnia and other aquatic invertebrates**

: EC50: 190 mg/l  
 Exposure time: 48 h  
 Species: Daphnia magna (Water flea)

**12.2****Persistence and degradability**

Biodegradability : Expected to be inherently biodegradable.

**12.3****Bioaccumulative potential**

Elimination information (persistence and degradability)

Bioaccumulation : This material is not expected to bioaccumulate.

**12.4****Mobility in soil**

Mobility : No data available

**12.5****Results of PBT and vPvB assessment**

Results of PBT assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6****Endocrine disrupting properties**

Endocrine disrupting : The substance/mixture does not contain components

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

properties

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7****Other adverse effects**

Additional ecological information : No data available

**12.8****Additional Information****Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

Long-term (chronic) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

**SECTION 13: Disposal considerations****13.1****Waste treatment methods**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

A quantitative risk assessment is not required for the environment.

A quantitative risk assessment is not required for human health.

**SECTION 14: Transport information****14.1 - 14.7****Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

<b>Other information</b>	<b>:</b>	<b>Polyolefin (molecular weight 300+), S.T. 2, Cat.Y</b>
--------------------------	----------	--

**Maritime transport in bulk according to IMO instruments**

**SECTION 15: Regulatory information****15.1****Safety, health and environmental regulations/legislation specific for the substance or mixture  
National legislation**

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

**Water hazard class (Germany)** : WGK 1 slightly water endangering

**15.2****Chemical Safety Assessment**

**Components** : 1-decene, trimer, hydrogenated

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**Major Accident Hazard Legislation** : ZEU\_SEVES3 Update:  
Not applicable

**Other Registrations**


Regulation Registration number  
Danish PR number: 4155107

**Notification status**

Europe REACH : On the inventory, or in compliance with the inventory  
Switzerland CH INV : On the inventory, or in compliance with the inventory  
United States of America (USA) TSCA : On or in compliance with the active portion of the TSCA inventory  
Canada DSL : All components of this product are on the Canadian DSL  
Other AICS : On the inventory, or in compliance with the inventory  
New Zealand NZIoC : On the inventory, or in compliance with the inventory  
Japan ENCS : On the inventory, or in compliance with the inventory  
Korea KECI : All substances in this product were registered, notified to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on CPChem's notifications or if the Importer of Record themselves notified the substances.  
Philippines PICCS : On the inventory, or in compliance with the inventory  
China IECSC : On the inventory, or in compliance with the inventory  
Taiwan TCSI : On the inventory, or in compliance with the inventory

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 1  
Fire Hazard: 1  
Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 3332

NSF H1, HX-1 Registered, meets USDA 1998 H1 Guidelines

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

**Full text of H-Statements referred to under sections 2 and 3.**

H304

May be fatal if swallowed and enters airways.

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**Annex****1. Short title of Exposure Scenario: Manufacture**

Main User Groups	:	<b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	:	<b>SU3, SU8, SU9:</b> Industrial Manufacturing (all), Manufacture of bulk, large scale chemicals (including petroleum products), Manufacture of fine chemicals
Process category	:	<b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC15:</b> Use as laboratory reagent
Environmental release category	:	<b>ERC1, ERC4:</b> Manufacture of substances, Industrial use of processing aids in processes and products, not becoming part of articles
Further information	:	Manufacture of the substance or use as a process chemical or extraction agent. Includes recycling/ recovery, material transfers, storage, maintenance and loading (including marine vessel/barge, road/rail car and bulk container), sampling and associated laboratory activities

**2.1 Contributing scenario controlling environmental exposure for:ERC1, ERC4: Manufacture of substances, Industrial use of processing aids in processes and products, not becoming part of articles****Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities,**

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Use as laboratory reagent****Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Use as an intermediate**

Main User Groups	:	<b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	:	<b>SU3, SU8, SU9:</b> Industrial Manufacturing (all), Manufacture of bulk, large scale chemicals (including petroleum products), Manufacture of fine chemicals
Process category	:	<b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC8a:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC15:</b> Use as laboratory reagent
Environmental release category	:	<b>ERC6a:</b> Industrial use resulting in manufacture of another substance (use of intermediates)
Further information	:	Use as an isolated intermediate under strictly controlled conditions

**2.1 Contributing scenario controlling environmental exposure for:ERC6a: Industrial use resulting in manufacture of another substance (use of intermediates)**



**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Use as laboratory reagent**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Formulation**

Main User Groups	:	<b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	:	<b>SU 3, SU 10:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites, Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)
Process category	:	<p><b>PROC1:</b> Use in closed process, no likelihood of exposure</p> <p><b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure</p> <p><b>PROC3:</b> Use in closed batch process (synthesis or formulation)</p> <p><b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises</p> <p><b>PROC5:</b> Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact)</p> <p><b>PROC8a:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities</p> <p><b>PROC8b:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities</p> <p><b>PROC9:</b> Transfer of substance or preparation into small containers (dedicated filling line, including weighing)</p>

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**PROC14:** Production of preparations or articles by tableting, compression, extrusion, pelletization  
**PROC15:** Use as laboratory reagent

Environmental release category : **ERC2:** Formulation of preparations

Further information :  
 Formulation, packing and re-packing of the substance and its mixtures in batch or continuous operations, including storage, materials transfers, mixing, tableting, compression, pelletisation, extrusion, large and small scale packing, sampling, maintenance and associated laboratory activities.

### 2.1 Contributing scenario controlling environmental exposure for: **ERC2: Formulation of preparations**

#### Technical conditions and measures / Organizational measures

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4,, PROC8a, PROC8b, PROC9, PROC14, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact), Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Production of preparations or articles by tableting, compression, extrusion, pelletization, Use as laboratory reagent**

#### Amount used

Remarks : Not applicable

### 3. Exposure estimation and reference to its source

Remarks: Not applicable

### 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

Not applicable

**1. Short title of Exposure Scenario: Use in coatings – industrial**

Main User Groups	:	<b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	:	<b>SU3:</b> Industrial Manufacturing (all)
Process category	:	<b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC5:</b> Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact) <b>PROC7:</b> Industrial spraying <b>PROC8a:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC9:</b> Transfer of substance or preparation into small containers (dedicated filling line, including weighing) <b>PROC10:</b> Roller application or brushing <b>PROC13:</b> Treatment of articles by dipping and pouring <b>PROC14:</b> Production of preparations or articles by tableting, compression, extrusion, pelletization <b>PROC15:</b> Use as laboratory reagent
Environmental release category	:	<b>ERC4:</b> Industrial use of processing aids in processes and products, not becoming part of articles
Further information	:	Covers the use in coatings (paints, inks, adhesives, etc) including exposures during use (including materials receipt, storage, preparation and transfer from bulk and semi-bulk, application by spray, roller, spreader, dip, flow, fluidised bed on production lines and film formation) and equipment cleaning, maintenance and associated laboratory activities.

**2.1 Contributing scenario controlling environmental exposure for:ERC4: Industrial use of processing aids in processes and products, not becoming part of articles****Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous**

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact), Industrial spraying, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Treatment of articles by dipping and pouring, Production of preparations or articles by tableting, compression, extrusion, pelletization, Use as laboratory reagent

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Use in coatings – professional**

Main User Groups	: <b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Sector of use	: <b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Process category	: <b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC5:</b> Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact) <b>PROC8a:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC10:</b> Roller application or brushing <b>PROC11:</b> Non industrial spraying <b>PROC13:</b> Treatment of articles by dipping and pouring <b>PROC15:</b> Use as laboratory reagent <b>PROC19:</b> Hand-mixing with intimate contact and only PPE available

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

Environmental release category : **ERC8a, ERC8d:** Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems

Further information :  
Covers the use in coatings (paints, inks, adhesives, etc) including exposures during use (including materials receipt, storage, preparation and transfer from bulk and semi-bulk, application by spray, roller, brush, spreader by hand or similar methods, and film formation), and equipment cleaning, maintenance and associated laboratory activities.

**2.1 Contributing scenario controlling environmental exposure for:ERC8a, ERC8d: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems**

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC10, PROC11, PROC13, PROC15, PROC19: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact), Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Roller application or brushing, Non industrial spraying, Treatment of articles by dipping and pouring, Use as laboratory reagent, Hand-mixing with intimate contact and only PPE available**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

Not applicable

**1. Short title of Exposure Scenario: Use in Coatings - Consumer**

Main User Groups	:	<b>SU 21:</b> Consumer uses: Private households (= general public = consumers)
Sector of use	:	<b>SU 21:</b> Consumer uses: Private households (= general public = consumers)
Product category	:	<b>PC1:</b> Adhesives, sealants <b>PC4:</b> Anti-Freeze and de-icing products <b>PC8:</b> Biocidal products (e.g. Disinfectants, pest control) <b>PC9a:</b> Coatings and paints, thinners, paint removers <b>PC9b:</b> Fillers, putties, plasters, modelling clay <b>PC9c:</b> Finger paints <b>PC15:</b> Non-metal-surface treatment products <b>PC18:</b> Ink and toners <b>PC23:</b> Leather tanning, dye, finishing, impregnation and care products <b>PC24:</b> Lubricants, greases, release products <b>PC31:</b> Polishes and wax blends <b>PC34:</b> Textile dyes, finishing and impregnating products; including bleaches and other processing aids
Environmental release category	:	<b>ERC8a, ERC8d:</b> Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems
Further information	:	Covers the use in coatings (paints, inks, adhesives, etc) including exposures during use (including product transfer and preparation, application by brush, spray by hand or similar methods) and equipment cleaning.

**2.1 Contributing scenario controlling environmental exposure for:ERC8a, ERC8d: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems****Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling consumer exposure for: PC1, PC4, PC8, PC9a, PC9b, PC9c, PC15, PC18, PC23, PC24, PC31, PC34: Adhesives, sealants, Anti-Freeze and de-icing products, Biocidal products (e.g. Disinfectants, pest control), Coatings and paints, thinners, paint removers, Fillers, putties, plasters, modelling clay, Finger paints, Non-metal-surface treatment products, Ink and toners, Leather tanning, dye, finishing, impregnation and care products, Lubricants, greases, release products, Polishes and wax blends, Textile dyes, finishing and impregnating products; including bleaches and other processing aids**

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Lubricants - Industrial**

Main User Groups	:	<b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	:	<b>SU3:</b> Industrial Manufacturing (all)
Process category	:	<b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC7:</b> Industrial spraying <b>PROC8a:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC9:</b> Transfer of substance or preparation into small containers (dedicated filling line, including weighing) <b>PROC10:</b> Roller application or brushing <b>PROC13:</b> Treatment of articles by dipping and pouring <b>PROC17:</b> Lubrication at high energy conditions and in partly open process <b>PROC18:</b> Greasing at high energy conditions
Environmental release category	:	<b>ERC4, ERC7:</b> Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use of substances in closed systems
Further information	:	Covers the use of formulated lubricants in closed and open systems including transfer operations, operation of machinery/engines and similar articles, reworking on reject articles, equipment maintenance and disposal of wastes.

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**2.1 Contributing scenario controlling environmental exposure for:ERC4, ERC7: Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use of substances in closed systems**

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC17, PROC18: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Industrial spraying, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Treatment of articles by dipping and pouring, Lubrication at high energy conditions and in partly open process, Greasing at high energy conditions**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Lubricants - Professional**

Main User Groups : **SU 22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Sector of use : **SU 22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Process category : **PROC1:** Use in closed process, no likelihood of exposure  
**PROC2:** Use in closed, continuous process with occasional controlled exposure  
**PROC3:** Use in closed batch process (synthesis or formulation)



**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**PROC4:** Use in batch and other process (synthesis) where opportunity for exposure arises  
**PROC8a:** Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at non-dedicated facilities  
**PROC8b:** Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities  
**PROC9:** Transfer of substance or preparation into small containers (dedicated filling line, including weighing)  
**PROC10:** Roller application or brushing  
**PROC11:** Non industrial spraying  
**PROC13:** Treatment of articles by dipping and pouring  
**PROC17:** Lubrication at high energy conditions and in partly open process  
**PROC18:** Greasing at high energy conditions  
**PROC20:** Heat and pressure transfer fluids in dispersive, professional use but closed systems

Environmental release category : **ERC8a, ERC8d, ERC9a, ERC9b:** Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems

Further information : Covers the use of formulated lubricants in closed and open systems including transfer operations, operation of engines and similar articles, reworking on reject articles, equipment maintenance and disposal of waste oil.

**2.1 Contributing scenario controlling environmental exposure for:ERC8a, ERC8d, ERC9a, ERC9b: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems**

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC9, PROC10, PROC11, PROC13, PROC17, PROC18, PROC20: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Non industrial spraying, Treatment of articles**

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**by dipping and pouring, Lubrication at high energy conditions and in partly open process, Greasing at high energy conditions, Heat and pressure transfer fluids in dispersive, professional use but closed systems**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Lubricants - Consumer**

Main User Groups	:	<b>SU 21:</b> Consumer uses: Private households (= general public = consumers)
Sector of use	:	<b>SU 21:</b> Consumer uses: Private households (= general public = consumers)
Product category	:	<b>PC1:</b> Adhesives, sealants <b>PC24:</b> Lubricants, greases, release products <b>PC31:</b> Polishes and wax blends
Environmental release category	:	<b>ERC8a, ERC8d, ERC9a, ERC9b:</b> Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems
Further information	:	Covers the consumer use of formulated lubricants in closed and open systems including transfer operations, application, operation of engines and similar articles, equipment maintenance and disposal of waste oil.

**2.1 Contributing scenario controlling environmental exposure for:ERC8a, ERC8d, ERC9a, ERC9b: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems**

**Technical conditions and measures / Organizational measures**

SDS Number:100000010950

26/38

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

Remarks : Not applicable

**2.2 Contributing scenario controlling consumer exposure for: PC1, PC24, PC31: Adhesives, sealants, Lubricants, greases, release products, Polishes and wax blends****Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Metal working fluids / rolling oils - Industrial**

Main User Groups : **SU 3:** Industrial uses: Uses of substances as such or in preparations at industrial sites

Sector of use : **SU3:** Industrial Manufacturing (all)

Process category : **PROC1:** Use in closed process, no likelihood of exposure  
**PROC2:** Use in closed, continuous process with occasional controlled exposure  
**PROC3:** Use in closed batch process (synthesis or formulation)  
**PROC4:** Use in batch and other process (synthesis) where opportunity for exposure arises  
**PROC5:** Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact)  
**PROC7:** Industrial spraying  
**PROC8a:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities  
**PROC8b:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities  
**PROC9:** Transfer of substance or preparation into small containers (dedicated filling line, including weighing)  
**PROC10:** Roller application or brushing  
**PROC13:** Treatment of articles by dipping and pouring  
**PROC17:** Lubrication at high energy conditions and in partly open process

Environmental release category : **ERC4:** Industrial use of processing aids in processes and

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

products, not becoming part of articles

Further information

:

Covers the use in formulated MWFs/rolling oils including transfer operations, rolling and annealing activities, cutting/machining activities, automated and manual application of corrosion protections (including brushing, dipping and spraying), equipment maintenance, draining and disposal of waste oils.

**2.1 Contributing scenario controlling environmental exposure for:ERC4: Industrial use of processing aids in processes and products, not becoming part of articles****Technical conditions and measures / Organizational measures**

Remarks

: Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC17: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact), Industrial spraying, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Treatment of articles by dipping and pouring, Lubrication at high energy conditions and in partly open process**

**Amount used**

Remarks

: Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

1. Short title of Exposure Scenario: **Metal working fluids / rolling oils – Professional**

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

Main User Groups	:	<b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Sector of use	:	<b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Process category	:	<p><b>PROC1:</b> Use in closed process, no likelihood of exposure</p> <p><b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure</p> <p><b>PROC3:</b> Use in closed batch process (synthesis or formulation)</p> <p><b>PROC8a:</b> Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at non-dedicated facilities</p> <p><b>PROC8b:</b> Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities</p> <p><b>PROC9:</b> Transfer of substance or preparation into small containers (dedicated filling line, including weighing)</p> <p><b>PROC10:</b> Roller application or brushing</p> <p><b>PROC11:</b> Non industrial spraying</p> <p><b>PROC13:</b> Treatment of articles by dipping and pouring</p> <p><b>PROC17:</b> Lubrication at high energy conditions and in partly open process</p>
Environmental release category	:	<b>ERC8a, ERC8d, ERC9a, ERC9b:</b> Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems
Further information	:	Covers the use in formulated MWFs including transfer operations, open and contained cutting/machining activities, automated and manual application of corrosion protections, draining and working on contaminated/ reject articles, and disposal of waste oils.

**2.1 Contributing scenario controlling environmental exposure for:ERC8a, ERC8d, ERC9a, ERC9b: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems**

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC8a, PROC8b, PROC9, PROC10, PROC11, PROC13, PROC17: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Transfer of substance**

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Non industrial spraying, Treatment of articles by dipping and pouring, Lubrication at high energy conditions and in partly open process

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Functional Fluids - Industrial**

Main User Groups	:	<b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
Sector of use	:	<b>SU3:</b> Industrial Manufacturing (all)
Process category	:	<b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC8a:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC9:</b> Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
Environmental release category	:	<b>ERC7:</b> Industrial use of substances in closed systems
Further information	:	Use as functional fluids e.g. cable oils, transfer oils, coolants, insulators, refrigerants, hydraulic fluids in industrial equipment including maintenance and related material transfers.

**2.1 Contributing scenario controlling environmental exposure for:ERC7: Industrial use of substances in closed systems**

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC9: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing)**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Functional Fluids - Professional**

Main User Groups	: <b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Sector of use	: <b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Process category	: <b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC8a:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC9:</b> Transfer of substance or preparation into small containers (dedicated filling line, including weighing) <b>PROC20:</b> Heat and pressure transfer fluids in dispersive, professional use but closed systems

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

Environmental release category : **ERC9a, ERC9b:** Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems

Further information :  
Use as functional fluids e.g. cable oils, transfer oils, coolants, insulators, refrigerants, hydraulic fluids in professional equipment including maintenance and related material transfers.

**2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems**

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC8a, PROC8a, PROC9: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at non-dedicated facilities, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing)**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Functional Fluids - Consumer**

Main User Groups : **SU 21:** Consumer uses: Private households (= general public = consumers)



**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

Sector of use : **SU 21:** Consumer uses: Private households (= general public = consumers)

Product category : **PC16:** Heat transfer fluids  
**PC17:** Hydraulic fluids

Environmental release category : **ERC9a, ERC9b:** Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems

Further information :  
Use of sealed items containing functional fluids e.g. transfer oils, hydraulic fluids, refrigerants.

### 2.1 Contributing scenario controlling environmental exposure for: **ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems**

#### Technical conditions and measures / Organizational measures

Remarks : Not applicable

### 2.2 Contributing scenario controlling consumer exposure for: **PC16, PC17: Heat transfer fluids, Hydraulic fluids**

#### Amount used

Remarks : Not applicable

### 3. Exposure estimation and reference to its source

Remarks: Not applicable

### 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: **Use in polymer production – industrial**

Main User Groups : **SU 3:** Industrial uses: Uses of substances as such or in preparations at industrial sites

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

Sector of use	: <b>SU3, SU 10:</b> Industrial Manufacturing (all), Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)
Process category	: <b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC5:</b> Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact) <b>PROC6:</b> Calendering operations <b>PROC8a:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC14:</b> Production of preparations or articles by tableting, compression, extrusion, pelletization <b>PROC15:</b> Use as laboratory reagent
Environmental release category	: <b>ERC4, ERC6c:</b> Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use of monomers for manufacture of thermoplastics
Further information	: Manufacture of polymers from monomers in continuous and batch processes, include sparging, discharging, and reactor maintenance and immediate polymer product formation (i.e. compounding, pelletisation, product off-gassing).

**2.1 Contributing scenario controlling environmental exposure for:ERC4, ERC6c: Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use of monomers for manufacture of thermoplastics**

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC6, PROC5, PROC8a, PROC8b, PROC15, PROC14: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Calendering operations, Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact), Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large**

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**containers at dedicated facilities, Use as laboratory reagent, Production of preparations or articles by tableting, compression, extrusion, pelletization**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Agrochemical uses**

Main User Groups	:	<b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Sector of use	:	<b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Process category	:	<b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC8a:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC11:</b> Non industrial spraying <b>PROC13:</b> Treatment of articles by dipping and pouring
Environmental release category	:	<b>ERC8a, ERC8d:</b> Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems
Further information	:	Covers the use as binders and release agents including material transfers, mixing, application by spraying, brushing, and handling of waste.

**2.1 Contributing scenario controlling environmental exposure for:ERC8a, ERC8d: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems**

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC4, PROC8a, PROC8b, PROC11, PROC13: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Non industrial spraying, Treatment of articles by dipping and pouring**

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Agrochemical uses**

Main User Groups	:	<b>SU 21:</b> Consumer uses: Private households (= general public = consumers)
Sector of use	:	<b>SU 21:</b> Consumer uses: Private households (= general public = consumers)
Product category	:	<b>PC12:</b> Fertilizers <b>PC27:</b> Plant protection products
Environmental release category	:	<b>ERC8d:</b> Wide dispersive outdoor use of processing aids in open systems
Further information	:	Covers the consumer use in agrochemicals in liquid and solid forms.

**2.1 Contributing scenario controlling environmental exposure for:ERC8d: Wide dispersive outdoor use of processing aids in open systems**

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**Technical conditions and measures / Organizational measures**

Remarks : Not applicable

**2.2 Contributing scenario controlling consumer exposure for: PC12, PC27: Fertilizers, Plant protection products****Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable

**1. Short title of Exposure Scenario: Other consumer uses**

Main User Groups	:	<b>SU 21:</b> Consumer uses: Private households (= general public = consumers)
Sector of use	:	<b>SU 21:</b> Consumer uses: Private households (= general public = consumers)
Product category	:	<b>PC28:</b> Perfumes, fragrances <b>PC39:</b> Cosmetics, personal care products
Environmental release category	:	<b>ERC8a, ERC8d:</b> Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems
Further information	:	Consumer uses e.g. as a carrier in cosmetics/personal care products, perfumes and fragrances. Note: For cosmetic and personal care products, risk assessment only required for the environment under REACH as human health is covered by alternative legislation.

**2.2 Contributing scenario controlling consumer exposure for: PC28, PC39: Perfumes, fragrances, Cosmetics, personal care products**

**Synfluid® PAO 4 cSt**

Version 3.12

Revision Date 2024-05-02

**Amount used**

Remarks : Not applicable

**3. Exposure estimation and reference to its source**

Remarks: Not applicable

**4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario**

Not applicable