

**n-Dodecyl Methyl Sulfide**

Version 2.5

Revision Date 2020-03-04

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product information**

Product Name : n-Dodecyl Methyl Sulfide  
Material : 1124197, 1118938, 1118937, 1118936, 1112338, 1024620,  
1024619, 1024618, 1024621, 1033592, 1032971, 1027476,  
1024833

Use : Chemical intermediate

**Company** : Chevron Phillips Chemical Company LP  
Specialty Chemicals  
10001 Six Pines Drive  
The Woodlands, TX 77380

**Emergency telephone:****Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com

Website : www.CPChem.com

**SECTION 2: Hazards identification****Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

**Classification**


: Skin sensitization, Category 1

**Labeling**

**n-Dodecyl Methyl Sulfide**

Version 2.5

Revision Date 2020-03-04

Symbol(s) : 

Signal Word : Warning

Hazard Statements : H317: May cause an allergic skin reaction.

Precautionary Statements : **Prevention:**  
 P261 Avoid breathing dust/fume/gas/mist/vapors/spray.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P280 Wear protective gloves.  
**Response:**  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P363 Wash contaminated clothing before reuse.  
**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

**Carcinogenicity:****IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 3: Composition/information on ingredients**

Synonyms : Methyl n-Dodecyl Sulfide  
DDMS

Molecular formula : C<sub>13</sub>H<sub>28</sub>S

Component	CAS-No.	Weight %
n-Dodecyl Methyl Sulfide	3698-89-3	95 - 99

**SECTION 4: First aid measures**

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

**n-Dodecyl Methyl Sulfide**

Version 2.5

Revision Date 2020-03-04

- In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

**SECTION 5: Firefighting measures**

- Flash point : 142°C (288°F)  
Method: PMCC  
estimated
- Autoignition temperature : No data available
- Unsuitable extinguishing media : High volume water jet.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Fire and explosion protection : Normal measures for preventive fire protection.

**SECTION 6: Accidental release measures**

- Personal precautions : Use personal protective equipment. Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

**SECTION 7: Handling and storage****Handling**

- Advice on safe handling : Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and

**n-Dodecyl Methyl Sulfide**

Version 2.5

Revision Date 2020-03-04

drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

**Storage**

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Use : Chemical intermediate

**SECTION 8: Exposure controls/personal protection**

Hazardous components without workplace control parameters

**Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as: Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

**n-Dodecyl Methyl Sulfide**

Version 2.5

Revision Date 2020-03-04

- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Footwear protecting against chemicals.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties****Appearance**

- Form : Liquid  
 Physical state : Liquid  
 Color : Colorless to light yellow  
 Odor : pungent

**Safety data**

- Flash point : 142°C (288°F)  
 Method: PMCC  
 estimated
- Lower explosion limit : No data available
- Upper explosion limit : No data available
- Oxidizing properties : No
- Autoignition temperature : No data available
- Molecular formula : C<sub>13</sub>H<sub>28</sub>S
- Molecular weight : 216.47 g/mol
- pH : No data available
- Freezing point : No data available
- Boiling point/boiling range : 294-315°C (561-599°F)
- Vapor pressure : No data available
- Relative density : 0.835  
 at 20 °C (68 °F)
- Water solubility : insoluble
- Viscosity, dynamic : 3.71 cP
- Relative vapor density : No data available
- Evaporation rate : No data available

**n-Dodecyl Methyl Sulfide**

Version 2.5

Revision Date 2020-03-04

**SECTION 10: Stability and reactivity**

**Chemical stability** : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**Possibility of hazardous reactions**

**Hazardous reactions** : Further information: No decomposition if stored and applied as directed.

**Conditions to avoid** : No data available.

**Other data** : No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information****Acute oral toxicity**

n-Dodecyl Methyl Sulfide : LD50: > 2,000 mg/kg  
Species: Rat  
Sex: female  
Method: OECD Test Guideline 425

**Skin irritation**

n-Dodecyl Methyl Sulfide : slight irritation.

**Eye irritation**

n-Dodecyl Methyl Sulfide : slight irritation.

**Sensitization**

n-Dodecyl Methyl Sulfide : The product is a skin sensitizer, sub-category 1B.

**Repeated dose toxicity**

n-Dodecyl Methyl Sulfide : Species: rat (male)  
Application Route: oral gavage  
Dose: 250, 500, 1000 mg/kg/d  
Exposure time: 35 d  
Number of exposures: daily  
NOEL: 1,000 mg/kg  
Method: OECD Guideline 422  
No significant adverse effects were reported

**n-Dodecyl Methyl Sulfide**

Version 2.5

Revision Date 2020-03-04

Species: rat (female)  
 Application Route: oral gavage  
 Dose: 250, 500, 1000 mg/kg/d  
 Exposure time: 49 d  
 Number of exposures: daily  
 NOEL: 1,000 mg/kg  
 Method: OECD Guideline 422  
 No significant adverse effects were reported

**Reproductive toxicity**

n-Dodecyl Methyl Sulfide : Species: Rat  
 Sex: male  
 Application Route: oral gavage  
 Dose: 0, 250, 500, 1000 mg/kg/d  
 Exposure time: 35 d  
 Method: OECD Guideline 422  
 NOAEL Parent: 1,000 mg/kg  
 Fertility and developmental toxicity tests did not reveal any effect on reproduction.

Species: Rat  
 Sex: female  
 Application Route: oral gavage  
 Dose: 0, 250, 500, 1000 mg/kg/d  
 Exposure time: 49 d  
 Method: OECD Guideline 422  
 NOAEL Parent: 1,000 mg/kg  
 NOAEL F1: 1,000 mg/kg  
 Fertility and developmental toxicity tests did not reveal any effect on reproduction.

**Aspiration toxicity**

n-Dodecyl Methyl Sulfide : May be harmful if swallowed and enters airways.

**n-Dodecyl Methyl Sulfide  
Further information**

: Solvents may decrease the skin.

**SECTION 12: Ecological information****Toxicity to fish**

n-Dodecyl Methyl Sulfide : LC50: 0.115 mg/l  
 Exposure time: 96 h  
 Species: Fish  
 Method: QSAR modeled data

**Toxicity to daphnia and other aquatic invertebrates**

n-Dodecyl Methyl Sulfide : EC50: 24.5 µg/l  
 Exposure time: 48 h  
 Species: Daphnia magna (Water flea)  
 semi-static test Method: OECD Test Guideline 202

**M-Factor**

**n-Dodecyl Methyl Sulfide**

Version 2.5

Revision Date 2020-03-04

dodecyl methyl sulphide : M-Factor (Acute Aquat. Tox.) 10  
 M-Factor (Chron. Aquat. Tox.) 10

**Biodegradability**

n-Dodecyl Methyl Sulfide : aerobic  
 Result: Not readily biodegradable.  
 18 %  
 Testing period: 28 d  
 Method: OECD Test Guideline 310

Additional ecological information : Very toxic to aquatic life with long lasting effects.

**Ecotoxicology Assessment**

Short-term (acute) aquatic hazard  
 n-Dodecyl Methyl Sulfide : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard  
 n-Dodecyl Methyl Sulfide : Very toxic to aquatic life with long lasting effects.

**SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

**SECTION 14: Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.



**n-Dodecyl Methyl Sulfide**

Version 2.5

Revision Date 2020-03-04

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (N-DODECYL METHYL SULFIDE), 9, III, MARINE POLLUTANT, (N-DODECYL METHYL SULFIDE)

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (N-DODECYL METHYL SULFIDE), 9, III, (142°C), MARINE POLLUTANT, (N-DODECYL METHYL SULFIDE)

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

UN3334, AVIATION REGULATED LIQUID, N.O.S., (N-DODECYL METHYL SULFIDE), 9, III

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (N-DODECYL METHYL SULFIDE), 9, III

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (N-DODECYL METHYL SULFIDE), 9, III

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (N-DODECYL METHYL SULFIDE), 9, III

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

**SECTION 15: Regulatory information****National legislation**

SARA 311/312 Hazards : Respiratory or skin sensitization

CERCLA Reportable Quantity : This material does not contain any components with a CERCLA RQ.

SARA 302 Reportable Quantity : This material does not contain any components with a SARA 302 RQ.

SARA 302 Threshold Planning Quantity : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 304 Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

**n-Dodecyl Methyl Sulfide**

Version 2.5

Revision Date 2020-03-04

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**US State Regulations**

Pennsylvania Right To Know : No components are subject to the Pennsylvania Right to Know Act.

California Prop. 65 Components : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**Notification status**

Europe REACH	:	Not in compliance with the inventory
Switzerland CH INV	:	On the inventory, or in compliance with the inventory
United States of America (USA) TSCA	:	On or in compliance with the active portion of the TSCA inventory
Canada NDSL	:	This product contains one or several components listed in the Canadian NDSL.
Australia AICS	:	Not in compliance with the inventory
New Zealand NZIoC	:	Not in compliance with the inventory
Japan ENCS	:	Not in compliance with the inventory
Korea KECI	:	A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still

**n-Dodecyl Methyl Sulfide**

Version 2.5

Revision Date 2020-03-04


permitted provided the Korean Importer of Record has themselves notified the substance.

Notification number: KE-12991

Philippines PICCS : On the inventory, or in compliance with the inventory  
 China IECSC : Not in compliance with the inventory  
 Taiwan TCSI : On the inventory, or in compliance with the inventory

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 2  
 Fire Hazard: 1  
 Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 248840

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery

**n-Dodecyl Methyl Sulfide**

Version 2.5

Revision Date 2020-03-04

			Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		