Di-tert-Dodecyl Polysulfide (TDPS 532)

Version 2.3 Revision Date 2017-06-26

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : Di-tert-Dodecyl Polysulfide (TDPS 532)
Material : 1027455, 1024828, 1058693, 1024565, 1024569, 1024566, 1024567, 1024568, 1024571, 1024570

EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
Di-t-Dodecyl Polysulfide	68425-15-0 270-335-7	Chevron Phillips Chemicals International NV 01-2119540516-41-0001

Relevant Identified Uses Supported : Manufacture
Formulation
Lubricants - Industrial
Lubricants - Professional
Lubricants - Consumer

Company : Chevron Phillips Chemical Company LP
Specialty Chemicals
10001 Six Pines Drive
The Woodlands, TX 77380

Local : Chevron Phillips Chemicals International N.V.
Airport Plaza (Stockholm Building)
Leonardo Da Vincilaan 19
1831 Diegem
Belgium

SDS Requests: (800) 852-5530
Technical Information: (832) 813-4862
Responsible Party: Product Safety Group
Email:sds@cpchem.com

Emergency telephone:

Health:

866.442.9628 (North America)
1.832.813.4984 (International)
Transport:
CHEMTREC 800.424.9300 or 703.527.3887(int'l)
Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Mexico CHEMTREC 01-800-681-9531 (24 hours)
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
Argentina: +(54)-1159839431

Responsible Department	:	Product Safety and Toxicology Group
E-mail address	:	SDS@CPChem.com
Website	:	www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture
REGULATION (EC) No 1272/2008

Chronic aquatic toxicity, Category 4	H413: May cause long lasting harmful effects to aquatic life.

Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard Statements	:	H413	May cause long lasting harmful effects to aquatic life.
Precautionary Statements	:	**Prevention:**	
		P273	Avoid release to the environment.
		Disposal:	
		P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:
- 68425-15-0 Di-t-Dodecyl Polysulfide

SECTION 3: Composition/information on ingredients

Synonyms	:	t-Dodecyl polysulfide tertiary-Dodecyl polysulfide Di-tert-dodecyl polysulfide
Molecular formula	:	UVCB

Mixtures

Hazardous ingredients

Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]

Di-t-Dodecyl Polysulfide	68425-15-0 270-335-7		100

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

General advice	:	No hazards which require special first aid measures.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. If symptoms persist, call a physician.

SECTION 5: Firefighting measures

Flash point	:	121 - 132 °C (250 - 270 °F) Method: PMCC
Autoignition temperature	:	240 °C (464 °F)
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Fire and explosion protection	:	Normal measures for preventive fire protection.
Hazardous decomposition products	:	Carbon oxides. Sulfur oxides.

SECTION 6: Accidental release measures

Environmental precautions	:	Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Handling

Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers : Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : No materials to be especially mentioned.

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

CH

Inhaltsstoffe	Grundlage	Wert	Zu überwachende Parameter	Bemerkung
Di-tert-dodecyl polysulfides	CH SUVA	MAK-Wert	300 mg/m3	SSc, einatembarer Staub
	CH SUVA	KZGW	600 mg/m3	SSc, einatembarer Staub

SSc Eine Schädigung der Leibesfrucht braucht bei Einhaltung des MAK-Wertes nicht befürchtet zu werden.

DNEL
Di-t-Dodecyl Polysulfide : End Use: Workers
Routes of exposure: Inhalation
Potential health effects: Chronic effects, Systemic effects
Value: 23,5 mg/m3

End Use: Workers
Routes of exposure: Skin contact
Potential health effects: Chronic effects, Systemic effects
Value: 33,3 mg/kg

End Use: Consumers
Routes of exposure: Inhalation
Potential health effects: Chronic effects, Systemic effects
Value: 5,8 mg/m3

End Use: Consumers
Routes of exposure: Skin contact
Potential health effects: Chronic effects, Systemic effects
Value: 16,6 mg/kg

End Use: Consumers
Routes of exposure: Ingestion
Potential health effects: Chronic effects, Systemic effects
Value: 1,66 mg/kg

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection	:	Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Air-Purifying Respirator for Dusts and Mists / P100. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
Hand protection	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	:	Eye wash bottle with pure water. Tightly fitting safety goggles.
Skin and body protection	:	Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear as appropriate:. Protective suit. Safety shoes.
Hygiene measures	:	General industrial hygiene practice.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Form	:	Liquid
Physical state	:	Liquid
Color	:	Yellow
Odor	:	Mildly unpleasant

Safety data

Flash point	:	121 - 132 °C (250 - 270 °F) Method: PMCC
Lower explosion limit	:	No data available
Upper explosion limit	:	No data available
Oxidizing properties	:	no

Autoignition temperature	:	240 °C (464 °F)
Molecular formula	:	UVCB
Molecular weight	:	Not applicable
pH	:	No data available
Melting point/range	:	-48 °C (-54 °F) at 101,30 kPa Method: OECD Test Guideline 102
Boiling point/boiling range	:	193,7 °C (380,7 °F) at 101,30 kPa Method: OECD Test Guideline 103
Vapor pressure	:	0,00 Pa at 20 °C (68 °F) Method: OECD Test Guideline 104
Relative density	:	0,94 - 1,01 at 15,6 °C (60,1 °F)
Water solubility	:	0,260 µg/l at 20 °C (68 °F) Method: OECD Test Guideline 105
Partition coefficient: n-octanol/water	:	log Pow: > 6,2 at 20 °C (68 °F) Method: OECD Test Guideline 117
Solubility in other solvents	:	Medium: Hydrocarbons Soluble Medium: Water Insoluble
Viscosity, kinematic	:	716,19 mm2/s at 20 °C (68 °F) 130,35 mm2/s at 40 °C (104 °F)
Relative vapor density	:	No data available
Evaporation rate	:	< 1

SECTION 10: Stability and reactivity

Chemical stability	:	This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions

Conditions to avoid	:	No data available.
Hazardous decomposition products	:	Carbon oxides Sulfur oxides
Other data	:	No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Acute oral toxicity

Di-t-Dodecyl Polysulfide	:	LD50: 19.550 mg/kg Species: Rat Method: OECD Test Guideline 401 Information given is based on data obtained from similar substances.

Acute inhalation toxicity

Di-t-Dodecyl Polysulfide	:	LC50: > 15,5 mg/l Exposure time: 4 h Species: Rat Test atmosphere: dust/mist Method: OECD Test Guideline 403 Information given is based on data obtained from similar substances.

Skin irritation

Di-t-Dodecyl Polysulfide	:	slight irritation.

Eye irritation

Di-t-Dodecyl Polysulfide	:	slight irritation.

Sensitization

Di-t-Dodecyl Polysulfide	:	Did not cause sensitization on laboratory animals.

Repeated dose toxicity

Di-t-Dodecyl Polysulfide	:	Species: Rat, Male and female Sex: Male and female Application Route: oral gavage Dose: 50, 250, 1000 mg/kg Exposure time: (28 Days) Number of exposures: daily NOEL: 1.000 mg/kg Method: OECD Test Guideline 407 No adverse effects expected

Reproductive toxicity

Di-t-Dodecyl Polysulfide	:	No adverse effects expected

Developmental Toxicity

Di-t-Dodecyl Polysulfide : Species: Rat
Application Route: oral gavage
Dose: 50, 250, 1000 mg/kg bw
Number of exposures: daily
Test period: GD6 - 15
Method: OECD Guideline 414
NOAEL Teratogenicity: 1.000 mg/kg
NOAEL Maternal: 1.000 mg/kg
Animal testing did not show any effects on fetal development.

Di-tert-Dodecyl Polysulfide (TDPS 532)
Aspiration toxicity : No aspiration toxicity classification.

CMR effects

Di-t-Dodecyl Polysulfide : Mutagenicity: In vivo tests did not show mutagenic effects
Teratogenicity: Animal testing did not show any effects on fetal development.

Di-tert-Dodecyl Polysulfide (TDPS 532)
Further information : No data available.

SECTION 12: Ecological information

Toxicity to fish

Di-t-Dodecyl Polysulfide : LL50: > 100 mg/l
Exposure time: 96 h
Species: Danio rerio (Zebra Fish)
static test Method: OECD Test Guideline 203
No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates

Di-t-Dodecyl Polysulfide : NOEC: < 0,1 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)
static test Method: Directive 67/548/EEC, Annex V, C.2.
No toxicity at the limit of solubility.

Toxicity to algae

Di-t-Dodecyl Polysulfide : NOEC: < 0,08 mg/l
Exposure time: 72 h
Species: Pseudokirchneriella subcapitata (green algae)
Growth inhibition Method: OECD Test Guideline 201
No toxicity at the limit of solubility.

Toxicity to bacteria

Di-t-Dodecyl Polysulfide : NOEC: 10.000 mg/l
Exposure time: 72 h

Species: Pseudomonas putida
Growth inhibition

Toxicity to fish (Chronic toxicity)

Di-t-Dodecyl Polysulfide : NOEC: 0,84 µg/l
Exposure time: 33 d
Species: Pimephales promelas (fathead minnow)
semi-static test
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

Di-t-Dodecyl Polysulfide : NOEC: 0,79 µg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
semi-static test
Method: OECD Test Guideline 211

Biodegradability

Di-t-Dodecyl Polysulfide : aerobic
0 %
Testing period: 28 d
Method: OECD Test Guideline 301F

Ecotoxicology Assessment

Acute aquatic toxicity
Di-t-Dodecyl Polysulfide : This product has no known ecotoxicological effects.

Chronic aquatic toxicity
Di-t-Dodecyl Polysulfide : This product has no known ecotoxicological effects.

Results of PBT assessment
Di-t-Dodecyl Polysulfide : No conclusion can be reached based on available information.
Further testing proposed.

Additional ecological information : May cause long lasting harmful effects to aquatic life.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)
UN3334, AVIATION REGULATED LIQUID, N.O.S., (DI-TERT-DODECYL POLYSULFIDES), 9, III

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National legislation

Chemical Safety Assessment

Ingredients	:	Polysulfides, di-tert-dodecyl	270-335-7

Major Accident Hazard Legislation : 96/82/EC Update: 2003
Directive 96/82/EC does not apply

Water contaminating class (Germany) : WGK 1 slightly water endangering
Classification according to appendix 3

Notification status

Europe REACH	:	On the inventory, or in compliance with the inventory
Switzerland CH INV	:	On the inventory, or in compliance with the inventory
United States of America (USA) TSCA	:	On TSCA Inventory
Canada DSL	:	All components of this product are on the Canadian DSL
Australia AICS	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	Not in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	On the inventory, or in compliance with the inventory
Philippines PICCS	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 1
Fire Hazard: 1
Reactivity Hazard: 0



Further information

Legacy SDS Number : 168720

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational

	Substances List		Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

Full text of H-Statements referred to under sections 2 and 3.

H413 May cause long lasting harmful effects to aquatic life.