

Version 2.1 Revision Date 2020-08-11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product information** 

Product Name : DYNA-SEAL™ OBM Fiber, Fine

Material : 1104846

Company : Chevron Phillips Chemical Company LP

**Drilling Specialties Company LLC** 

10001 Six Pines Drive The Woodlands, TX 77380

#### **Emergency telephone:**

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

#### **SECTION 2: Hazards identification**

## Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification

: Combustible dust

Labeling

Signal Word : Warning

SDS Number:100000068252 1/10

# DYNA-SEAL™ OBM Fiber, Fine

Version 2.1 Revision Date 2020-08-11

Hazard Statements : May form combustible dust concentrations in air.

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

## **SECTION 3: Composition/information on ingredients**

Synonyms : None Established

Molecular formula : UVCB

Component	CAS-No.	Weight %
Woody Cotton Byproduct (Organic		100
Natural Fiber)		

#### **SECTION 4: First aid measures**

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses. Protect unharmed eye. If eye

irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do not give milk or alcoholic

beverages. Never give anything by mouth to an unconscious

person. If symptoms persist, call a physician.

## **SECTION 5: Firefighting measures**

Flash point : Not applicable

Autoignition temperature : No data available

Specific hazards during fire

fighting

: Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on

floors and ledges.

Special protective

equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

surrounding environment.

SDS Number:100000068252 2/10

# **DYNA-SEAL™ OBM Fiber, Fine**

Version 2.1 Revision Date 2020-08-11

Fire and explosion protection

: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Provide appropriate exhaust ventilation at places where dust is formed.

#### **SECTION 6: Accidental release measures**

Personal precautions : Avoid dust formation.

Methods for cleaning up : Pick up and arrange disposal without creating dust. Sweep up

and shovel. Keep in suitable, closed containers for disposal.

Additional advice : Dust deposits should not be allowed to accumulate on

surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with

compressed air).

## **SECTION 7: Handling and storage**

#### Handling

Advice on safe handling : For personal protection see section 8. Smoking, eating and

drinking should be prohibited in the application area.

Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by

themselves be sufficient.

Advice on protection against fire and explosion

: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Provide appropriate exhaust

ventilation at places where dust is formed.

### **Storage**

Requirements for storage areas and containers

: Electrical installations / working materials must comply with the

technological safety standards.

Advice on common storage : No materials to be especially mentioned.

#### SECTION 8: Exposure controls/personal protection

## **Engineering measures**

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

## Personal protective equipment

SDS Number:100000068252 3/10

Version 2.1 Revision Date 2020-08-11

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless

ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Air-Purifying Respirator for Dusts and Mists / P100. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators

may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Safety glasses.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to the

specific work-place.

Hygiene measures : General industrial hygiene practice.

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

## **Appearance**

Form : Powder
Physical state : Solid
Color : Light brown

Odor : Mild

Odor Threshold : No data available

Safety data

Flash point : Not applicable

Lower explosion limit : No data available

Upper explosion limit : No data available

Flammability (solid, gas) : May form combustible dust concentrations in air.

Oxidizing properties : No

Autoignition temperature : No data available

Molecular formula : UVCB

SDS Number:100000068252 4/10

# **DYNA-SEAL™ OBM Fiber, Fine**

Version 2.1 Revision Date 2020-08-11

Molecular weight : Not applicable

pH : Not applicable

Freezing point : Not applicable

Pour point No data available

Boiling point/boiling range : Not applicable

Vapor pressure : Not applicable

Relative density : 1.1

Water solubility : Insoluble

Partition coefficient: n-

octanol/water

: No data available

Viscosity, kinematic : Not applicable

Relative vapor density : Not applicable

Evaporation rate : No data available

# **SECTION 10: Stability and reactivity**

**Reactivity**: Stable at normal ambient temperature and pressure.

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

## Possibility of hazardous reactions

**Hazardous reactions** : Further information: Stable under recommended storage

conditions., No hazards to be specially mentioned.

**Conditions to avoid** : No data available.

Other data : No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

DYNA-SEAL™ OBM Fiber, Fine

**Further information** : No adverse effects expected.

SDS Number:100000068252 5/10

# **DYNA-SEAL™ OBM Fiber, Fine**

Version 2.1 Revision Date 2020-08-11

## **SECTION 12: Ecological information**

**Ecotoxicity effects** 

**Toxicity to fish** : Not a hazardous substance or mixture.

Toxicity to daphnia and other aquatic invertebrates

: Not a hazardous substance or mixture.

**Toxicity to algae** : Not a hazardous substance or mixture.

Biodegradability : This material is expected to be readily biodegradable.

Elimination information (persistence and degradability)

Bioaccumulation : This material is not expected to bioaccumulate.

Mobility : No data available

Additional ecological

information

: This material is not expected to be harmful to aquatic

organisms.

**Ecotoxicology Assessment** 

Short-term (acute) aquatic

hazard

This material is not expected to be harmful to aquatic

organisms.

This material is not expected to be harmful to aquatic

organisms.

Long-term (chronic) aquatic

hazard

This material is not expected to be harmful to aquatic

organisms.

This material is not expected to be harmful to aquatic

organisms.

## **SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

## **SECTION 14: Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to

SDS Number:100000068252 6/10

Version 2.1 Revision Date 2020-08-11

## shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

## **US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

## IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

## ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

### **SECTION 15: Regulatory information**

**National legislation** 

SARA 311/312 Hazards : Combustible dust

CERCLA Reportable : This material does not contain any components with a CERCLA

Quantity RQ.

SDS Number:100000068252 7/10

Version 2.1 Revision Date 2020-08-11

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 302 Threshold

Planning Quantity

: This material does not contain any components with a section

302 EHS TPQ.

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

304 EHS RQ.

SARA 313 Components : This material does not contain any chemical components with

> known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

Potential

Ozone-Depletion : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

## **US State Regulations**

Pennsylvania Right To Know

: Woody Cotton Byproduct (Organic Natural Fiber) -

**Notification status** 

Europe REACH On the inventory, or in compliance with the inventory Switzerland CH INV On the inventory, or in compliance with the inventory United States of America (USA) On or in compliance with the active portion of the

SDS Number:100000068252 8/10

# DYNA-SEAL™ OBM Fiber, Fine

Version 2.1 Revision Date 2020-08-11

TSCA TSCA inventory

Canada DSL On the inventory, or in compliance with the inventory Australia AICS On the inventory, or in compliance with the inventory New Zealand NZIoC On the inventory, or in compliance with the inventory Japan ENCS On the inventory, or in compliance with the inventory Korea KECI On the inventory, or in compliance with the inventory Philippines PICCS On the inventory, or in compliance with the inventory China IECSC On the inventory, or in compliance with the inventory Taiwan TCSI On the inventory, or in compliance with the inventory

#### **SECTION 16: Other information**

NFPA Classification : Health Hazard: 0

Fire Hazard: 2 Reactivity Hazard: 0



**Further information** 

Legacy SDS Number : CPC00566

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet					
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%		
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level		
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency		
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health		
CNS	Central Nervous System	NTP	National Toxicology Program		
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals		
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level		
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration		
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration		
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit		
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances		
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic		

SDS Number:100000068252

# DYNA-SEAL™ OBM Fiber, Fine

Version 2.1 Revision Date 2020-08-11

	Values		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

SDS Number:100000068252 10/10