SAFETY DATA SHEET

AlphaPlus® C26-28

Version 1.11

Revision Date 2022-04-28

| Product information | | |
|---|--------------|--|
| Product Information | | |
| Product Name | : | AlphaPlus® C26-28 |
| Material | : | 1061434, 1037070, 1037069 |
| | | |
| Company | : | Chevron Phillips Chemical Company LP |
| | | Normal Alpha Olefins (NAO) |
| | | 10001 Six Pines Drive |
| | | The Woodlands, TX 77380 |
| Emergency telephone: | | |
| Health: | | |
| 866.442.9628 (North Am | nerica | 3) |
| 1.832.813.4984 (Internat | | , |
| Transport: | | , |
| CHEMTREC 800.424.93 | 300 or | r 703.527.3887(int'l) |
| | | 186 1132) China: 0532 8388 9090 |
| Mexico CHEMTREC 01- | | |
| | | side Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 |
| Argentina: +(54)-115983 | | |
| | | 5 (phone) or +32.14583516 (telefax) |
| | | (24 hours/day, 7 days/week) |
| Belgium: 070 245 245 (2 | | urs/day, 7 days/week) |
| Bulgaria: +359 2 9154 23 | | hours/dov. 7 dovo/wook) |
| Croatia: +3851 2348 342 Cyprus: 1401 | <u> (</u> 24 | Tiours/day, 7 days/week) |
| | onica | al Information Center +420 224 919 293, +420 224 915 402 |
| | | nter (Giftlinjen): +45 8212 1212 |
| | | (phone) or +32.14583516 (telefax) |
| Finland: 0800 147 111 0 | | |
| | | RS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) |
| Germany: BIG +32.14.58 | 84548 | 5 (phone) or +32.14583516 (telefax) |
| | | (24 hours/day, 7 days/week) |
| 0, | • | 4 hours/day, 7 days/week) |
| Iceland: 543 2222 (24 ho | | |
| | | phone) or +32.14583516 (telefax) |
| | | one) or +32.14583516 (telefax) e Service, phone number: 112; Toxicology and Sepsis Clinic |
| | | tion Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +3 |
| 67042473. (24 hours.) | | |
| Liechtenstein: BIG +32.1 | 1 58 | 4545 (phone) or +32.14583516 (telefax) |
| | | |
| Lithuania: +370 (85) 236 | 62052 | |
| Lithuania: +370 (85) 236 | 62052 | 2 00 (24 hours/day, 7 days/week) |

AlphaPlus Normal Alpha Olefins

SAFETY DATA SHEET

AlphaPlus® C26-28

| AlphaPlus® C26-28 | |
|--|--|
| Version 1.11 | Revision Date 2022-04-28 |
| Poland: BIG +32.14.584 Portugal: CIAV phone n Romania: +4021318360 Slovakia: +421 2 5477 4 Slovenia: Phone numbe | 1 hours/day, 7 days/week) 545 (phone) or +32.14583516 (telefax) umber: +351 800 250 250 6 166 r: 112 ncy Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 |
| Responsible Department E-mail address Website | Product Safety and Toxicology Group SDS@CPChem.com www.CPChem.com |
| SECTION 2: Hazards identification | ation |
| 1910.1200; the SDS and la | tance or mixture sified in accordance with the hazard communication standard 29 CFR bels contain all the information as required by the standard. |
| Classification | : |
| Not a hazardous substance | or mixture. |
| Labeling | |
| Not a hazardous substance | e or mixture. |
| Carcinogenicity: | |
| IARC | No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
| NTP | No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |
| SECTION 3: Composition/info | rmation on ingredients |
| Synonyms | : NAO 26-28 C26-28 (even numbered) a-alkenes (EU) Reaction mass of 1-hexacosene and 1-octacosene (EU) |
| Molecular formula | : Mixture |
| Contains no hazardous ing | - |
| SECTION 4: First aid measure | S |
| General advice | : No hazards which require special first aid measures. |
| SDS Number:100000013083 | 2/12 |

| phaPlus® C26-28 | SAFETY DATA SHE |
|--|---|
| rsion 1.11 | Revision Date 2022-04- |
| If inhaled | : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. |
| In case of skin contact | : If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes. |
| In case of eye contact | : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. |
| CTION 5: Firefighting measu | res |
| Flash point | : 204°C (399°F) Method: PMCC |
| Autoignition temperature | : 346°C (655°F) |
| Unsuitable extinguishing media | : High volume water jet. |
| Specific hazards during fire fighting | : Standard procedure for chemical fires. |
| Special protective equipment for fire-fighters | : Wear self-contained breathing apparatus for firefighting if necessary. |
| Further information | : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Fire and explosion protection | : Provide appropriate exhaust ventilation at places where dust is formed. |
| Hazardous decomposition products | : Carbon Dioxide. Carbon oxides. |
| CTION 6: Accidental release | measures |
| Personal precautions | : Use personal protective equipment. Avoid dust formation. Avoid breathing dust. |
| Environmental precautions | : Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods for cleaning up | : Keep in suitable, closed containers for disposal. |
| CTION 7: Handling and stora | ge |
| Handling | |
| S Number:100000013083 | 3/12 |

| | | SAFETY DATA SHEET |
|---|-------|--|
| AlphaPlus® C26-28 | | |
| Version 1.11 | | Revision Date 2022-04-28 |
| Advice on safe handling | : | Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. |
| Advice on protection against fire and explosion | : | Provide appropriate exhaust ventilation at places where dust is formed. |
| Storage | | |
| Requirements for storage areas and containers | : | Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards. |
| SECTION 8: Exposure controls | s/per | sonal protection |

Engineering measures

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

| Respiratory protection | : | Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Air-Purifying Respirator for Organic Vapors, Dusts and Mists. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection. |
|--------------------------|---|--|
| Hand protection | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. |
| Eye protection | : | Eye wash bottle with pure water. Safety glasses. |
| Skin and body protection | : | Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the |
| SDS Number:100000013083 | | 4/12 |
| | | |

| ohaPlus® C26-28 | SAFETY DATA SH |
|--|--|
| sion 1.11 | Revision Date 2022-04 |
| | specific work-place. Wear as appropriate:. Lightweight protective clothing. Safety shoes. |
| Hygiene measures | : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |
| CTION 9: Physical and chem | nical properties |
| Information on basic phys | ical and chemical properties |
| Appearance | |
| Form Physical state Color | : Wax., solid : solid : White |
| Safaty data | |
| Safety data Flash point | : 204°C (399°F) Method: PMCC |
| Lower explosion limit | : No data available |
| Upper explosion limit | : No data available |
| Oxidizing properties | : no |
| Autoignition temperature | : 346°C (655°F) |
| Molecular formula | : Mixture |
| Molecular weight | : Varies |
| рН | : No data available |
| Melting point/range | : 51.7°C (125.1°F) Method: ASTM D-127 |
| Boiling point/boiling range | : 330°C (626°F) |
| Vapor pressure | : Not applicable |
| Relative density | : 0.8 |
| Water solubility | : Soluble in hydrocarbon solvents; insoluble in water. |
| Partition coefficient: n- octanol/water | : No data available |
| Viscosity, kinematic | : 3.27 cSt at 99°C (210°F) |
| Relative vapor density | : Not applicable |
| Evaporation rate | : Not applicable |
| Number:10000012022 | E/40 |
| S Number:100000013083 | 5/12 |

AlphaPlus® C26-28

Version 1.11

SAFETY DATA SHEET

Revision Date 2022-04-28

| | vity |
|--|--|
| Reactivity | : Stable at normal ambient temperature and pressure. |
| Chemical stability | : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure. |
| Possibility of hazardous rea | actions |
| Hazardous reactions | : Further information: Stable under recommended storage conditions., No hazards to be specially mentioned. |
| Conditions to avoid | : No data available. |
| Materials to avoid | : May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc. |
| Hazardous decomposition products | : Carbon Dioxide Carbon oxides |
| Other data | : No decomposition if stored and applied as directed. |
| TION 11: Toxicological infor | |
| AlphaPlus® C26-28 Acute oral toxicity | LD50: > 5,000 mg/kg Species: Rat Information given is based on data obtained from similar substances. |
| | Species: Rat Information given is based on data obtained from similar |
| Acute oral toxicity AlphaPlus® C26-28 | Species: Rat Information given is based on data obtained from similar substances. Presumed Not Toxic Information given is based on data obtained from similar |
| Acute oral toxicity AlphaPlus® C26-28 Acute inhalation toxicity AlphaPlus® C26-28 | Species: Rat Information given is based on data obtained from similar substances. Presumed Not Toxic Information given is based on data obtained from similar substances. LD50: > 2,000 mg/kg Information given is based on data obtained from similar |
| Acute oral toxicity AlphaPlus® C26-28 Acute inhalation toxicity AlphaPlus® C26-28 Acute dermal toxicity AlphaPlus® C26-28 | Species: Rat Information given is based on data obtained from similar substances. Presumed Not Toxic Information given is based on data obtained from similar substances. LD50: > 2,000 mg/kg Information given is based on data obtained from similar substances. No skin irritation. Information given is based on data obtained |

| IphaPlus® C26-28 | SAFETY DATA SHEE |
|---|---|
| ersion 1.11 | Revision Date 2022-04-2 |
| AlphaPlus® C26-28 Sensitization | : No adverse effects expected. Based on data from similar materials. |
| AlphaPlus® C26-28 Aspiration toxicity | : No aspiration toxicity classification. |
| AlphaPlus® C26-28 Further information | : No data available. |
| ECTION 12: Ecological information | tion |
| Ecotoxicity effects | |
| Toxicity to fish | : This material is not expected to be harmful to aquatic organisms. |
| Toxicity to daphnia and other aquatic invertebrates | : This material is not expected to be harmful to aquatic organisms. |
| Toxicity to algae | : This material is not expected to be harmful to aquatic organisms. |
| Biodegradability | : This material is not expected to be readily biodegradable. |
| Elimination information (persis | tence and degradability) |
| Mobility | : No data available |
| Results of PBT assessment | : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. |
| Additional ecological information | : This material is not expected to be harmful to aquatic organisms., Information given is based on data on the ingredients and the ecotoxicology of similar products. |
| Ecotoxicology Assessment | |
| Short-term (acute) aquatic hazard | : This material is not expected to be harmful to aquatic organisms. |
| Long-term (chronic) aquatic hazard | : This material is not expected to be harmful to aquatic organisms. |
| ECTION 13: Disposal considera | tions |
| The information in this SDS pe | ertains only to the product as shipped. |
| | |
| DS Number:100000013083 | 7/12 |

| AlphaPlus® C26-28 | SAFETY DATA SHEET |
|---|---|
| version 1.11 | Revision Date 2022-04-20 |
| may meet the criteria of a ha other State and local regulati regulated components may b | purpose or recycle if possible. This material, if it must be discarded, zardous waste as defined by US EPA under RCRA (40 CFR 261) or ons. Measurement of certain physical properties and analysis for be necessary to make a correct determination. If this material is ste, federal law requires disposal at a licensed hazardous waste |
| Product | : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. |
| Contaminated packaging | : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. |
| ECTION 14: Transport informa | tion |
| | shown here are for bulk shipments only, and may not apply to kages (see regulatory definition). |
| Goods Regulations for addition etc.) Therefore, the information | estic or international mode-specific and quantity-specific Dangerous onal shipping description requirements (e.g., technical name or names, ion shown here, may not always agree with the bill of lading shipping Flashpoints for the material may vary slightly between the SDS and the |
| | DEPARTMENT OF TRANSPORTATION) HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY. |
| When shipment is offered | for transport at or above 100°C it is regulated as: |
| UN3257, ELEVATED TEN 9, III | MPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C26-28) |
| | AL MARITIME DANGEROUS GOODS) HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY. |
| When shipment is offered | for transport at or above 100°C it is regulated as: |
| UN3257, ELEVATED TEM 9, III (204°C) | MPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C26-28) |
| | R TRANSPORT ASSOCIATION) HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY. |
| When shipment is offered | for transport at or above 100°C it is regulated as: |
| UN3257, 9: NOT PERMIT | TED FOR TRANSPORT |
| ADR (AGREEMENT ON DA | NGEROUS GOODS BY ROAD (EUROPE)) |
| DS Number:100000013083 | 8/12 |

SDS Number:100000013083

8/12

SAFETY DATA SHEET

AlphaPlus® C26-28

Version 1.11

Revision Date 2022-04-28

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C26-28) , 9, III , (D)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C26-28) , 9, III

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C26-28) , 9, III

| Other information : | OLEFINS (C13 +, all isomers), S.T. 2, Cat.Y |
|---------------------|---|

Maritime transport in bulk according to IMO instruments

SECTION 15, Degulatory information

| SECTION 15: Regulatory inform | nation |
|---------------------------------|---|
| National legislation | |
| SARA 311/312 Hazards | : No SARA Hazards |
| CERCLA Reportable Quantity | : This material does not contain any components with a CERCLA RQ. |
| SARA 302 Reportable Quantity | : This material does not contain any components with a SARA 302 RQ. |
| SDS Number:100000013083 | 9/12 |

| phaPlus® C26-28 | SAFETY DATA SHE |
|--|--|
| rsion 1.11 | Revision Date 2022-04- |
| SARA 302 Threshold Planning Quantity | : This material does not contain any components with a section 302 EHS TPQ. |
| SARA 304 Reportable Quantity | : This material does not contain any components with a section 304 EHS RQ. |
| SARA 313 Components | : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |
| Clean Air Act | |
| Potential Class | product neither contains, nor was manufactured with a Class I or II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR ubpt. A, App.A + B). |
| This product does not conta Act Section 112 (40 CFR 61 | in any hazardous air pollutants (HAP), as defined by the U.S. Clean Ai). |
| | in any chemicals listed under the U.S. Clean Air Act Section 112(r) for ion (40 CFR 68.130, Subpart F). |
| This product does not conta Intermediate or Final VOC's | in any chemicals listed under the U.S. Clean Air Act Section 111 SOCI (40 CFR 60.489). |
| US State Regulations | |
| Pennsylvania Right To Knov | v |
| | 1-Hexacosene - 18835-33-1 1-Octacosene - 18835-34-2 Hexacosene, Branched - 182636-06-2 Octacosene, Branched - 182636-07-3 1-Triacontene - 18435-53-5 2-Octacosene - 142227-01-8 |
| California Prop. 65 Components | : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects. |
| | |

AlphaPlus® C26-28

Version 1.11

Revision Date 2022-04-28

| Notification status Europe REACH Switzerland CH INV United States of America (USA) TSCA Canada DSL Other AIIC New Zealand NZIoC Japan ENCS Korea KECI | regulatio On the ir On or in TSCA in All comp DSL Not in co Not in co On the ir A substa notified t by CPCh Importati permitted themselv amount of quantity | n 1907/2006/EC aventory, or in co compliance with ventory onents of this pr mpliance with th mpliance with th aventory, or in co nce(s) in this pro o be registered, nem according to on or manufactured provided the K ves notified the s cloes not exceed of the non-regist | ompliance with the inventory a the active portion of the roduct are on the Canadian he inventory ompliance with the inventory oduct was not registered, or exempted from registration o K-REACH regulations. ure of this product is still forean Importer of Record has substance or the exported I the minimum threshold tered substance(s). |
|--|---|--|---|
| Philippines PICCS Taiwan TCSI | | | ompliance with the inventory ompliance with the inventory |
| China IECSC | | | ompliance with the inventory |
| ECTION 16: Other information | | | |
| I | Health Hazard: 0 Fire Hazard: 1 | | |
| I | | I: O | |
| I | Fire Hazard: 1 | l: O | |
| Further information | Fire Hazard: 1 | I: O | |
| Further information | Fire Hazard: 1 Reactivity Hazard | | |
| Further information Legacy SDS Number : Significant changes since the last | Fire Hazard: 1 Reactivity Hazard 7965 version are high | lighted in the ma | argin. This version replaces all |
| Further information Legacy SDS Number : Significant changes since the last previous versions. | Fire Hazard: 1 Reactivity Hazard 7965 version are high ins only to the pro afety Data Sheet of its publication. processing, storager quality specification nay not be valid | lighted in the ma oduct as shippe t is correct to the . The information ge, transportation ation. The inform for such materia | argin. This version replaces all d. e best of our knowledge, n given is designed only as a on, disposal and release and is nation relates only to the |
| Further information Legacy SDS Number : Significant changes since the last previous versions. The information in this SDS perta The information provided in this S information and belief at the date guidance for safe handling, use, p not to be considered a warranty of specific material designated and n other materials or in any process, | Fire Hazard: 1 Reactivity Hazard 7965 version are high ins only to the pre afety Data Sheet of its publication processing, storage r quality specification anay not be valid unless specified | lighted in the ma oduct as shippe t is correct to the . The information ge, transportatic ation. The inform for such materia in the text. | argin. This version replaces all d. e best of our knowledge, n given is designed only as a on, disposal and release and is nation relates only to the il used in combination with any |
| Further information Legacy SDS Number Significant changes since the last previous versions. The information in this SDS perta The information provided in this S information and belief at the date guidance for safe handling, use, p not to be considered a warranty of specific material designated and r other materials or in any process, Key or legend to abbit ACGIH | Fire Hazard: 1 Reactivity Hazard 7965 version are high ins only to the pre afety Data Sheet of its publication. processing, stora r quality specifica nay not be valid unless specified eviations and ac nee of | lighted in the ma oduct as shippe t is correct to the . The information ge, transportatic ation. The inform for such materia in the text. | argin. This version replaces all d. e best of our knowledge, n given is designed only as a on, disposal and release and is nation relates only to the il used in combination with any |
| Further information Legacy SDS Number : Significant changes since the last previous versions. The information in this SDS perta The information provided in this S information and belief at the date guidance for safe handling, use, p not to be considered a warranty of specific material designated and n other materials or in any process, | Fire Hazard: 1 Reactivity Hazard 7965 version are high ins only to the pre afety Data Sheet of its publication. processing, stora r quality specifica nay not be valid unless specified eviations and ac nee of trial Hygienists | lighted in the ma oduct as shippe t is correct to the . The information ge, transportation ation. The inform for such materia in the text. | argin. This version replaces all d. e best of our knowledge, n given is designed only as a on, disposal and release and is nation relates only to the I used in combination with any the safety data sheet |

SDS Number:100000013083

11/12

AlphaPlus® C26-28

SAFETY DATA SHEET

Version 1.11

Revision Date 2022-04-28

| DSL | Canada, Domestic Substances List | NFPA | National Fire Protection Agency |
|--------|---|-------|--|
| NDSL | Canada, Non-Domestic Substances List | NIOSH | National Institute for Occupational Safety & Health |
| CNS | Central Nervous System | NTP | National Toxicology Program |
| CAS | Chemical Abstract Service | NZIoC | New Zealand Inventory of Chemicals |
| EC50 | Effective Concentration | NOAEL | No Observable Adverse Effect Level |
| EC50 | Effective Concentration 50% | NOEC | No Observed Effect Concentration |
| EGEST | EOSCA Generic Exposure Scenario Tool | OSHA | Occupational Safety & Health Administration |
| EOSCA | European Oilfield Specialty Chemicals Association | PEL | Permissible Exposure Limit |
| EINECS | European Inventory of Existing Chemical Substances | PICCS | Philippines Inventory of Commercial Chemical Substances |
| MAK | Germany Maximum Concentration Values | PRNT | Presumed Not Toxic |
| GHS | Globally Harmonized System | RCRA | Resource Conservation Recovery Act |
| >= | Greater Than or Equal To | STEL | Short-term Exposure Limit |
| IC50 | Inhibition Concentration 50% | SARA | Superfund Amendments and Reauthorization Act. |
| IARC | International Agency for Research on Cancer | TLV | Threshold Limit Value |
| IECSC | Inventory of Existing Chemical Substances in China | TWA | Time Weighted Average |
| ENCS | Japan, Inventory of Existing and New Chemical Substances | TSCA | Toxic Substance Control Act |
| KECI | Korea, Existing Chemical Inventory | UVCB | Unknown or Variable Composition, Complex Reaction Products, and Biological Materials |
| <= | Less Than or Equal To | WHMIS | Workplace Hazardous Materials Information System |
| LC50 | Lethal Concentration 50% | | |