

Marlex® HXM 50100 Polyethylene

Version 1.7

Revision Date 2023-08-07

according to GB/T 16483 and GB/T 17519

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name Material	 Marlex® HXM 50100 Polyethylene 1118576, 1018745, 1018747, 1070714, 1093199, 1080384, 1086319, 1018013, 1018017, 1017207, 1025207, 1018746, 1018748, 1019312, 1019315, 1019314, 1019313, 1019310, 1019311, 1018749
Company	: Chevron Phillips Chemical Company LP 10001 Six Pines Drive The Woodlands, TX 77380
Emergency telephone:	
Mexico CHEMTREC 01-8 South America SOS-Cote Argentina: +(54)-1159839 EUROPE: BIG +32.14.584 Austria: VIZ +43 1 406 43 Belgium: 070 245 245 (24 Bulgaria: +359 2 9154 233 Croatia: +359 2 9154 233 Croatia: +3851 2348 342 (Cyprus: 1401 Czech Republic: Toxicolog Denmark: Danish Poison (Estonia: BIG +32.14.5845 Finland: 0800 147 111 09 France: ORFILA number (Germany: BIG +32.14.5845 Greece: (0030) 21077937 Hungary: +36-80-201-199 Iceland: 543 2222 (24 hou Ireland: BIG +32.14.5845	bnal) 0 or 703.527.3887(int'l) 2 9186 1132) China: 0532 8388 9090 00-681-9531 (24 hours) c Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 431 4545 (phone) or +32.14583516 (telefax) 43 (24 hours/day, 7 days/week) hours/day, 7 days/week) 3 (24 hours/day, 7 days/week) gical Information Center +420 224 919 293, +420 224 915 402 Center (Giftlinjen): +45 8212 1212 45 (phone) or +32.14583516 (telefax) 9 471 977 (24 hours/day) (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 4545 (phone) or +32.14583516 (telefax) 77 (24 hours/day, 7 days/week) (24 hours/day, 7 days/week) (24 hours/day, 7 days/week)
SDS Number:100000000792	1/10

Marlex® HXM 50100 Polyethylene

Version 1.7

Revision Date 2023-08-07

-						
	Poisoning ai 67042473.	nd Drug Informa (24 hours.)	ation Ce	enter, Hipokrāta 2, F	112; Toxicology and Se Riga, Latvia, LV-1038, pt	
	Lithuania: +3	370 (85) 236205	52	phone) or +32.1458		
	Malta: +356	2395 2000		hours/day, 7 days/	week)	
	Norway: 22	ands: NVIC: +3 ⁻ 59 13 00 (24 ho	urs/day	, 7 days/week)	<i>(</i> ,) , c ,)	
	Portugal: Cl	AV phone numb) or +32.14583516 1 800 250 250	(telefax)	
	Slovakia: +4	10213183606 21 2 5477 4166				
	Spain: Natio hours/day, 7		Telepho		nish Poison Centre: +34	91 562 04 20 (24
	Responsible De E-mail address Website		SDS	uct Safety and Toxic @CPChem.com .CPChem.com	cology Group	
		lantation in the I			erial in medical applicati contact with internal bod	
	human body or directly from Ch	contact with inte	ernal bo Chemica	dy fluids or tissues I Company LP or its	prief or temporary implar unless the material has legal affiliates under ar	been provided
	express warran	ty or implied wa	rranty c		ates makes no represent bility of this material for tissues.	
SEC	CTION 2: Hazard	ls identificatio	n			
	GHS Classifica (GHS 2011)				3 15258 and GB 30000.	2 to GB 30000.29
	Emergency Ove	erview				
	Form: Pellets	Physical state	a. solid	Color : Opaque	Odor: Mild to no odor	
		Filysical stat	e. soliu			
	Classification Not a hazardou	s substance or	mixture.			
	Labeling					
	-					
	Not a hazardou	s substance or	mixture.			
SDS	S Number:10000	0000792			2/10	

Marlex® HXM 50100 Polyethylene

SAFETY DATA SHEET

Version 1.7

Revision Date 2023-08-07

Chemical name			CAS-No. / EINECS-No.	Concentration [wt%]
Polyethylene Hexene Copol	yme	ər	25213-02-9	99 - 100
Contains no hazardous ingre	die			
TION 4: First aid measures				
If inhaled	:		esh air in case of accidental ir n overheating or combustion. sician.	
In case of skin contact	:	immediate	en material gets on skin, quick medical attention. Do not try om the skin or use solvents or	to peel the solidified
In case of eye contact	:		e of contact with eyes, rinse in nd seek medical advice.	nmediately with plenty
If swallowed	:	Do not ind	luce vomiting without medical	advice.
TION 5: Firefighting measu	res			
Flash point	:	No data av	vailable	
Autoignition temperature	:	No data av	vailable	
Suitable extinguishing media	:	Foam. If p fogging no application surface lay create a d extinguish	ater mist. Dry chemical. Carb possible, water should be appl pozzle since this is a surface bu n of high velocity water will spr yer. Avoid the use of straight ust cloud and the risk of a dus ing measures that are approprinces and the surrounding envi	ied as a spray from a rning material. The ead the burning streams that may t explosion. Use riate to local
Specific hazards during fire fighting	:		nition followed by flame propa s can be caused by the accum ledges.	
Special protective equipment for fire-fighters	:		nal protective equipment. We apparatus for firefighting if nec	
Further information	:	This mate	rial will burn although it is not e	easily ignited.
Fire and explosion protection	:	dispersed	solid that can burn. Avoid ge in air in sufficient concentratio of an ignition source is a poter	ons, and in the
Hazardous decomposition products	:		mbustion forms carbon dioxid arbon monoxide, other hydroc	

Marlex® HXM 50100 Polyethylene

Version 1.7

Revision Date 2023-08-07

hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.

SECTION 6: Accidental release measures

Personal precautions	:	Sweep up to prevent slipping hazard. Avoid breathing dust. Avoid dust formation.
Environmental precautions	:	Do not contaminate surface water. Prevent product from entering drains.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum.
Additional advice	:	Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

SECTION 7: Handling and storage

Handling

Advice on safe handling	: Use good housekeeping for safe handling of the product. Keep out of water sources and sewers. Spilled pellets may create a slipping hazard. Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient. At elevated temperatures (>350°F, >177°C), polyethylene can release vapors and gases, which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. These substances may include acetaldehyde, acetone, acetic acid, formic acid, formaldehyde and acrolein. Based on animal data and limited epidemiological evidence, formaldehyde has been listed as a carcinogen. Following all recommendations within this SDS should minimize exposure to thermal processing emissions.
Advice on protection against fire and explosion	: Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Storage	
Requirements for storage areas and containers	: Keep in a dry place. Keep in a well-ventilated place.
Advice on common storage	: Do not store together with oxidizing and self-igniting products.
SDS Number:10000000792	4/10

Marlex® HXM 50100 Polyethylene

SAFETY DATA SHEET

Version 1.7

Revision Date 2023-08-07

SECTION 8: Exposure controls/personal protection

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection	:	No respiratory protection is normally required. If heated material generates vapor or fumes that are not adequately controlled by ventilation, wear an appropriate respirator. Use the following elements for air-purifying respirators: Organic Vapor and Formaldehyde. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection. Dust safety masks are recommended when the dust concentration is excessive.
Eye protection	:	Use of safety glasses with side shields for solid handling is good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles.
Skin and body protection	:	At ambient temperatures use of clean and protective clothing is good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not adequate.
SECTION 9: Physical and cher	nical	properties
Information on basic phy	sical	and chemical properties
Appearance		
Form Physical state Color Odor	:	 Pellets solid Opaque Mild to no odor

: No data available

: No data available

Safety data

Odor Threshold

Flash point

Lower explosion limit: Not applicableUpper explosion limit: Not applicable

SDS Number:10000000792

5/10

Marlex® HXM 50100 Polyethylene

sion 1.7	Revision Date 2023-08
Autoignition temperature	: No data available
Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
рН	: Not applicable
Melting point/range	: 90-140°C (194-284°F)
Melting point/freezing point	Not applicable
Initial boiling point and boiling range	: Not applicable
Vapor pressure	: Not applicable
Relative density	: Not applicable
Density	: 0.91 - 0.97 g/cm3 Please refer to the Technical Data Sheet (TDS) for more detailed information relating to the nominal physical properties, including density, of this polyethylene resin grade.
Water solubility	: negligible
Partition coefficient: n- octanol/water	: No data available
Solubility in other solvents	: No data available
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Relative vapor density	: Not applicable
Evaporation rate	: Not applicable
TION 10: Stability and reactiv	ity
Reactivity	: This material is considered non-reactive under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Chemical stability	 This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous read	tions
Conditions to avoid	: Avoid prolonged storage at elevated temperature.

Marlex® HXM 50100 Polyethylene

sion 1.7	Revision Date 2023-08
Materials to avoid	: Avoid contact with strong oxidizing agents.
Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
Hazardous decomposition products	: Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
Other data	: No decomposition if stored and applied as directed.
TION 11: Toxicological infor	mation
U	
Marlex® HXM 50100 Polyeth	vlene
Acute oral toxicity	
Marlex® HXM 50100 Polyeth Acute inhalation toxicity	
Marlex® HXM 50100 Polyeth	
Acute dermal toxicity	
Marlex® HXM 50100 Polyeth	ylene
Skin irritation	: No skin irritation
Marlex® HXM 50100 Polyeth	vlene
Eye irritation	: No eye irritation
Marlex® HXM 50100 Polyeth	vlene
Sensitization	: Did not cause sensitization on laboratory animals.
Marlov® UVM 50100 Dolvoth	viene
Marlex® HXM 50100 Polyeth Further information	 This product contains POLYMERIZED OLEFINS. During thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and limited epidemiological evidence.
	tion
TION 12: Ecological informa	lion
Ecotoxicity effects	

Marlex® HXM 50100 Polyethylene

Version 1.7

Revision Date 2023-08-07

Biodegradability	: This material is not expected to be readily biodegradable.				
Elimination information (persis	Elimination information (persistence and degradability)				
Bioaccumulation	: Does not bioaccumulate.				
Mobility	: The product is insoluble and floats on water.				
Additional ecological information	: This material is not expected to be harmful to aquatic organisms., Fish or birds may eat pellets which may obstruct their digestive tracts.				
Ecotoxicology Assessment					
Short-term (acute) aquatic hazard	: This product has no known ecotoxicological effects.				
Long-term (chronic) aquatic hazard	: This product has no known ecotoxicological effects.				
SECTION 13: Disposal considera	itions				
The information in this SDS pe	ertains only to the product as shipped.				
may meet the criteria of a haz other State and local regulatio regulated components may be	Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.				
SECTION 14: Transport informat	ion				
	hown here are for bulk shipments only, and may not apply to ages (see regulatory definition).				
Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.					
NOT REGULATED AS A H	US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.				
IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.					
NOT REGULATED AS A H	AZARDOUS MATERIAL OR DANGEROUS GOODS FOR				

SDS Number:10000000792

8/10

Marlex® HXM 50100 Polyethylene

Version 1.7

Revision Date 2023-08-07

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE)) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.						
	RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF					
DANGEROUS GOODS (EUROPE NOT REGULATED AS A HAZA TRANSPORTATION BY THIS /	RDOUS MATERIAL OR DANGEROUS GOODS FOR					
OF DANGEROUS GOODS BY IN NOT REGULATED AS A HAZA	ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.					
Maritime transport in bulk accor	-					
SECTION 15: Regulatory information						
Notification status Europe REACH Switzerland CH INV United States of America (USA) TSCA Canada DSL Australia AIIC New Zealand NZIoC Japan ENCS Philippines PICCS Korea KECI	 On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On or in compliance with the active portion of the TSCA inventory All components of this product are on the Canadian DSL On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory Description of the inventory, or in compliance with the inventory Description of the inventory, or in compliance with the inventory Description of the inventory, or in compliance with the inventory Description of the inventory, or in compliance with the inventory Description of the inventory, or in compliance with the inventory Description of the inventory, or in compliance with the inventory Description of the registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s). 					
Taiwan TCSI China IECSC	On the inventory, or in compliance with the inventoryOn the inventory, or in compliance with the inventory					
SECTION 16: Other information						
Further information						
	40370					
Significant changes since the last v previous versions.	version are highlighted in the margin. This version replaces all					
SDS Number:100000000792	9/10					

Marlex® HXM 50100 Polyethylene

Version 1.7

Revision Date 2023-08-07

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

K	ey or legend to abbreviations and a	cronyms used	d in the safety data sheet
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate