



## Isopropyl Mercaptan

Version 3.2

Revision Date 2023-10-11

According to Regulation (EC) No. 1907/2006, Regulation (EC) No. 2020/878

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

##### Product information

Product Name : Isopropyl Mercaptan  
 Material : 1083608, 1029885, 1021450, 1028387, 1021451, 1027451,  
 1021448, 1031054, 1021449

##### EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
Isopropyl Mercaptan	75-33-2 200-861-4	Chevron Phillips Chemicals International NV 01-2119510881-44-0001
Isopropyl Mercaptan	75-33-2 200-861-4	Chevron Phillips Chemical Company LP 01-2119510881-44-0001

#### 1.2

##### Relevant identified uses of the substance or mixture and uses advised against

Relevant Identified Uses Supported : Formulation  
 Used as chemical intermediate  
 Use of odorant in natural gas- tracer substance

#### 1.3

##### Details of the supplier of the safety data sheet

**Company** : Chevron Phillips Chemical Company LP  
 Specialty Chemicals  
 10001 Six Pines Drive  
 The Woodlands, TX 77380

**Local** : Chevron Phillips Chemicals International N.V.  
 Airport Plaza (Stockholm Building)  
 Leonardo Da Vincilaan 19  
 1831 Diegem  
 Belgium

SDS Requests: (800) 852-5530

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

Responsible Party: Product Safety Group  
 Email:sds@cpchem.com

**1.4****Emergency telephone:****Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic

Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000

Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606

Slovakia: +421 2 5477 4166

Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com

**SECTION 2: Hazards identification****2.1****Classification of the substance or mixture**

SDS Number:100000068542

2/20

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

**REGULATION (EC) No 1272/2008**

Flammable liquids, Category 2

H225:

Highly flammable liquid and vapor.

Skin sensitization, Sub-category 1B

H317:

May cause an allergic skin reaction.

Short-term (acute) aquatic hazard,  
Category 1

H400:

Very toxic to aquatic life.

Long-term (chronic) aquatic hazard,  
Category 1

H410:

Very toxic to aquatic life with long lasting effects.

**2.2****Labeling (REGULATION (EC) No 1272/2008)**

Hazard pictograms

:



Signal Word

: Danger

Hazard Statements

: H225  
H317  
H410

Highly flammable liquid and vapor.

May cause an allergic skin reaction.

Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233

Keep container tightly closed.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**

P370 + P378

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P391

Collect spillage.

Hazardous ingredients which must be listed on the label:

- 75-33-2 Isopropyl Mercaptan
- 107-03-9 n-Propyl Mercaptan

**Additional Labeling:**

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 1 %

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 1 %

**2.3****Other hazards**

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

Results of PBT and vPvB assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients****3.1 - 3.2****Substance or Mixture**

Synonyms : 2-propanethiol  
IPM  
IC3SH

Molecular formula : C<sub>3</sub>H<sub>8</sub>S

**Hazardous ingredients**

Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]	Specific Conc. Limits, M-factors and ATEs
<b>Isopropyl Mercaptan</b>	<b>75-33-2</b> <b>200-861-4</b>	Flam. Liq. 2; H225 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	95 - 100	M [Acute]=1 M [Chronic]=1
n-Propyl Mercaptan	107-03-9 203-455-5	Flam. Liq. 2; H225 Acute Tox. 4; H302 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	1 - 5	M [Acute]=10 M [Chronic]=10

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: First aid measures****4.1****Description of first-aid measures**

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution. Remove contact

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

**4.2 Most important symptoms and effects, both acute and delayed****Notes to physician**

Symptoms : No data available.

Risks : No data available.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : No data available.

**SECTION 5: Firefighting measures**

Flash point : -34°C (-29°F)  
estimated

Autoignition temperature : No data available

**5.1****Extinguishing media**

Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical.

Unsuitable extinguishing media : High volume water jet.

**5.2****Special hazards arising from the substance or mixture**

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

**5.3****Advice for firefighters**

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.

Fire and explosion protection : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Hazardous decomposition products : Sulfur.

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

**SECTION 6: Accidental release measures****6.1****Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

**6.2****Environmental precautions**

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

**6.3****Methods and materials for containment and cleaning up**

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**6.4****Reference to other sections**

Reference to other sections : For personal protection see section 8. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1****Precautions for safe handling  
Handling**

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

**7.2****Conditions for safe storage, including any incompatibilities****Storage**

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

**SECTION 8: Exposure controls/personal protection****8.1****Control parameters****DNEL**

Isopropyl Mercaptan

: End Use: Workers  
Routes of exposure: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 14,5 mg/m<sup>3</sup>

End Use: Workers  
Routes of exposure: Inhalation  
Potential health effects: Long-term local effects  
Value: 18,6 mg/m<sup>3</sup>

End Use: Workers  
Routes of exposure: Dermal  
Potential health effects: Long-term systemic effects  
Value: 2,1 mg/kg

End Use: Workers  
Routes of exposure: Dermal  
Potential health effects: Acute local effects  
Value: 1,53 mg/cm<sup>2</sup>

End Use: Consumers  
Routes of exposure: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 2,57 mg/m<sup>3</sup>

End Use: Consumers  
Routes of exposure: Inhalation  
Potential health effects: Long-term local effects  
Value: 3,3 mg/m<sup>3</sup>

End Use: Consumers  
Routes of exposure: Oral  
Potential health effects: Long-term systemic effects  
Value: 0,74 mg/kg

n-Propyl Mercaptan

: End Use: Workers  
Routes of exposure: Inhalation  
Potential health effects: Long-term systemic effects  
Value: 14,5 mg/m<sup>3</sup>

End Use: Workers  
Routes of exposure: Inhalation  
Potential health effects: Long-term local effects

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

Value: 18,6 mg/m<sup>3</sup>

End Use: Workers

Routes of exposure: Dermal

Potential health effects: Long-term systemic effects

Value: 2,06 mg/kg

End Use: Workers

Routes of exposure: Dermal

Potential health effects: Acute local effects

Value: 1,53 mg/cm<sup>2</sup>

End Use: Consumers

Routes of exposure: Inhalation

Potential health effects: Long-term systemic effects

Value: 2,57 mg/m<sup>3</sup>

End Use: Consumers

Routes of exposure: Inhalation

Potential health effects: Long-term local effects

Value: 3,3 mg/m<sup>3</sup>

End Use: Consumers

Routes of exposure: Oral

Potential health effects: Long-term systemic effects

Value: 0,74 mg/kg

**PNEC**

Isopropyl Mercaptan

: Fresh water

Value: 0 mg/l

Marine water

Value: 0 mg/l

Fresh water sediment

Value: 0,002 mg/kg

Marine sediment

Value: 0 mg/kg

Sewage treatment plant

Value: 8,805 mg/l

Soil

Value: 0 mg/kg

n-Propyl Mercaptan

: Fresh water

Value: 0 mg/l

Marine water

Value: 0 mg/l

Fresh water sediment

Value: 0,001 mg/kg

Marine sediment

Value: 0 mg/kg

Sewage treatment plant



**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

Value: 8,8 mg/l

Soil

Value: 0 mg/kg

**8.2****Exposure controls****Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

- Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as: Air-Purifying Respirator for Organic Vapors. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Footwear protecting against chemicals.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**SECTION 9: Physical and chemical properties****9.1****Information on basic physical and chemical properties****Appearance**

Form : liquid

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

Physical state : liquid  
Color : Clear  
Odor : Repulsive

**Safety data**

Flash point : -34°C (-29°F)  
estimated

Lower explosion limit : No data available

Upper explosion limit : No data available

Flammability (solid, gas) :  
Oxidizing properties : yes

Autoignition temperature : No data available

Molecular formula : C<sub>3</sub>H<sub>8</sub>S

Molecular weight : 90,2 g/mol

pH : Not applicable

Pour point : No data available

Boiling point/boiling range : 51°C (124°F)

Vapor pressure : 8,80 PSI  
at 37,8°C (100,0°F)

Relative density : 0,82  
at 15,6 °C (60,1 °F)

Water solubility : slightly soluble

Partition coefficient: n-  
octanol/water : No data available

Viscosity, dynamic : 0,369 cP

Relative vapor density : 2,62  
(Air = 1.0)

Evaporation rate : 1  
estimated

Percent volatile : > 99 %

**9.2****Other information**

Conductivity : No data available

**SECTION 10: Stability and reactivity****10.1**

SDS Number:100000068542

10/20

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

**Reactivity** : Stable under recommended storage conditions.

**10.2**

**Chemical stability** : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**10.3****Possibility of hazardous reactions**

**Hazardous reactions** : Hazardous reactions: Hazardous polymerization does not occur.  
Hazardous reactions: Vapors may form explosive mixture with air.

**10.4**

**Conditions to avoid** : Heat, flames and sparks.

**10.6**

**Hazardous decomposition products** : Sulfur

**Other data** : No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information****11.1****Information on toxicological effects****Isopropyl Mercaptan**

**Acute oral toxicity** : Acute toxicity estimate: 2.496 mg/kg  
Method: Calculation method

**Isopropyl Mercaptan**

**Acute inhalation toxicity** : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Calculation method

**Isopropyl Mercaptan**

**Acute dermal toxicity** : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

**Isopropyl Mercaptan**

**Skin irritation** : No skin irritation  
largely based on animal evidence.

**Isopropyl Mercaptan**

**Eye irritation** : slight irritation. largely based on animal evidence.

**Isopropyl Mercaptan**

**Sensitization** : The product is a skin sensitizer, sub-category 1B.

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

largely based on animal evidence.

**Repeated dose toxicity**

Isopropyl Mercaptan : Species: Rat, male and female  
 Sex: male and female  
 Application Route: Inhalation  
 Exposure time: 13 wks  
 Number of exposures: 6hrs/d, 5 d/wk  
 NOEL: 0,367 mg/l 99.6 ppm  
 Lowest observable effect level: 1,488 mg/l 403.4 ppm  
 Method: OECD Test Guideline 413  
 Target Organs: Liver, Kidney, Upper respiratory tract, Blood  
 Information given is based on data obtained from similar substances.

Species: Rat, male and female  
 Sex: male and female  
 Application Route: oral gavage  
 Dose: 10, 50, 200 mg/kg bw/day  
 Exposure time: 42-53 days  
 Number of exposures: Daily  
 NOEL: 50 mg/kg  
 Lowest observable effect level: 200 mg/kg  
 Method: OECD Guideline 422  
 Target Organs: Liver, Blood  
 Information given is based on data obtained from similar substances.

Species: Rat, male and female  
 Sex: male and female  
 Application Route: Inhalation  
 Exposure time: 13 wks  
 Number of exposures: 6hrs/d, 5 d/wk  
 NOEL: >= 196 ppm  
 Method: OECD Test Guideline 413  
 Target Organs: Kidney, Upper respiratory tract, Blood  
 Information given is based on data obtained from similar substances.

n-Propyl Mercaptan : Species: Rat, male and female  
 Sex: male and female  
 Application Route: Inhalation  
 Dose: 9, 97, 196 ppm  
 Exposure time: 13 wks  
 Number of exposures: 6 hrs/d, 5 d/wk  
 NOEL: 196 ppm  
 Method: OECD Test Guideline 413  
 Information given is based on data obtained from similar substances.

**Genotoxicity in vitro**

Isopropyl Mercaptan : Test Type: reverse mutation assay  
 Test system: Salmonella typhimurium  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 471  
 Result: negative

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

n-Propyl Mercaptan

Test Type: Mouse lymphoma assay  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 490  
 Result: negative

Test Type: Micronucleus test  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 487  
 Result: negative

Test Type: Ames test  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 471  
 Result: negative

Test Type: Cytogenetic assay  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 473  
 Result: negative

Test Type: Mouse lymphoma assay  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 476  
 Result: negative  
 Remarks: Information given is based on data obtained from similar substances.

**Reproductive toxicity**

Isopropyl Mercaptan : Species: Rat  
 Sex: male and female  
 Application Route: oral gavage  
 Dose: 10, 50, 200 mg/kg/bw  
 Exposure time: 42 d  
 Number of exposures: Daily  
 Method: OECD Guideline 422  
 NOAEL Parent:  $\geq$  200 mg/kg  
 NOAEL F1: 50 mg/kg  
 Information given is based on data obtained from similar substances.  
 No adverse effects expected

**Developmental Toxicity**

Isopropyl Mercaptan : Species: Rat  
 Application Route: Inhalation  
 Dose: 11, 99, 195 ppm  
 Exposure time: 6h/d  
 Test period: GD 9 - 19  
 Method: OECD Guideline 414  
 NOAEL Teratogenicity:  $\geq$  195 ppm  
 NOAEL Maternal:  $\geq$  195 ppm  
 Information given is based on data obtained from similar substances.

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

Species: Mouse  
 Application Route: Inhalation  
 Dose: 11, 99, 195 ppm  
 Exposure time: 6h/d  
 Test period: GD 9 - 19  
 Method: OECD Guideline 414  
 NOAEL Teratogenicity:  $\geq$  195 ppm  
 NOAEL Maternal:  $\geq$  195 ppm  
 Information given is based on data obtained from similar substances.

**Isopropyl Mercaptan  
Aspiration toxicity**

: May be harmful if swallowed and enters airways.

**CMR effects**

Isopropyl Mercaptan

: Carcinogenicity: Not available  
 Mutagenicity: In vitro tests did not show mutagenic effects  
 Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

n-Propyl Mercaptan

Carcinogenicity: Not available  
 Mutagenicity: In vitro tests did not show mutagenic effects  
 Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments., No toxicity to reproduction**11.2****Information on other hazards****Isopropyl Mercaptan  
Further information**

: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Solvents may degrease the skin.

Endocrine disrupting properties

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 12: Ecological information****12.1****Toxicity****Toxicity to fish**

Isopropyl Mercaptan

: LC50: 34 mg/l  
 Exposure time: 96 h  
 semi-static test Analytical monitoring: yes  
 Method: OECD Test Guideline 203  
 Information given is based on data obtained from similar substances.

n-Propyl Mercaptan

LC50: 1,3 mg/l  
 Exposure time: 96 h

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

Species: Pimephales promelas (fathead minnow)  
 semi-static test Analytical monitoring: yes  
 Test substance: yes  
 Method: OECD Test Guideline 203  
 Toxic to aquatic organisms.

**Toxicity to daphnia and other aquatic invertebrates**

Isopropyl Mercaptan : EC50: 0,25 - 0,5 mg/l  
 Exposure time: 48 h  
 Species: Daphnia magna (Water flea)  
 static test Test substance: yes  
 Method: OECD Test Guideline 202

n-Propyl Mercaptan EC50: 70 µg/l  
 Exposure time: 48 h  
 Species: Daphnia magna (Water flea)  
 Analytical monitoring: yes  
 Test substance: yes  
 Method: OECD Test Guideline 202  
 Very toxic to aquatic organisms.

**Toxicity to algae**

Isopropyl Mercaptan : ErC50: 21,9 mg/l  
 Exposure time: 72 h  
 Species: Pseudokirchneriella subcapitata (green algae)  
 static test Method: OECD Test Guideline 201

n-Propyl Mercaptan ErC50: 3 mg/l  
 Exposure time: 72 h  
 Species: Pseudokirchneriella subcapitata (algae)  
 Growth inhibition Method: OECD Test Guideline 201  
 Information given is based on data obtained from similar substances.

**M-Factor**

propane-2-thiol : M-Factor (Acute Aquat. Tox.) 1  
 M-Factor (Chron. Aquat. Tox.) 1

**M-Factor**

propane-1-thiol : M-Factor (Acute Aquat. Tox.) 10  
 M-Factor (Chron. Aquat. Tox.) 10

**Toxicity to bacteria**

Isopropyl Mercaptan : EC50: 880,5 mg/l  
 Exposure time: 3 h  
 Respiration inhibition  
 Method: OECD Test Guideline 209

n-Propyl Mercaptan EC50: 880,5 mg/l

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

Exposure time: 3 h  
 Respiration inhibition  
 Method: OECD Test Guideline 209  
 Information given is based on data obtained from similar substances.

**12.2****Persistence and degradability**

## Biodegradability

Isopropyl Mercaptan : aerobic  
 Result: Not readily biodegradable.  
 0 %  
 Testing period: 28 Days  
 Method: OECD Test Guideline 301D

n-Propyl Mercaptan : aerobic  
 Result: Not readily biodegradable.  
 17 %  
 Testing period: 28 Days  
 Method: OECD Test Guideline 301

**12.3****Bioaccumulative potential**

## Bioaccumulation

Isopropyl Mercaptan : Bioconcentration factor (BCF): 6  
 Method: QSAR modeled data  
 This material is not expected to bioaccumulate.

n-Propyl Mercaptan : Bioconcentration factor (BCF): 7,26  
 This material is not expected to bioaccumulate.

**12.4****Mobility in soil**

## Mobility

Isopropyl Mercaptan : Method: Calculation, Mackay Level III Fugacity Model  
 The product will be dispersed amongst the various environmental compartments (soil/ water/ air).

n-Propyl Mercaptan : Method: Calculation, Mackay Level III Fugacity Model  
 The product will be dispersed amongst the various environmental compartments (soil/ water/ air).

**12.5****Results of PBT and vPvB assessment**

Results of PBT assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6****Endocrine disrupting properties**

Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according



**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7****Other adverse effects**

Additional ecological information : Very toxic to aquatic life with long lasting effects.

**12.8****Additional Information****Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard : Very toxic to aquatic life with long lasting effects.

**SECTION 13: Disposal considerations****13.1****Waste treatment methods**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

**SECTION 14: Transport information****14.1 - 14.7****Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**  
UN2402, PROPANETHIOLS, 3, II

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

UN2402, PROPANETHIOLS, 3, II, (-34 °C c.c.), MARINE POLLUTANT, (ISOPROPYL MERCAPTAN, N-PROPYL MERCAPTAN)

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

UN2402, PROPANETHIOLS, 3, II

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

UN2402, PROPANETHIOLS, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS, (ISOPROPYL MERCAPTAN, N-PROPYL MERCAPTAN)

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

33, UN2402, PROPANETHIOLS, 3, II, ENVIRONMENTALLY HAZARDOUS, (ISOPROPYL MERCAPTAN, N-PROPYL MERCAPTAN)

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

UN2402, PROPANETHIOLS, 3, II, ENVIRONMENTALLY HAZARDOUS, (ISOPROPYL MERCAPTAN, N-PROPYL MERCAPTAN)

**Maritime transport in bulk according to IMO instruments****SECTION 15: Regulatory information****15.1****Safety, health and environmental regulations/legislation specific for the substance or mixture  
National legislation**

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

**15.2****Chemical Safety Assessment****Components** : propane-2-thiol 200-861-4**Major Accident Hazard  
Legislation** : 96/82/EC Update: 2003  
Directive 96/82/EC does not apply: ZEU\_SEVES3 Update:  
FLAMMABLE LIQUIDS  
P5c  
Quantity 1: 5.000 t  
Quantity 2: 50.000 t: ZEU\_SEVES3 Update:  
ENVIRONMENTAL HAZARDS  
E1

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11


Quantity 1: 100 t  
Quantity 2: 200 t

**Notification status**

Europe REACH	:	This product is in full compliance according to REACH regulation 1907/2006/EC.
United States of America (USA) TSCA	:	On or in compliance with the active portion of the TSCA inventory
Australia AIIC	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	On the inventory, or in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).
Philippines PICCS	:	On the inventory, or in compliance with the inventory
Taiwan TCSI	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 2  
Fire Hazard: 3  
Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 38500

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances	NFPA	National Fire Protection Agency

**Isopropyl Mercaptan**

Version 3.2

Revision Date 2023-10-11

	List		
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

**Full text of H-Statements referred to under sections 2 and 3.**

H225	Highly flammable liquid and vapor.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.