



## Synfluid® mPAO 150 cSt

Version 2.9

Revision Date 2023-10-25

According to Regulation (EC) No. 1907/2006, Regulation (EC) No. 2020/878

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

##### Product information

Product Name : Synfluid® mPAO 150 cSt  
 Material : 1116565, 1114612, 1114591

##### EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
1-Octene	111-66-0 203-893-7	Chevron Phillips Chemical Company LP 01-2119486877-14-0006

#### 1.2

##### Relevant identified uses of the substance or mixture and uses advised against

Relevant Identified Uses : Lubricant  
 Supported

#### 1.3

##### Details of the supplier of the safety data sheet

**Company** : Chevron Phillips Chemical Company LP  
 10001 Six Pines Drive  
 The Woodlands, TX 77380

**Local** : Chevron Phillips Chemicals International N.V.  
 Airport Plaza (Stockholm Building)  
 Leonardo Da Vincilaan 19  
 1831 Diegem  
 Belgium

SDS Requests: (800) 852-5530  
 Responsible Party: Product Safety Group  
 Email:sds@cpchem.com

#### 1.4

##### Emergency telephone:

**Synfluid® mPAO 150 cSt**

Version 2.9

Revision Date 2023-10-25

**Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic

Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371

67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000

Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606

Slovakia: +421 2 5477 4166

Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com

**SECTION 2: Hazards identification****2.1****Classification of the substance or mixture  
REGULATION (EC) No 1272/2008**

Not a hazardous substance or mixture.

**2.2****Labeling (REGULATION (EC) No 1272/2008)**

SDS Number:100000102070

2/13

**Synfluid® mPAO 150 cSt**

Version 2.9

Revision Date 2023-10-25

Not a hazardous substance or mixture.

**2.3****Other hazards**

Results of PBT and vPvB assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients****3.1 - 3.2****Substance or Mixture**

Synonyms : Polyalphaolefin; PAO

Molecular formula : Polymer

**Hazardous ingredients**

Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]	Specific Conc. Limits, M-factors and ATEs
1-Octene Homopolymer, Hydrogenated	70693-43-5		100	

Contains no hazardous ingredients according to GHS. :

**SECTION 4: First aid measures****4.1****Description of first-aid measures**

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water. Wash contaminated clothing before re-use.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

**Synfluid® mPAO 150 cSt**

Version 2.9

Revision Date 2023-10-25

**4.2 Most important symptoms and effects, both acute and delayed****Notes to physician**

Symptoms : No information available.

Risks : No information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : No information available.

**SECTION 5: Firefighting measures**Flash point : 250°C (482°F)  
Method: ASTM D-92**5.1****Extinguishing media**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet.

**5.2****Special hazards arising from the substance or mixture**

Specific hazards during fire fighting : Exposure to decomposition products may be a hazard to health.

**5.3****Advice for firefighters**

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Fire and explosion protection : Normal measures for preventive fire protection.

Hazardous decomposition products : Carbon oxides.

**SECTION 6: Accidental release measures****6.1****Personal precautions, protective equipment and emergency procedures**

Personal precautions : Material can create slippery conditions.

**6.2****Environmental precautions**

Environmental precautions : Clean contaminated floors and objects thoroughly while observing environmental regulations.

**6.3****Methods and materials for containment and cleaning up**

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in

**Synfluid® mPAO 150 cSt**

Version 2.9

Revision Date 2023-10-25

6.4 suitable, closed containers for disposal.

**Reference to other sections**

Reference to other sections : For personal protection see section 8. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1****Precautions for safe handling  
Handling**

Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

**7.2****Conditions for safe storage, including any incompatibilities****Storage**

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.

German storage class : Combustible liquids

**SECTION 8: Exposure controls/personal protection****8.2****Exposure controls  
Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe

**Synfluid® mPAO 150 cSt**

Version 2.9

Revision Date 2023-10-25

the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

- Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.
- Skin and body protection : Choose body protection according to the amount and concentration of the substance and the task performed at the work place. Appropriate PPE may include: Lightweight protective clothing.
- Hygiene measures : General industrial hygiene practice. Prevent vapor buildup by providing adequate ventilation during and after use. Wash hands before breaks and at the end of workday.

**SECTION 9: Physical and chemical properties****9.1****Information on basic physical and chemical properties****Appearance**

- Form : Oil
- Physical state : liquid
- Color : clear, light

**Safety data**

- Flash point : 250°C (482°F)  
Method: ASTM D-92
- Ignition temperature : 310°C (590°F)
- Lower explosion limit : No data available
- Upper explosion limit : No data available
- Thermal decomposition : No data available
- Molecular formula : Polymer
- Molecular weight : Varies
- pH : No data available
- Freezing point : -39°C (-38°F)
- Boiling point/boiling range : >250°C (>482°F)
- Density : 0,84 g/cm<sup>3</sup>
- Water solubility : Soluble in hydrocarbon solvents; insoluble in water.
- Viscosity, kinematic : 1700 cSt  
at 40°C (104°F)

**Synfluid® mPAO 150 cSt**

Version 2.9

Revision Date 2023-10-25

**SECTION 10: Stability and reactivity****10.1**

**Reactivity** : Stable at normal ambient temperature and pressure.

**10.2**

**Chemical stability** : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**10.3****Possibility of hazardous reactions**

**Hazardous reactions** : Further information: No decomposition if stored and applied as directed.

**10.4**

**Conditions to avoid** : No data available.

**10.5**

**Materials to avoid** : No data available.

**Thermal decomposition** : No data available

**10.6**

**Hazardous decomposition products** : Carbon oxides

**Other data** : No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information****11.1****Information on toxicological effects****Synfluid® mPAO 150 cSt**

**Acute oral toxicity** : LD50: > 5.000 mg/kg  
Species: Rat  
Information given is based on data obtained from similar substances.

**Synfluid® mPAO 150 cSt**

**Acute inhalation toxicity** : LC50: > 5 mg/l  
Exposure time: 4 h  
Species: Rat  
Test atmosphere: dust/mist  
Information given is based on data obtained from similar substances.

**Synfluid® mPAO 150 cSt**

Version 2.9

Revision Date 2023-10-25

- Synfluid® mPAO 150 cSt  
Acute dermal toxicity** : LD50: > 2.000 mg/kg  
Species: Rabbit  
Information given is based on data obtained from similar substances.
- Synfluid® mPAO 150 cSt  
Skin irritation** : No skin irritation  
Information given is based on data obtained from similar substances.
- Synfluid® mPAO 150 cSt  
Eye irritation** : No eye irritation  
Information given is based on data obtained from similar substances.
- Synfluid® mPAO 150 cSt  
Sensitization** : Did not cause sensitization on laboratory animals.  
Information given is based on data obtained from similar substances.
- Synfluid® mPAO 150 cSt  
Genotoxicity in vitro** : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative
- Synfluid® mPAO 150 cSt  
Genotoxicity in vivo** : Remarks: Not classified due to data which are conclusive although insufficient for classification., Information given is based on data obtained from similar substances.
- Synfluid® mPAO 150 cSt  
Aspiration toxicity  
Toxicology Assessment** : No aspiration toxicity classification.
- Synfluid® mPAO 150 cSt  
Specific Target Organ  
Toxicity (Single Exposure)** : Remarks: Not classified due to data which are conclusive although insufficient for classification., Based on data from similar materials :
- Synfluid® mPAO 150 cSt  
Specific Target Organ  
Toxicity (Repeated Exposure)** : Remarks: Not classified due to data which are conclusive although insufficient for classification., Based on data from similar materials :
- Synfluid® mPAO 150 cSt  
CMR effects** : Carcinogenicity:  
Not available  
Mutagenicity:  
Weight of evidence does not support classification as a germ cell mutagen.



**Synfluid® mPAO 150 cSt**

Version 2.9

Revision Date 2023-10-25

Teratogenicity:  
Not available  
Reproductive toxicity:  
No toxicity to reproduction, Based on data from similar materials

**11.2****Information on other hazards****Synfluid® mPAO 150 cSt****Further information**

Endocrine disrupting properties

: No data available.  
: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 12: Ecological information****12.1****Toxicity****Ecotoxicity effects****Toxicity to fish**

: This material is not expected to be harmful to aquatic organisms.  
Information given is based on data obtained from similar substances.

**Toxicity to daphnia and other aquatic invertebrates**

: This material is not expected to be harmful to aquatic organisms.  
Information given is based on data obtained from similar substances.

**Toxicity to algae**

: This material is not expected to be harmful to aquatic organisms.  
Information given is based on data obtained from similar substances.

**12.2****Persistence and degradability**

Biodegradability

: This material is not expected to be readily biodegradable.

**12.3****Bioaccumulative potential**

Elimination information (persistence and degradability)

**12.4****Mobility in soil**

Mobility

: No data available

**12.5****Results of PBT and vPvB assessment**

Results of PBT assessment : This substance/mixture contains no components considered

**Synfluid® mPAO 150 cSt**

Version 2.9

Revision Date 2023-10-25

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6****Endocrine disrupting properties**

Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7****Other adverse effects**

Additional ecological information : No data available

**12.8****Additional Information****Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

Long-term (chronic) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

**SECTION 13: Disposal considerations****13.1****Waste treatment methods**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

**SECTION 14: Transport information****14.1 - 14.7****Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names,

**Synfluid® mPAO 150 cSt**

Version 2.9

Revision Date 2023-10-25

etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**Maritime transport in bulk according to IMO instruments**

**SECTION 15: Regulatory information****15.1****Safety, health and environmental regulations/legislation specific for the substance or mixture  
National legislation**

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

**Water hazard class (Germany)** : WGK 1 slightly water endangering

**15.2****Chemical Safety Assessment**

**Synfluid® mPAO 150 cSt**

Version 2.9

Revision Date 2023-10-25

**Components** : oct-1-ene A Chemical Safety Assessment 203-893-7  
has been carried out for this  
substance.

**Major Accident Hazard  
Legislation** : 96/82/EC Update: 2003  
Directive 96/82/EC does not apply


: ZEU\_SEVES3 Update:  
Not applicable

**Notification status**

Europe REACH : This mixture contains only ingredients which have been  
registered according to Regulation (EU) No. 1907/2006  
(REACH).  
Switzerland CH INV : On the inventory, or in compliance with the inventory  
United States of America (USA) : On or in compliance with the active portion of the  
TSCA TSCA inventory  
Canada DSL : All components of this product are on the Canadian  
DSL  
Other AICS : On the inventory, or in compliance with the inventory  
New Zealand NZIoC : On the inventory, or in compliance with the inventory  
Japan ENCS : Not in compliance with the inventory  
Korea KECI : All substances in this product were registered, notified  
to be registered, or exempted from registration by  
CPChem through an Only Representative according to  
K-REACH regulations. Importation of this product is  
permitted if the Korean Importer of Record was  
included on CPChem's notifications or if the Importer of  
Record themselves notified the substances.  
Philippines PICCS : On the inventory, or in compliance with the inventory  
China IECSC : On the inventory, or in compliance with the inventory,  
or has been registered as new substance  
Taiwan TCSI : Not in compliance with the inventory

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 0  
Fire Hazard: 1  
Reactivity Hazard: 0

**Further information**

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

**Synfluid® mPAO 150 cSt**

Version 2.9

Revision Date 2023-10-25

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate