

Version 2.8 Revision Date 2023-10-30

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product information** 

Product Name : AlphaPlus® 1-DODECENE

Material : 1128424, 1087853, 1037008, 1015429, 1021778

Company : Chevron Phillips Chemical Company LP

Normal Alpha Olefins (NAO) 10001 Six Pines Drive The Woodlands, TX 77380

## **Emergency telephone:**

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week) Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371

67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

SDS Number:100000068203 1/14

# AlphaPlus® 1-DODECENE

Version 2.8 Revision Date 2023-10-30

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24

hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

## **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification

: Flammable liquids, Category 4 Aspiration hazard, Category 1

Labeling

Symbol(s)

Signal Word : Danger

Hazard Statements : H227: Combustible liquid.

H304: May be fatal if swallowed and enters airways.

Precautionary Statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

2/14

disposal plant.

SDS Number:100000068203

Version 2.8 Revision Date 2023-10-30

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### **SECTION 3: Composition/information on ingredients**

Synonyms : NAO 12

Dodecene-1 (C12)

C12H24

Molecular formula : C12H24

Component	CAS-No.	Weight %
1-Dodecene	112-41-4	90 - 100

#### **SECTION 4: First aid measures**

General advice : Move out of dangerous area. Show this material safety data

sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while

rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to

an unconscious person. If symptoms persist, call a physician.

Take victim immediately to hospital.

#### **SECTION 5: Firefighting measures**

Flash point : 77°C (171°F)

Autoignition temperature : 225°C (437°F)

Suitable extinguishing

media

: Carbon dioxide (CO2).

Unsuitable extinguishing

media

: High volume water jet.

Specific hazards during fire : Use extinguishing measures that are appropriate to local

SDS Number:100000068203 3/14

# AlphaPlus® 1-DODECENE

Version 2.8 Revision Date 2023-10-30

fighting

circumstances and the surrounding environment.

Do not allow run-off from fire fighting to enter drains or water

courses.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case

of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed

containers.

Fire and explosion

protection

Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of

ignition.

#### **SECTION 6: Accidental release measures**

Personal precautions : Use personal protective equipment. Ensure adequate

ventilation.

Environmental precautions : Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable.

closed containers for disposal.

#### **SECTION 7: Handling and storage**

## Handling

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. For

personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose

of rinse water in accordance with local and national

regulations.

Advice on protection against fire and explosion

Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of

ignition.

#### **Storage**

Requirements for storage areas and containers

No smoking. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the

SDS Number:100000068203 4/14

# AlphaPlus® 1-DODECENE

Version 2.8 Revision Date 2023-10-30

technological safety standards.

## SECTION 8: Exposure controls/personal protection

#### **Engineering measures**

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

#### Personal protective equipment

Respiratory protection : If ventilation or other engineering controls are not adequate to

> maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Air-Purifying Respirator for Organic Vapors. A positive pressure, airsupplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not

known, or other circumstances where air-purifying respirators

may not provide adequate protection.

Hand protection The suitability for a specific workplace should be discussed

> with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection in relation to its type, to the

> concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Flame-resistant

clothing. Footwear protecting against chemicals.

: When using do not eat or drink. When using do not smoke. Hygiene measures

Wash hands before breaks and at the end of workday.

#### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

**Appearance** 

Form : liquid Physical state : liquid

Color : Clear, colorless

SDS Number:100000068203 5/14

# AlphaPlus® 1-DODECENE

Version 2.8 Revision Date 2023-10-30

Safety data

Flash point : 77°C (171°F)

Lower explosion limit : 0.6 %(V)

Upper explosion limit : 5.4 %(V)

Oxidizing properties : no

Autoignition temperature : 225°C (437°F)

Thermal decomposition : No data available

Molecular formula : C12H24

Molecular weight : 168.36 g/mol

pH : Not applicable

Freezing point : -35°C (-31°F)

Boiling point/boiling range : 213°C (415°F)

Vapor pressure : 0.35 kPa

at 65°C (149°F)

Relative density : 0.76

at 15.6 °C (60.1 °F)

Density : 0.76 g/m3

at 20°C (68°F)

762 kg/m3 at 15°C (59°F)

736 kg/m3 at 50°C (122°F)

Water solubility : Soluble in hydrocarbon solvents; insoluble in water.

Partition coefficient: n-

octanol/water

: No data available

Viscosity, kinematic : 0.68 cSt

at 100°C (212°F)

Relative vapor density : 5.81

(Air = 1.0)

Evaporation rate : No data available

## **SECTION 10: Stability and reactivity**

SDS Number:100000068203 6/14

# AlphaPlus® 1-DODECENE

Version 2.8 Revision Date 2023-10-30

**Reactivity** : Stable at normal ambient temperature and pressure.

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

## Possibility of hazardous reactions

**Hazardous reactions** : Further information: No decomposition if stored and applied as

directed.

Hazardous reactions: Vapors may form explosive mixture with

air.

Conditions to avoid : Heat, flames and sparks.

Materials to avoid : May react with oxygen and strong oxidizing agents, such as

chlorates, nitrates, peroxides, etc.

Thermal decomposition : No data available

Other data : No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

**Acute oral toxicity** 

1-Dodecene : LD50: > 10,000 mg/kg

Species: Rat Sex: male

Method: Fixed Dose Method

Information given is based on data obtained from similar

substances.

Acute inhalation toxicity

1-Dodecene : Not classified due to data which are conclusive although

insufficient for classification.

Skin irritation

1-Dodecene : No skin irritation

Eye irritation

1-Dodecene : No eye irritation

Information given is based on data obtained from similar

substances.

Sensitization

SDS Number:100000068203 7/14

# AlphaPlus® 1-DODECENE

Version 2.8 Revision Date 2023-10-30

1-Dodecene : Did not cause sensitization on laboratory animals.

Repeated dose toxicity

1-Dodecene : Species: Rat, Male and female

Sex: Male and female Application Route: Oral diet Dose: 0, 100, 500, 1000 mg/kg

Exposure time: 13 wk Number of exposures: daily NOEL: 1,000 mg/kg Method: OCED Guideline 408

Information given is based on data obtained from similar

substances.

Species: Rat, Male and female

Sex: Male and female Application Route: Inhalation Dose: 0, 300, 1000, 3000 ppm

Exposure time: 13 wk

Number of exposures: 6 hrs/d, 5 d/wk

NOEL: 3000 ppm

Method: OECD Guideline 413

Information given is based on data obtained from similar

substances.

Genotoxicity in vitro

1-Dodecene : Test Type: Ames test

Metabolic activation: with and without metabolic activation

8/14

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Guideline 473

Result: negative

Reproductive toxicity

1-Dodecene : Species: Rat

Sex: male

Application Route: Oral diet Dose: 0, 100, 500, or 1000 mg/kg

Exposure time: 44 D Number of exposures: daily Method: OECD Guideline 421 NOAEL Parent: 1,000 mg/kg NOAEL F1: 1,000 mg/kg

SDS Number:100000068203

Version 2.8 Revision Date 2023-10-30

Species: Rat Sex: female

Application Route: Oral diet Dose: 0, 100, 500, or 1000 mg/kg

Exposure time: 41-55 D Number of exposures: daily Method: OECD Guideline 421 NOAEL Parent: 1,000 mg/kg NOAEL F1: 1,000 mg/kg

**Aspiration toxicity** 

1-Dodecene : May be fatal if swallowed and enters airways.

**CMR** effects

1-Dodecene : Carcinogenicity: Not available

Mutagenicity: Tests on bacterial or mammalian cell cultures

did not show mutagenic effects. Teratogenicity: Not available

Reproductive toxicity: Animal testing did not show any effects

on fertility.

AlphaPlus® 1-DODECENE

**Further information** : Solvents may degrease the skin.

#### **SECTION 12: Ecological information**

Toxicity to fish

1-Dodecene : No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates

1-Dodecene : No toxicity at the limit of solubility.

Toxicity to algae

1-Dodecene : No toxicity at the limit of solubility.

Biodegradability

1-Dodecene : 74.1 - 80 %

Testing period: 28 d

Method: OECD Test Guideline 301

This material is expected to be readily biodegradable.

Bioaccumulation

1-Dodecene : No data available

SDS Number:100000068203 9/14

Version 2.8 Revision Date 2023-10-30

Mobility

1-Dodecene : No data available

Results of PBT assessment

1-Dodecene : Non-classified PBT substance, Non-classified vPvB substance

Additional ecological

information

: No data available

**Ecotoxicology Assessment** 

Short-term (acute) aquatic hazard

1-Dodecene : This material is not expected to be harmful to aquatic

organisms.

#### **SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water

courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed

waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers. Do not burn, or use a cutting

torch on, the empty drum.

#### **SECTION 14: Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

#### **US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

UN3295, HYDROCARBONS, LIQUID, N.O.S., COMBUSTIBLE LIQUID, III

## IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

SDS Number:100000068203 10/14

Version 2.8 Revision Date 2023-10-30

## IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

TANK VESSELS: ID9003, SUBSTANCES WITH A FLASH-POINT ABOVE 60°C AND NOT MORE THAN 100°C, 9

Other information : 1-Dodecene, S.T. 3, Cat. Y

Maritime transport in bulk according to IMO instruments

## **SECTION 15: Regulatory information**

**National legislation** 

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Aspiration hazard

CERCLA Reportable

Quantity

: This material does not contain any components with a CERCLA

RQ.

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 302 Threshold Planning Quantity

: This material does not contain any components with a section

302 EHS TPQ.

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

304 EHS RQ.

SDS Number:100000068203

11/14

Version 2.8 Revision Date 2023-10-30

SARA 313 Components : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

Ozone-Depletion Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

: 1-Dodecene - 112-41-4

#### **US State Regulations**

Pennsylvania Right To Know

: 1-Dodecene - 112-41-4

California Prop. 65

Components

: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive

defects.

## **Notification status**

Europe REACH This product is in full compliance according to REACH

regulation 1907/2006/EC.

United States of America (USA)

**TSCA** 

Australia AIIC

New Zealand NZIoC Japan ENCS Philippines PICCS Korea KECI

On or in compliance with the active portion of the TSCA inventory

On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory A substance(s) in this product was not registered.

notified to be registered, or exempted from registration by CPChem according to K-REACH regulations.

SDS Number:100000068203 12/14

# AlphaPlus® 1-DODECENE

Version 2.8 Revision Date 2023-10-30

Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).

China IECSC : On the inventory, or in compliance with the inventory

#### **SECTION 16: Other information**

NFPA Classification : Health Hazard: 1

Fire Hazard: 2 Reactivity Hazard: 0



**Further information** 

Legacy SDS Number : PE0019

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%	
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration	
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit	
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances	
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery	

SDS Number:100000068203 13/14

# AlphaPlus® 1-DODECENE

Version 2.8 Revision Date 2023-10-30

			Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

SDS Number:100000068203 14/14