## SAFETY DATA SHEET

# Tertiary Butyl Mercaptan

Version 1.4

Revision Date 2024-12-04

MSDS number: AA00974-000000281

<b>FION 1: Identification</b>	of the substance/mixture and of the company/undertaking
Product Name	: Tertiary Butyl Mercaptan
Material	<ul> <li>1069500, 1086416, 1086415, 1070007, 1064730, 1021473, 1021470, 1017940, 1036143, 1024807, 1021472, 1021471, 1024806, 1021469, 1028495, 1021474, 1027458, 1029711, 1017329, 1021468</li> </ul>
Recommended use of t	the : Chemical intermediate, Odorant
Restrictions on use	: None known.
Address	: Chevron Phillips Chemical Company LP Specialty Chemicals 10001 Six Pines Drive The Woodlands, TX 77380
Address	<ul> <li>CHEVRON PHILLIPS CHEMICALS ASIA PTE. LTD.</li> <li>C/O DONG WOO CORPORATION #B-2601, JEONGJAIL-RO,</li> <li>BUNDANG-GU, SEONGNAMI-SI,</li> <li>GYEONGGI-DO, 13557</li> <li>SOUTH KOREA</li> <li>Telephone no.: +612-9186-1132</li> </ul>
Emergency telephone	::
Asia: CHEMWATCH	ernational) 24.9300 or 703.527.3887(int'l) I (+612 9186 1132) China: 0532 8388 9090
	C 01-800-681-9531 (24 hours) G-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 59839431



#### Version 1.4

Revision Date 2024-12-04

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week) Belgium: 070 245 245 (24 hours/day, 7 days/week) Bulgaria: +359 2 9154 233 Croatia: +3851 2348 342 (24 hours/day, 7 days/week) Cyprus: 1401 Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402 Denmark: Danish Poison Center (Giftlinien): +45 8212 1212 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Finland: 0800 147 111 09 471 977 (24 hours/day) France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Greece: (0030) 2107793777 (24 hours/day, 7 days/week) Hungary: +36-80-201-199 (24 hours/day, 7 days/week) Iceland: 543 2222 (24 hours/day, 7 days/week) Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME - Policlinico "Agostino Gemelli", Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME - Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326: POISON CENTER NAPLES – Azienda Ospedaliera "Antonio Cardarelli" Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA - IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera "Papa Giovanni XXIII" Tel. 800 883 300; POISON CENTER VERONA - Azienda Ospedaliera Universitaria integrata Tel. 800 011 858: Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.) Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Lithuania: +370 (85) 2362052 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week) Malta: +356 2395 2000 The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week) Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Portugal: CIAV phone number: +351 800 250 250 Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week) Sweden: 112 - ask for Poisons Information Responsible Department Product Safety and Toxicology Group : E-mail address SDS@CPChem.com Website www.CPChem.com : **Appointees** 회사명: 리이치24시코리아㈜. 주소: 서울특별시 강남구 강남대로 94길 34,4층 전화: +82-02-6245-1610 Number:100000013356 2/19

Version 1.4

Revision Date 2024-12-04

## **SECTION 2: Hazards identification** Hazard classification Standards for classification and labeling of chemical substances and material safety data sheet (ministry of employment and labor public notice No. 2020-130) Classification : Flammable liquids, Category 2 Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2 Skin sensitization, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system Aspiration hazard, Category 2 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 2 Warning label elements including precautionary statements Symbol(s) Signal Word Danger 2 Hazard Statements H225: Highly flammable liquid and vapor. H305: May be harmful if swallowed and enters airways. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H400: Very toxic to aquatic life. H411: Toxic to aquatic life with long lasting effects. **Precautionary Statements** : Prevention: P210: Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P233: Keep container tightly closed. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting/ equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P261: Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264: Wash the contact area thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P272: Contaminated work clothing should not be allowed out of the workplace. Number:100000013356 3/19

Version 1.4

SAFETY DATA SHEET

Revision Date 2024-12-04

P273: Avoid release to the environment. P280: Wear protective gloves/ eye protection/ face protection. **Response:** P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P312: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321: Specific treatment (see supplemental first aid instructions on this label). P331: Do NOT induce vomiting. P333 + P313: If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313: If eye irritation persists: Get medical advice/ attention. P362 + P364: Take off contaminated clothing and wash it before reuse. P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P391: Collect spillage. Storage: P403 + P233: Store in a well-ventilated place. Keep container tightly closed. P403 + P235: Store in a well-ventilated place. Keep cool. P405: Store locked up. Disposal: P501: Dispose of contents and container according to wastes control act. Other hazards which do : None not result in classification **SECTION 3: Composition/information on ingredients** Synonyms 2 t-Butyl Mercaptan tert-Butanethiol 2-Methyl Propane-2-Thiol твм TC4SH tert-Butyl Mercaptan Number:100000013356 4/19

### Version 1.4

CAS-No. Common name	Syno	75-66-1 onyms	CAS-No.	Concentration	KECI
					Number
t-Butyl Mercaptan	2-methylpropane- 2-thiol		75-66-1	99 % - 100%	KE-24873
TION 4: First aid measu	es				
General advice	:	sheet to the de	octor in attendar	Show this material s nce. Material may pr monia if swallowed o	oduce a
In case of eye contact	:	: Immediately flush eye(s) with plenty of water. Remove co lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		en while	
In case of skin contact	:	lf on skin, rins	e well with wate	r. If on clothes, remo	ove clothes.
If inhaled	:			ery position and seel call a physician.	k medical
If swallowed	:	: Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physiciar Take victim immediately to hospital.			
Other cautions for Docto	rs				
Symptoms	:	No data availa	ble.		
Risks	:	No data availa	ble.		
Treatment	:	No data availa	ble.		
TION 5: Firefighting mea	sures				
Flash point	:	-26°C (-15°F) estimated			
		No data availa	ble		
Autoignition temperature	•				
Autoignition temperature Suitable extinguishing media	:	Alcohol-resista	ant foam. Carbo	on dioxide (CO2). Dr	y chemical.
Suitable extinguishing	:	Alcohol-resista High volume v		on dioxide (CO2). Dr	y chemical.

Revision Date 2024-12-04

# Tertiary Butyl Mercaptan

Version	1.4
101011	<b></b>

Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Fire and explosion protection	:	Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
Hazardous decomposition products	:	Carbon oxides. Sulfur oxides.
<b>SECTION 6: Accidental release</b>	me	asures
Personal precautions	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods for cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
SECTION 7: Handling and stora	age	
Handling		
Advice on safe handling	:	Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin
Number:100000013356		6/19

			S	SAFETY DATA SHEET
Tertiary Butyl Mercaptan	I			
Version 1.4			Revisi	on Date 2024-12-04
Advice on protection against fire and explosion	recurrent process i : Do not sp Take nec (which m explosior	respiratory dise n which this mix oray on a naked cessary action to ight cause ignitio	asthma, allergies, chr ase should not be emp ture is being used. flame or any incandes avoid static electricity on of organic vapors). nt. Keep away from op gnition.	oloyed in any cent material. discharge Use only
Secure storage				
Requirements for storage areas and containers	ventilated carefully Observe	d place. Contain resealed and ke label precaution	iner tightly closed in a ers which are opened pt upright to prevent le s. Electrical installatio	must be eakage. ns / working
Uses advised against	: None kno		th the technological sa	nety standards.
Specific Use	: Chemica	l intermediate, C	dorant	
SECTION 8: Exposure controls	personal pro	tection		
Chevron Phillips Chemical Company L	<b>.P</b> Basis	Value	Control parameters	Note
Components t-Butyl Mercaptan	Manufacturer	TWA	0.5 ppm,	note
VD.				
KR Components	Basis	Value	Control parameters	Note
		•	· ·	
Chemical exposure standa Adequate ventilation to cont Consider the potential hazar activities, and other substan personal protective equipment exposure to harmful levels of recommended. The user sh the equipment since protect	rol airborned c ds of this mate ces in the work ent. If engineer of this material, ould read and	oncentrations be erial (see Section c place when des ring controls or v the personal pro understand all ir	low the exposure guid a 2), applicable exposu- signing engineering co- vork practices are not a otective equipment listed astructions and limitation	rre limits, job introls and selecting adequate to prevent ed below is ons supplied with
Personal protective equip	ment			
Respiratory protection	maintain normal a respirato airborne provides	minimal oxygen tmospheric pres r may be approp material may oc protection may b	neering controls are n content of 19.5% by v sure, a supplied-air NH riate. If exposure to h cur, a NIOSH approve be appropriate, such a spors. A positive press	olume under OSH approved armful levels of d respirator that s:. Air-Purifying
Number:100000013356			7/19	

	SAFETY DATA SH
rtiary Butyl Mercaptan	
rsion 1.4	Revision Date 2024-12
	supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
Eye protection	: Eye wash bottle with pure water. Tightly fitting safety goggles.
Hand protection	: The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin and body protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Footwear protecting against chemicals.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
CTION 9: Physical and chem	ical properties
Information on basic phys	ical and chemical properties
Appearance	
Physical state Color Odor Odor Threshold	: liquid : clear : Repulsive : No data available
рН	: Not applicable
Pour point	: No data available
Melting point/freezing point	No data available
Boiling point/boiling range	: 63-65°C (145-149°F)
Flash point	: -26°C (-15°F) estimated
Evaporation rate	: 1
Flammability (solid, gas)	: No data available

### Version 1.4

Revision Date 2024-12-04

Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapor pressure	: 5.90 PSI at 38°C (100°F)
Solubility	: negligible
Relative density	: 0.81 at 16 °C (61 °F)
Vapor density	: 3 (Air = 1.0)
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: No data available
Molecular weight	: 90.2 g/mol
CTION 10: Stability and read	tivity
Reactivity	: Stable under recommended storage conditions.
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous re	eactions

Hazardous reactions	: Hazardous reactions: Hazardous polymerization does not occur.
	Hazardous reactions: Vapors may form explosive mixture with air.
Conditions to avoid Hazardous decomposition products	<ul> <li>Heat, flames and sparks.</li> <li>Carbon oxides Sulfur oxides</li> </ul>
Other data	: No decomposition if stored and applied as directed.

# SECTION 11: Toxicological information

#### Information on exposure routes

Number:100000013356

## SAFETY DATA SHEET

# Tertiary Butyl Mercaptan

Version 1.4

t-Butyl Mercaptan	: LD50: 4,729 mg/kg Species: Rat Sex: male	
Acute inhalation toxicity		
t-Butyl Mercaptan	: LC50: 98.3 mg/l Exposure time: 4 h Species: Rat Sex: male and female Test atmosphere: vapor Method: OECD Test Guideline 403	
	LC50: 81.9 mg/l Exposure time: 4 h Species: Rat Sex: male Test atmosphere: vapor Method: OECD Test Guideline 403	
	LC50: 60.9 mg/l Exposure time: 4 h Species: Mouse Sex: male Test atmosphere: vapor Method: OECD Test Guideline 403	
Acute dermal toxicity		
t-Butyl Mercaptan	: LD50: > 2,000 mg/kg Species: Rabbit	
Skin corrosion or irritation		
t-Butyl Mercaptan	: No skin irritation	
Secure storage t-Butyl Mercaptan	: Mild eye irritation	
	inconclusive	
Tertiary Butyl Mercaptan Respiratory Sensitization	: No data available	
Tertiary Butyl Mercaptan Skin sensitization	The product is a skin sensitizer, sub-category 1B.	
ber:100000013356	10/19	

Version 1.4

<b>Germ cell mutagenicity (in</b> t-Butyl Mercaptan mber:100000013356	Test Type: Sister Chromatid Exchange Assay Metabolic activation: with and without metabolic activation Result: negative vivo) : Test Type: Mouse micronucleus assay 11/19
Germ cell mutagenicity (in	Metabolic activation: with and without metabolic activation Result: negative
	Metabolic activation: with and without metabolic activation
	Test Type: Mouse lymphoma assay Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative
t-Butyl Mercaptan	: Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
Germ cell mutagenicity (in	vitro)
	Species: Rat, Male and female Sex: Male and female Application Route: Inhalation Dose: 25.1, 99.6, 403.4 ppm Exposure time: 13 wks Number of exposures: 6 hrs/d, 5 d/wk NOEL: 99.6 ppm Lowest observable effect level: 403.4 ppm Method: OECD Guideline 413 Target Organs: Liver, Kidney, Blood, Upper respiratory tract Information given is based on data obtained from similar substances.
	Species: Rat, Male and female Sex: Male and female Application Route: oral gavage Dose: 10, 50, 200 mg/kg bw/day Exposure time: 42-53 days Number of exposures: Daily NOEL: 50 mg/kg bw/day Lowest observable effect level: 200 mg/kg bw/day Method: OECD Guideline 422
	<ul> <li>Species: Rat, Male and female Sex: Male and female Application Route: Inhalation Dose: 9, 97, 196 ppm Exposure time: 13 wks Number of exposures: 6 hrs/d, 5 d/wk NOEL: &gt; 196 ppm</li> </ul>
Repeated dose toxicity t-Butyl Mercaptan	

Version 1.4

Tertiary Butyl Mercaptan	12/19
Aspiration toxicity Toxicology Assessment	: May be harmful if swallowed and enters airways.
Tertiary Butyl Mercaptan	
	Not classified due to data which are conclusive although insufficient for classification.
Specific Target Organ Toxicity (Repeated Exposure)	
	Not classified due to data which are conclusive although insufficient for classification.
Specific Target Organ Toxicity (Single Exposure)	
	Application Route: oral gavage Dose: 10, 50, 200 mg/kg bw/day Exposure time: 42-53 days Number of exposures: Daily NOAEL Teratogenicity: 50 mg/kg bw /day NOAEL Maternal: 200 mg/kg bw /day
	Application Route: Inhalation Dose: 11, 99, 195 ppm Exposure time: GD6-19 Number of exposures: 6 hrs/d NOAEL Teratogenicity: > =195 ppm NOAEL Maternal: > = 195 ppm Species: Rat
	Exposure time: GD 6-16 Number of exposures: 6 hrs/d NOAEL Teratogenicity: > = 195 ppm NOAEL Maternal: > = 195 ppm Species: Rat
Developmental Toxicity t-Butyl Mercaptan	: Species: Mouse Application Route: Inhalation Dose: 11, 99, 195 ppm
Developmental Texisity	
	Dose: 1250, 2500, 5000 mg/kg Method: OECD Test Guideline 474 Result: negative

sion 1.4	Revision Date 2024-1
CMR effects	<ul> <li>Carcinogenicity: Not available Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Teratogenicity: Animal testing did not show any effects on fetal development. Reproductive toxicity: Animal testing did not show any effects on fertility.</li> </ul>
Reproductive toxicity	
t-Butyl Mercaptan	<ul> <li>Species: Rat Sex: male and female Application Route: oral gavage Dose: 10, 50, 200 mg/kg bw/day Number of exposures: Daily Test period: 42 -53 days Method: OECD Guideline 422 NOAEL Parent: 200 mg/kg bw/day NOAEL F1: 50 mg/kg bw/day No adverse effects expected</li> </ul>
Tertiary Butyl Mercaptan Further information	<ul> <li>Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, cessation of breathing. Solvents may degrease the skin.</li> </ul>
CTION 12: Ecological infor	rmation
Ecological Toxicity	
Toxicity to fish	
t-Butyl Mercaptan	: LC50: 34 mg/l Exposure time: 96 h Species: Oncorhynchus mykiss (rainbow trout) semi-static test Method: OECD Test Guideline 203
Toxicity to daphnia and o	other aquatic invertebrates
t-Butyl Mercaptan	: EC50: 6.7 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) static test Method: OECD Test Guideline 202
Toxicity to algae	
t-Butyl Mercaptan	: EC50: 24 mg/l Exposure time: 72 h Species: Pseudokirchneriella subcapitata (green algae)

Version 1.4	Revision Date 2024-12-04
	Method: OECD Test Guideline 201
<b>Persistence and degradability</b> t-Butyl Mercaptan :	aerobic Result: Not readily biodegradable. 6 % Testing period: 63 d Method: OECD Test Guideline 301
Bioaccumulative	
t-Butyl Mercaptan :	Bioconcentration factor (BCF): 12 Method: QSAR modeled data This material is not expected to bioaccumulate.
Mobility	
t-Butyl Mercaptan :	Method: Calculation, Mackay Level III Fugacity Model The product will be dispersed amongst the various environmental compartments (soil/ water/ air).
Results of PBT assessment t-Butyl Mercaptan :	Non-classified PBT substance, Non-classified vPvB substance
Other adverse effects :	Toxic to aquatic life with long lasting effects.
Ecotoxicology Assessment	
Short-term (acute) aquatic hazaro t-Butyl Mercaptan :	d Toxic to aquatic life.
Long-term (chronic) aquatic haza t-Butyl Mercaptan :	rd Toxic to aquatic life with long lasting effects.
SECTION 13: Disposal consideratio	ns
The information in this SDS perta	ins only to the product as shipped.
may meet the criteria of a hazard other State and local regulations. regulated components may be ne	pose or recycle if possible. This material, if it must be discarded, ous waste as defined by US EPA under RCRA (40 CFR 261) or Measurement of certain physical properties and analysis for ecessary to make a correct determination. If this material is federal law requires disposal at a licensed hazardous waste
Disposal method :	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed
Number:100000013356	14/19

Version 1.4

Revision Date 2024-12-04

waste management company.

Disposal precaution : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

#### **SECTION 14: Transport information**

# The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

UN Number	:	UN2347
UN Product Shipping Name	:	Butyl Mercaptan
Hazard Class	:	3
Packing Group	:	II - Hazardous Properties
Marine Pollutant	:	Yes
Special Safety Measures on Mode of Transport	:	No data available

#### US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN2347, BUTYL MERCAPTAN, 3, II

#### IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN2347, BUTYL MERCAPTAN, 3, II, (-26°C), MARINE POLLUTANT, (TERTIARY BUTYL MERCAPTAN)

#### IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN2347, BUTYL MERCAPTAN, 3, II

#### ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN2347, BUTYL MERCAPTAN, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS, (TERTIARY BUTYL MERCAPTAN)

Number:100000013356

15/19

Version 1.4

Revision Date 2024-12-04

# RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

UN2347, BUTYL MERCAPTAN, 3, II, ENVIRONMENTALLY HAZARDOUS, (TERTIARY BUTYL MERCAPTAN)

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN2347, BUTYL MERCAPTAN, 3, II, ENVIRONMENTALLY HAZARDOUS, (TERTIARY BUTYL MERCAPTAN)

#### Maritime transport in bulk according to IMO instruments

#### **SECTION 15: Regulatory information**

#### **National legislation**

#### Regulation under the Occupational Safety and Health Act

A Material Safety Datasheet (MSDS) has to be prepared and provided for this product according to article 41 of ISHA.

Regulation		Chemical name	Threshold limits
Harmful Substances Prohibited from Manufacturing	•••	Not applicable	
Harmful Substances Required Permission for Manufacture	:	Not applicable	

## Act on the Registration and Evaluation, etc. of Chemical Substances, Chemicals Control Act

Regulation		Chemical name	Threshold limits
Toxic Chemicals	:	Not applicable	
Prohibited Chemicals	:	Not applicable	
Restricted Chemicals	:	Not applicable	
Toxic Release Inventory	:	Not applicable	

#### Dangerous Substances Safety Management Act

Number:100000013356

Version 1.4		Revision Date 2024-12-04			
Dangerous Substances : Flammable liquids, Type 1 petroleums, Water insoluble liquid Safety Management Act					
Regulations by the Waste Management Act	:	Not applicable			
Regulations by other domestic and	d fo	preign laws			
Europe REACH	:	This product is in full compliance according to REACH			
Switzerland CH INV United States of America (USA) TSCA	:	regulation 1907/2006/EC. On the inventory, or in compliance with the inventory On or in compliance with the active portion of the TSCA inventory			
Canada DSL	:	All components of this product are on the Canadian DSL			
Australia AIIC New Zealand NZIoC Japan ENCS Korea KECI	:	On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory All substances in this product were registered, notified to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on CPChem's notifications or if the Importer of Record themselves notified the substances.			
Philippines PICCS Taiwan TCSI China IECSC	:	On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory			
Other regulations	:	No data available			

Number:100000013356

#### SAFETY DATA SHEET

## **Tertiary Butyl Mercaptan**

#### Version 1.4

Revision Date 2024-12-04

2

0

#### **SECTION 16: Other information**

Source of data	•	Korea, GHS based classification	
	•		
Date of initial writing	:	2022-07-19	
Revision number	:	1	
Last revision date	:	2022-12-22	
NFPA Classification	:	Health Hazard: 2 Fire Hazard: 3 Reactivity Hazard: 0	3



None.

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

t
erse Effect
on Agency
Occupational
rogram
ry of
se Effect
) r

Number:100000013356

18/19

#### Version 1.4

## Revision Date 2024-12-04

5050		NOFO	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health
	Scenario Tool		Administration
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit
	Chemicals Association		
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of
	Chemical Substances		Commercial Chemical Substances
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic
	Values		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery
	, , ,		Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and
			Reauthorization Act.
IARC	International Agency for Research	TLV	Threshold Limit Value
	on Cancer		
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average
	Substances in China		5 5
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act
	New Chemical Substances		
KECI	Korea, Existing Chemical	UVCB	Unknown or Variable Composition,
	Inventory		Complex Reaction Products, and
			Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials
			Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

Number:100000013356

19/19