

AlphaPlus® C30+ HA, Pastille

Version 2.0

Revision Date 2025-02-03

Product information	
Product Name Material	: AlphaPlus® C30+ HA, Pastille : 1128302, 1107898, 1084453, 1079744
Company	: Chevron Phillips Chemical Company LP Normal Alpha Olefins (NAO) 10001 Six Pines Drive The Woodlands, TX 77380
Emergency telephone	
Asia: CHEMWATCH Mexico CHEMTREC South America SOS Argentina: +(54)-115 EUROPE: BIG +32.7 Austria: VIZ +43 1 4 Belgium: 070 245 24 Bulgaria: +359 2 915 Croatia: +3851 2348 Cyprus: 1401 Czech Republic: Toy Denmark: Danish Po Estonia: BIG +32.14 Finland: 0800 147 1 France: ORFILA nur Germany: BIG +32.14 Greece: (0030) 2107 Hungary: +36-80-20 Iceland: 543 2222 (2)	national) .9300 or 703.527.3887(int'l) (+612 9186 1132) China: 0532 8388 9090 01-800-681-9531 (24 hours) Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 9839431 4.584545 (phone) or +32.14583516 (telefax) 6 43 43 (24 hours/day, 7 days/week) 5 (24 hours/day, 7 days/week)

AlphaPlus® C30+ HA, Pastille

SAFETY DATA SHEET

Version 2.0

Revision Date 2025-02-03

Version 2.0	Revision Date 2025-02-03
66101029; POISON CEN clinica Tel. +39 06 30543 Tel. +39 06 68593726;PO POISON CENTER FOGG POISON CENTER NAPL POISON CENTER NAPL POISON CENTER FLOR 7947819; POISON CENT 24444; POISON CENTER 300; POISON CENTER 300; POISON CENTER 858; Latvia: State Fire and Res Poisoning and Drug Infor 67042473. (24 hours.) Liechtenstein: BIG +32.14 Lithuania: +370 (85) 2362 Luxembourg: (+352) 8002 Malta: +356 2395 2000 The Netherlands: NVIC: + Norway: 22 59 13 00 (24 Poland: BIG +32.14.5845 Portugal: CIAV phone nu Romania: +40213183606 Slovakia: +421 2 5477 41 Slovenia: Phone number:	2 5500 (24 hours/day, 7 days/week) -31 (0)88 755 8000 hours/day, 7 days/week) 45 (phone) or +32.14583516 (telefax) mber: +351 800 250 250 66 112 cy Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24
Sweden: 112 – ask for Po	bisons Information
Responsible Department E-mail address Website	 Product Safety and Toxicology Group SDS@CPChem.com www.CPChem.com
SECTION 2: Hazards identificat	ion
Classification of the substa This product has been classi 1910.1200; the SDS and lab Classification	ance or mixture fied in accordance with the hazard communication standard 29 CFR els contain all the information as required by the standard. : Combustible dust
Labeling	
Signal Word	: Warning
Hazard Statements	: May form combustible dust concentrations in air. While this product may not be a combustible dust as sold, further processing or handling may form combustible dust concentration in air.
Carcinogenicity:	
IARC	No ingredient of this product present at levels greater than or
	equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
SDS Number:100000066171	2/12

haPlus® C30+ HA,	Pastille		SAFETY DATA SH
sion 2.0			Revision Date 2025-0
NTP			t present at levels greater than or s a known or anticipated carcinogen
TION 3: Composition/inform	nation on i	ngredients	
Synonyms		Plus® C30+ HA, Pa 30+ HA	stilles
Component		CAS-No.	Weight %
Ethene, Homopolymer, Distn	. Residues	260255-62-7	100
TION 4: First aid measures			
General advice	: No haz	ards which require	special first aid measures.
lf inhaled			covery position and seek medical st, call a physician.
In case of eye contact	lenses	Protect unharmed	a precaution. Remove contact I eye. Keep eye wide open while rsists, consult a specialist.
If swallowed	bevera	ges. Never give ar	ar. Do not give milk or alcoholic hything by mouth to an unconscious ist, call a physician.
TION 5: Firefighting measu	res		
Flash point		(450°F) d: PMCC	
Autoignition temperature	: 391°C	(736°F)	
Suitable extinguishing media	Foam. fogging applica surface create extingu	If possible, water so nozzle since this is tion of high velocity a layer. Avoid the u a dust cloud and th ishing measures th	hemical. Carbon dioxide (CO2). should be applied as a spray from a s a surface burning material. The v water will spread the burning se of straight streams that may e risk of a dust explosion. Use hat are appropriate to local rrounding environment.
Unsuitable extinguishing media	: High vo	olume water jet.	
Specific hazards during fire fighting	explosi floors a	ons can be caused and ledges. Use ex riate to local circum	by flame propagation or secondary by the accumulation of dust, e.g. or tinguishing measures that are instances and the surrounding
Number:100000066171			3/12

phaPlus® C30+ HA,	Pa	stilla
rsion 2.0	Ia	Revision Date 2025-02
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Fire and explosion protection	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Provide appropriate exhaust ventilation at places where dust is formed.
CTION 6: Accidental release	me	asures
Personal precautions	:	Sweep up to prevent slipping hazard. Avoid dust formation. Avoid breathing dust.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods for cleaning up	:	Pick up and arrange disposal without creating dust. Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.
Additional advice	:	Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
CTION 7: Handling and stora	ige	
Handling		
Advice on safe handling	:	Use good housekeeping for safe handling of the product. Keep out of water sources and sewers. Spilled product may create a slipping hazard. Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient.
Advice on protection against fire and explosion	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Provide appropriate exhaust ventilation at places where dust is formed.
Storage		
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
S Number:100000066171		4/12

AlphaPlus® C30+ HA, Pastille

Version 2.0

Revision Date 2025-02-03

Advice on common storage : Do not store together with oxidizing and self-igniting products.

SECTION 8: Exposure controls/personal protection

Engineering measures

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection	:	If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Air-Purifying Respirator for Dusts and Mists / P100. A positive pressure, air- supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
Hand protection	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	:	Eye wash bottle with pure water. Safety glasses.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Lightweight protective clothing.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Appearance			
Form Physical state Color	: Wax., solid : solid : White		
S Number:10000006617	1	5/12	

AlphaPlus® C30+ HA, Pastille

Version 2.0

Revision Date 2025-02-03

: 232°C (450°F) Method: PMCC
: No data available
: No data available
: 391°C (736°F)
: No data available
: Not applicable
: 74°C (165°F)
: Not applicable
: Not applicable
: 0.79 at 15.6 °C (60.1 °F)
: 0.83 G/ML
: Soluble in hydrocarbon solvents; insoluble in water.
: No data available
: 7.4 cSt at 99°C (210°F)
: Not applicable
: Not applicable
: > 0.0 m.b_/s
ivity

Reactivity	: Stable at normal ambient temperature and pressure.
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous re	actions
Hazardous reactions	: Further information: No decomposition if stored and applied as directed.
SDS Number:100000066171	6/12

phaPlus® C30+ HA, I	SAFETY DATA SHE
rsion 2.0	Revision Date 2025-02-
	Further information: Stable under recommended storage conditions., No hazards to be specially mentioned.
Conditions to avoid	: No data available.
Materials to avoid	: No data available.
Other data	: No decomposition if stored and applied as directed.
CTION 11: Toxicological info	rmation
AlphaPlus® C30+ HA, Pasti Acute oral toxicity	IIe : LD50 Oral: > 2,000 mg/kg Species: Rat Sex: Not Specified Information given is based on data obtained from similar substances.
AlphaPlus® C30+ HA, Pasti Acute dermal toxicity	IIe : LD50 Dermal: > 2,000 mg/kg Species: Rat Information given is based on data obtained from similar substances.
AlphaPlus® C30+ HA, Pasti Skin irritation	 Ile No skin irritation. Information given is based on data obtained from similar substances.
AlphaPlus® C30+ HA, Pasti Eye irritation	 Ile No eye irritation. Information given is based on data obtained from similar substances.
AlphaPlus® C30+ HA, Pasti Sensitization	 Ile Did not cause sensitization on laboratory animals. Information given is based on data obtained from similar substances.
AlphaPlus® C30+ HA, Pasti Aspiration toxicity	Ile : No aspiration toxicity classification.
AlphaPlus® C30+ HA, Pasti Further information	lle : No data available.
CTION 12: Ecological informa	ation
Ecotoxicity effects	
Toxicity to fish	 This material is not expected to be harmful to aquatic organisms. Information given is based on data obtained from similar substances.
Toxicity to daphnia and	: This material is not expected to be harmful to aquatic
S Number:100000066171	7/12

AlphaPlus® C30+ HA, Pastille

sion 2.0	Revision Date 2025-02
other aquatic invertebrates	organisms. Based on data from similar materials
Toxicity to algae	 This material is not expected to be harmful to aquatic organisms. Information given is based on data obtained from similar substances.
Biodegradability	: This material is not expected to be readily biodegradable. Information given is based on data obtained from similar substances.
Elimination information (persis	tence and degradability)
Bioaccumulation	: No data available
Mobility	: No data available
Additional ecological information	: No data available
	No data available
Ecotoxicology Assessment	
Short-term (acute) aquatic hazard	: This material is not expected to be harmful to aquatic organisms.
Long-term (chronic) aquatic hazard	: This material is not expected to be harmful to aquatic organisms.
CTION 13: Disposal consider	tions
The information in this SDS p	ertains only to the product as shipped.
may meet the criteria of a haz other State and local regulation regulated components may be	urpose or recycle if possible. This material, if it must be discarded, ardous waste as defined by US EPA under RCRA (40 CFR 261) or ns. Measurement of certain physical properties and analysis for e necessary to make a correct determination. If this material is te, federal law requires disposal at a licensed hazardous waste
Product	: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names,

SDS Number:100000066171

SAFETY	DATA	SHEET
0/11 - 1 1	0,,	

AlphaPlus® C30+ HA, Pastille

	Revision Date 2025-02-0
	tion shown here, may not always agree with the bill of lading shipping Flashpoints for the material may vary slightly between the SDS and the
	DEPARTMENT OF TRANSPORTATION) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
IMO / IMDG (INTERNATION NOT REGULATED AS A TRANSPORTATION BY	NAL MARITIME DANGEROUS GOODS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
	IR TRANSPORT ASSOCIATION) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
	ANGEROUS GOODS BY ROAD (EUROPE)) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
DANGEROUS GOODS (EL	A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR
OF DANGEROUS GOODS	MENT CONCERNING THE INTERNATIONAL CARRIAGE BY INLAND WATERWAYS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
OF DANGEROUS GOODS NOT REGULATED AS A TRANSPORTATION BY Maritime transport in bulk	BY INLAND WATERWAYS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
OF DANGEROUS GOODS NOT REGULATED AS A TRANSPORTATION BY Maritime transport in bulk	BY INLAND WATERWAYS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
OF DANGEROUS GOODS NOT REGULATED AS A TRANSPORTATION BY Maritime transport in bulk CTION 15: Regulatory inform National legislation	BY INLAND WATERWAYS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
OF DANGEROUS GOODS NOT REGULATED AS A TRANSPORTATION BY Maritime transport in bulk	BY INLAND WATERWAYS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
OF DANGEROUS GOODS NOT REGULATED AS A TRANSPORTATION BY Maritime transport in bulk CTION 15: Regulatory inform National legislation	BY INLAND WATERWAYS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
OF DANGEROUS GOODS NOT REGULATED AS A TRANSPORTATION BY Maritime transport in bulk CTION 15: Regulatory inform National legislation SARA 311/312 Hazards CERCLA Reportable	A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.

vian 20	Povision Data 2025 0
sion 2.0	Revision Date 2025-0
SARA 302 Threshold	: This material does not contain any components with a section
Planning Quantity	302 EHS TPQ.
SARA 304 Reportable Quantity	: This material does not contain any components with a section 304 EHS RQ.
Quantity	
SARA 313 Components	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
Clean Air Act	
Potential Clas	product neither contains, nor was manufactured with a Class I or s II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR Subpt. A, App.A + B).
This product does not conta Act Section 112 (40 CFR 6	ain any hazardous air pollutants (HAP), as defined by the U.S. Clean 1).
This product does not conta Act Section 112 (40 CFR 6	ain any hazardous air pollutants (HAP), as defined by the U.S. Clean 1).
	ain any chemicals listed under the U.S. Clean Air Act Section 112(r) fo tion (40 CFR 68.130, Subpart F).
Accidental Release Preven	tion (40 CFR 68.130, Subpart F). ain any chemicals listed under the U.S. Clean Air Act Section 111 SO
Accidental Release Preven	tion (40 CFR 68.130, Subpart F). ain any chemicals listed under the U.S. Clean Air Act Section 111 SO
Accidental Release Preven This product does not conta Intermediate or Final VOC's	tion (40 CFR 68.130, Subpart F). ain any chemicals listed under the U.S. Clean Air Act Section 111 SO s (40 CFR 60.489).
Accidental Release Preven This product does not conta Intermediate or Final VOC's	tion (40 CFR 68.130, Subpart F). ain any chemicals listed under the U.S. Clean Air Act Section 111 SO s (40 CFR 60.489).
Accidental Release Preven This product does not conta Intermediate or Final VOC's	tion (40 CFR 68.130, Subpart F). ain any chemicals listed under the U.S. Clean Air Act Section 111 SO s (40 CFR 60.489).
Accidental Release Preven This product does not conta Intermediate or Final VOC's JS State Regulations Pennsylvania Right To Kno California Prop. 65	 tion (40 CFR 68.130, Subpart F). ain any chemicals listed under the U.S. Clean Air Act Section 111 SO s (40 CFR 60.489). W Ethene, Homopolymer, Distn. Residues - 260255-62-7 This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive

e inventory he active portion of the duct are on the Canadian npliance with the inventory npliance with the inventory npliance with the inventory duct were registered, notified oted from registration by Representative according to nportation of this product is porter of Record was tifications or if the Importer of d the substances.	
npliance with the inventory npliance with the inventory npliance with the inventory luct were registered, notified oted from registration by Representative according to aportation of this product is porter of Record was tifications or if the Importer of	
npliance with the inventory npliance with the inventory luct were registered, notified oted from registration by Representative according to portation of this product is porter of Record was tifications or if the Importer of	
e inventory	
npliance with the inventory	
On the inventory, or in compliance with the inventory Not in compliance with the inventory	
gin. This version replaces all	
best of our knowledge, given is designed only as a , disposal and release and is ation relates only to the used in combination with any	
ne safety data sheet Lethal Dose 50%	
Lethal Dose 50% Lowest Observed Adverse Effect	
Lethal Dose 50%	

Г

AlphaPlus® C30+ HA, Pastille

Version 2.0

Revision Date 2025-02-03

CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

12/12