## SAFETY DATA SHEET



## Synfluid® PAO 6 cSt

Version 1.18

Revision Date 2025-04-02

according to GB/T 16483 and GB/T 17519

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **Product information**

Product Name Material <b>Company</b>	<ul> <li>Synfluid® PAO 6 cSt</li> <li>1111741, 1111740, 1111734, 1079874, 1079931, 1079667</li> <li>Chevron Phillips Chemical Company LP 10001 Six Pines Drive The Woodlands, TX 77380</li> </ul>				
Emergency telephone:					
Asia: CHEMWATCH (+6 Mexico CHEMTREC 01 South America SOS-Co Argentina: +(54)-115983 EUROPE: BIG +32.14.5 Austria: VIZ +43 1 406 4 Belgium: 070 245 245 (2 Bulgaria: +359 2 9154 2 Croatia: +3851 2348 343 Cyprus: 1401 Czech Republic: Toxico Denmark: Danish Poiso Estonia: BIG +32.14.584 Finland: 0800 147 111 France: ORFILA numbe Germany: BIG +32.14.584 Finland: 0800 147 111 France: (0030) 2107793 Hungary: +36-80-201-19 Iceland: 543 2222 (24 h Ireland: BIG +32.14.584 Italy: POISON CENTER 66101029; POISON CE clinica Tel. +39 06 3054 Tel. +39 06 68593726;P POISON CENTER FOG POISON CENTER FOG	ational) 300 or 703.527.3887(int'l) 612 9186 1132) China: 0532 8388 9090 -800-681-9531 (24 hours) tec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 39431 584545 (phone) or +32.14583516 (telefax) 43 43 (24 hours/day, 7 days/week) 24 hours/day, 7 days/week) 23 2 (24 hours/day, 7 days/week) logical Information Center +420 224 919 293, +420 224 915 402 n Center (Giftlinjen): +45 8212 1212 4545 (phone) or +32.14583516 (telefax) 09 471 977 (24 hours/day) er (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) i84545 (phone) or +32.14583516 (telefax) 3777 (24 hours/day, 7 days/week) 99 (24 hours/day, 7 days/week)				

SDS Number:100000010952

### SAFETY DATA SHEET

## Synfluid® PAO 6 cSt

Version 1.18

Revision Date 2025-04-02

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.) Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Lithuania: +370 (85) 2362052 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week) Malta: +356 2395 2000 The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week) Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Portugal: CIAV phone number: +351 800 250 250 Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week) Sweden: 112 - ask for Poisons Information Responsible Department : Product Safety and Toxicology Group E-mail address SDS@CPChem.com Website www.CPChem.com **SECTION 2: Hazards identification** Classification of the substance or mixture GHS Classification and Labeling: Follow GB 13690, GB 15258 and GB 30000.2 to GB 30000.29 (GHS 2013) **Emergency Overview** Physical state: liquid **Color**: Clear, Colorless Odor: Odorless Classification Not a hazardous substance or mixture. Labeling Not a hazardous substance or mixture. **SECTION 3: Composition/information on ingredients** Polyalphaolefin Synonyms : PAO Molecular formula Polymer Chemical name CAS-No. / EINECS-No. Concentration [wt%] 1-Decene Homopolymer Hydrogenated 68037-01-4 100 Contains no hazardous ingredients according to GHS. **SECTION 4: First aid measures** General advice : No hazards which require special first aid measures.

SDS Number:100000010952

nfluid® PAO 6 cSt		SAFETY DATA SHI	
sion 1.18		Revision Date 2025-04	
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.	
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.	
If swallowed	÷	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.	
TION 5: Firefighting measu	res		
Flash point	:	239-258°C (462-496°F) Method: ASTM D-92	
Autoignition temperature	:	354°C (669°F)	
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Specific hazards during fire fighting	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.	
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Fire and explosion protection	:	Normal measures for preventive fire protection.	
Hazardous decomposition products	:	Carbon oxides.	
TION 6: Accidental release	me	asures	
Personal precautions	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.	
Environmental precautions	:	No special environmental precautions required.	
Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.	
TION 7: Handling and stora	ge		
Handling			
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.	
Number:100000010952		3/11	

ersion 1.18		Revision Date 2025-04
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Storage		
Requirements for storage areas and containers	:	Electrical installations / working materials must comply with the technological safety standards.
Advice on common storage	:	No materials to be especially mentioned.

#### Not applicable

#### **Engineering measures**

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

### Personal protective equipment

Respiratory protection	:	If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate.
Hand protection	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	:	Eye wash bottle with pure water. Tightly fitting safety goggles.
Skin and body protection	:	Choose body protection according to the amount and concentration of the substance and the task performed at the work place. Appropriate PPE may include:. Lightweight protective clothing.
Hygiene measures	:	General industrial hygiene practice.

### **SECTION 9: Physical and chemical properties**

Information on basic physical and chemical properties

### Appearance

SDS Number:100000010952

Version 1.18

SAFETY DATA SHEET

Revision Date 2025-04-02

Version 1.18	Revision Date 2025-04-02
Physical state Color Odor	: liquid : Clear, Colorless : Odorless
Safety data	
Flash point	: 239-258°C (462-496°F) Method: ASTM D-92
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flammability (solid, gas) Oxidizing properties	: : no
Autoignition temperature	: 354°C (669°F)
Thermal decomposition	: No data available
Molecular formula	: Polymer
Molecular weight	: Varies
рН	: Not applicable
Pour point	: No data available
Melting point/freezing point	Not applicable
Boiling point/boiling range	: 419°C (786°F)
Vapor pressure	: 0.70 MMHG at 149°C (300°F)
Relative density	: 0.83 at 15.6 °C (60.1 °F)
Water solubility	: Soluble in hydrocarbon solvents; insoluble in water.
Partition coefficient: n- octanol/water	: No data available
Viscosity, kinematic	: 30.5 cSt at 40°C (104°F)
Relative vapor density	: 10 (Air = 1.0)
Evaporation rate	: No data available
ECTION 40. Stability and reacti	

## SECTION 10: Stability and reactivity

SDS Number:100000010952

nfluid® PAO 6 cSt sion 1.18	Revision Date 2025-04	
Reactivity	: Stable at normal ambient temperature and pressure.	
Chemical stability	This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.	
Possibility of hazardous rea	ctions	
Hazardous reactions	: Further information: Stable under recommended storage conditions., No hazards to be specially mentioned.	
Conditions to avoid	: No data available.	
Materials to avoid	: No data available.	
Thermal decomposition	: No data available	
Hazardous decomposition products	: Carbon oxides	
Other data	: No decomposition if stored and applied as directed.	
TION 44. Towing logical inform		
TION 11: Toxicological infor	ination	
Synfluid® PAO 6 cSt Acute oral toxicity	: LD50 Oral: > 5,000 mg/kg Species: Rat	
Synfluid® PAO 6 cSt		
Acute inhalation toxicity	: LC50: > 5.2 mg/l Exposure time: 4 h Species: Rat Test atmosphere: dust/mist	
Acute inhalation toxicity Synfluid® PAO 6 cSt Acute dermal toxicity	Exposure time: 4 h Species: Rat	
Synfluid® PAO 6 cSt	Exposure time: 4 h Species: Rat Test atmosphere: dust/mist : LD50: > 2,000 mg/kg	
Synfluid® PAO 6 cSt Acute dermal toxicity Synfluid® PAO 6 cSt	Exposure time: 4 h Species: Rat Test atmosphere: dust/mist : LD50: > 2,000 mg/kg Species: Rabbit	
Synfluid® PAO 6 cSt Acute dermal toxicity Synfluid® PAO 6 cSt Skin irritation Synfluid® PAO 6 cSt	Exposure time: 4 h Species: Rat Test atmosphere: dust/mist : LD50: > 2,000 mg/kg Species: Rabbit : No skin irritation	
Synfluid® PAO 6 cSt Acute dermal toxicity Synfluid® PAO 6 cSt Skin irritation Synfluid® PAO 6 cSt Eye irritation Synfluid® PAO 6 cSt	Exposure time: 4 h Species: Rat Test atmosphere: dust/mist : LD50: > 2,000 mg/kg Species: Rabbit : No skin irritation : No eye irritation	

SAFETY DATA SHEET

1-Decene Homopolymer Hydrogenated	: Species: Rat Application Route: Oral Dose: 0, 8000, 20000, 50000 ppm	
	Exposure time: 28 day Number of exposures: daily NOEL: 6,245 mg/kg Method: OECD Test Guideline 407	
	Species: Rat Application Route: oral gavage Dose: 0, 1000, 7000, 50000 ppm Exposure time: 13 weeks Number of exposures: daily NOEL: 4,159.4 mg/kg Method: OCED Guideline 408	
Synfluid® PAO 6 cSt Genotoxicity in vitro	: Remarks: No adverse effects expected, Information given is based on data obtained from similar substances.	
Synfluid® PAO 6 cSt Genotoxicity in vivo	: Remarks: No adverse effects expected, Information given is based on data obtained from similar substances.	
Synfluid® PAO 6 cSt Carcinogenicity	: Remarks: This information is not available.	
Reproductive toxicity		
1-Decene Homopolymer Hydrogenated	: Species: Rat Sex: male and female Application Route: oral gavage Dose: 0, 100, 500, 1000 mg/kg Number of exposures: daily Test period: 10 weeks Method: OECD Test Guideline 415 NOAEL Parent: 1,000 mg/kg	
Developmental Toxicity		
1-Decene Homopolymer Hydrogenated	Animal testing did not show any effects on fetal development. Information given is based on data obtained from similar substances.	
Aspiration toxicity		
1-Decene Homopolymer Hydrogenated Toxicology Assessment	: No aspiration toxicity classification.	
Synfluid® PAO 6 cSt CMR effects	: Carcinogenicity: Not classifiable as a human carcinogen. Mutagenicity:	

nfluid® PAO 6 cSt	SAFETY DATA SHE
sion 1.18	Revision Date 2025-04
3011110	Animal testing did not show any mutagenic effects. Teratogenicity: no developmental effects Reproductive toxicity: No toxicity to reproduction
Synfluid® PAO 6 cSt Further information CTION 12: Ecological informa	: No data available. tion
Ecotoxicity effects	
Toxicity to fish	: LL50: > 1,000 mg/l Exposure time: 96 h Species: Oncorhynchus mykiss (rainbow trout)
	LC50: > 750 mg/l Exposure time: 96 h Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates	<ul> <li>EL50: &gt; 1,000 mg/l</li> <li>Exposure time: 48 h</li> <li>Species: Daphnia magna (Water flea)</li> <li>static test Method: OECD Test Guideline 202</li> </ul>
Toxicity to algae	<ul> <li>NOELR: 1,000 mg/l Exposure time: 72 h Species: Scenedesmus capricornutum (fresh water algae) static test Method: OECD Test Guideline 201</li> <li>EC50: &gt; 1,000 mg/l</li> </ul>
	Ecol: > 1,000 mg/r Exposure time: 96 h Species: Selenastrum capricornutum (algae)
Biodegradability	: This material is not expected to be readily biodegradable. Expected to be inherently biodegradable.
Elimination information (persis	stence and degradability)
Bioaccumulation	: This material is not expected to bioaccumulate.
Mobility	: No data available
Results of PBT assessment 1-Decene Homopolymer	: Non-classified PBT substance, Non-classified vPvB substance
Hydrogenated Additional ecological information	: No data available
Ecotoxicology Assessment	
Short-term (acute) aquatic	: This material is not expected to be harmful to aquatic

SAFETY DATA SHEET

Version 1.18

hazard

Revision Date 2025-04-02

	: This material is not expected to be harmful to aquatic
hazard	organisms.

### **SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

organisms.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Contaminated packaging	: Empty containers should be taken to an approved waste
	handling site for recycling or disposal.

### **SECTION 14: Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

### US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

### IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

### IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

### ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NÒT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROÚS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

### ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE

SDS Number:100000010952

SAFETY DATA SHEET

## Synfluid® PAO 6 cSt

Version 1.18 Revision Date 2025-04-02 OF DANGEROUS GOODS BY INLAND WATERWAYS) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY. Other information : Polyolefin (molecular weight 300+), S.T. 2, Cat.Y Maritime transport in bulk according to IMO instruments **SECTION 15: Regulatory information** Notification status Europe REACH This product is in full compliance according to REACH regulation 1907/2006/EC. Switzerland CH INV On the inventory, or in compliance with the inventory On or in compliance with the active portion of the United States of America (USA) 2 TSCA **TSCA** inventory Canada DSL All components of this product are on the Canadian ÷ DSL On the inventory, or in compliance with the inventory Australia AIIC New Zealand NZIoC On the inventory, or in compliance with the inventory 2 Notification number: HSR002606 Japan ENCS On the inventory, or in compliance with the inventory Korea KECI All substances in this product were registered, notified to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on CPChem's notifications or if the Importer of Record themselves notified the substances. Philippines PICCS On the inventory, or in compliance with the inventory Taiwan TCSI On the inventory, or in compliance with the inventory 5 China IECSC On the inventory, or in compliance with the inventory **SECTION 16: Other information Further information** Legacy SDS Number : 3333 NSF H1, HX-1 Registered, meets USDA 1998 H1 Guidelines Significant changes since the last version are highlighted in the margin. This version replaces all previous versions. The information in this SDS pertains only to the product as shipped. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a

guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SDS Number:100000010952

SAFETY DATA SHEET

Version 1.18

Revision Date 2025-04-02

	Key or legend to abbreviations and a		
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

SDS Number:100000010952