

Marlex® D163-N Polyethylene

Version 1.2

Revision Date 2025-04-10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	: Marlex® D163-N Polyethylene
Material	: 1131573, 1131572, 1131579, 1131580, 1131583, 1131581, 1131582, 1131574, 1131575, 1131578, 1131576, 1131577, 1130018, 1130017, 1130016, 1130015, 1130014
Company	 Chevron Phillips Chemical Company LP 10001 Six Pines Drive The Woodlands, TX 77380
Emergency telephone:	
Health:	
866.442.9628 (North Ame 1.832.813.4984 (Internati	
Transport:	ional)
CHEMTREC 800.424.93	
	12 9186 1132) China: 0532 8388 9090 800-681-9531 (24 hours)
Mexico CHEMTREC 01-8 South America SOS-Cote	ec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
Argentina: +(54)-1159839	9431
	84545 (phone) or +32.14583516 (telefax)
	3 43 (24 hours/day, 7 days/week) 4 hours/day, 7 days/week)
Bulgaria: +359 2 9154 23	
	2 (24 hours/day, 7 days/week)
Cyprus: 1401 Czech Republic: Toxicolo	ogical Information Center +420 224 919 293, +420 224 915 402
Denmark: Danish Poison	Center (Giftlinjen): +45 8212 1212
	545 (phone) or +32.14583516 (telefax)
	J9 471 977 (24 nours/dav)
Finland: 0800 147 111 0 France: ORFILA number	
France: ORFILA number	r (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 34545 (phone) or +32.14583516 (telefax)
France: ORFILA number Germany: BIG +32.14.58 Greece: (0030) 2107793	^r (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 34545 (phone) or +32.14583516 (telefax) 777 (24 hours/day, 7 days/week)
France: ORFILA number Germany: BIG +32.14.58 Greece: (0030) 2107793 Hungary: +36-80-201-19	(INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 34545 (phone) or +32.14583516 (telefax) 777 (24 hours/day, 7 days/week) 99 (24 hours/day, 7 days/week)
France: ORFILA number Germany: BIG +32.14.58 Greece: (0030) 2107793 Hungary: +36-80-201-199 Iceland: 543 2222 (24 ho	(INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 34545 (phone) or +32.14583516 (telefax) 777 (24 hours/day, 7 days/week) 99 (24 hours/day, 7 days/week)
France: ORFILA number Germany: BIG +32.14.58 Greece: (0030) 2107793 Hungary: +36-80-201-19 Iceland: 543 2222 (24 ho Ireland: BIG +32.14.5845 Italy: POISON CENTER	r (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 34545 (phone) or +32.14583516 (telefax) 3777 (24 hours/day, 7 days/week) 99 (24 hours/day, 7 days/week) burs/day, 7 days/week) 545 (phone) or +32.14583516 (telefax) MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02
France: ORFILA number Germany: BIG +32.14.58 Greece: (0030) 2107793 Hungary: +36-80-201-199 Iceland: 543 2222 (24 ho Ireland: BIG +32.14.5845 Italy: POISON CENTER 66101029; POISON CEN	r (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 34545 (phone) or +32.14583516 (telefax) 3777 (24 hours/day, 7 days/week) 99 (24 hours/day, 7 days/week) 500 (24 hours/day, 7 days/week) 545 (phone) or +32.14583516 (telefax) 545 (phone) or +32.14583516 (telefax) MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 NTER ROME – Policlinico "Agostino Gemelli", Servizio di tossicologia
France: ORFILA number Germany: BIG +32.14.58 Greece: (0030) 2107793 Hungary: +36-80-201-19 Iceland: 543 2222 (24 ho Ireland: BIG +32.14.5845 Italy: POISON CENTER 66101029; POISON CEN clinica Tel. +39 06 30543	r (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 34545 (phone) or +32.14583516 (telefax) 3777 (24 hours/day, 7 days/week) 99 (24 hours/day, 7 days/week) 500 (24 hours/day, 7 days/week) 545 (phone) or +32.14583516 (telefax) 545 (phone) or +32.14583516 (telefax) MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 NTER ROME – Policlinico "Agostino Gemelli", Servizio di tossicologia 343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù
France: ORFILA number Germany: BIG +32.14.58 Greece: (0030) 2107793 Hungary: +36-80-201-199 Iceland: 543 2222 (24 ho Ireland: BIG +32.14.5845 Italy: POISON CENTER 66101029; POISON CEN clinica Tel. +39 06 30543 Tel. +39 06 68593726;PO POISON CENTER FOGO	 (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 34545 (phone) or +32.14583516 (telefax) 777 (24 hours/day, 7 days/week) 99 (24 hours/day, 7 days/week) 545 (phone) or +32.14583516 (telefax) 545 (phone) or +32.14583516 (telefax) MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 NTER ROME – Policlinico "Agostino Gemelli", Servizio di tossicologia 343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù OISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 80 GIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326
France: ORFILA number Germany: BIG +32.14.58 Greece: (0030) 2107793 Hungary: +36-80-201-199 Iceland: 543 2222 (24 ho Ireland: BIG +32.14.5845 Italy: POISON CENTER 66101029; POISON CEN clinica Tel. +39 06 30543 Tel. +39 06 68593726;PO POISON CENTER FOGO POISON CENTER NAPL	 (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 34545 (phone) or +32.14583516 (telefax) 777 (24 hours/day, 7 days/week) 99 (24 hours/day, 7 days/week) 545 (phone) or +32.14583516 (telefax) 545 (phone) or +32.14583516 (telefax) MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 NTER ROME – Policlinico "Agostino Gemelli", Servizio di tossicologia 343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù OISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 80 GIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 081 732326 LES – Azienda Ospedaliera "Antonio Cardarelli" Tel. +39 081 7472870
France: ORFILA number Germany: BIG +32.14.58 Greece: (0030) 2107793 Hungary: +36-80-201-199 Iceland: 543 2222 (24 ho Ireland: BIG +32.14.5845 Italy: POISON CENTER 66101029; POISON CENTER 66101029; POISON CENTER clinica Tel. +39 06 30543 Tel. +39 06 68593726;PO POISON CENTER FOGO POISON CENTER NAPL POISON CENTER FLOR	 (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 34545 (phone) or +32.14583516 (telefax) 777 (24 hours/day, 7 days/week) 99 (24 hours/day, 7 days/week) 545 (phone) or +32.14583516 (telefax) 545 (phone) or +32.14583516 (telefax) MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 NTER ROME – Policlinico "Agostino Gemelli", Servizio di tossicologia 343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù OISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 80 GIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 081 732326 LES – Azienda Ospedaliera "Antonio Cardarelli" Tel. +39 081 7472870 RENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055
France: ORFILA number Germany: BIG +32.14.58 Greece: (0030) 21077933 Hungary: +36-80-201-199 Iceland: 543 2222 (24 ho Ireland: BIG +32.14.5845 Italy: POISON CENTER 66101029; POISON CENTER 66101029; POISON CENTER clinica Tel. +39 06 30543 Tel. +39 06 68593726;PO POISON CENTER FOGO POISON CENTER NAPL POISON CENTER FLOR 7947819; POISON CENTER 24444; POISON CENTER	 (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 34545 (phone) or +32.14583516 (telefax) 777 (24 hours/day, 7 days/week) 99 (24 hours/day, 7 days/week) 545 (phone) or +32.14583516 (telefax) 545 (phone) or +32.14583516 (telefax) MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 NTER ROME – Policlinico "Agostino Gemelli", Servizio di tossicologia 343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù OISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 80 GIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 081 732326 LES – Azienda Ospedaliera "Antonio Cardarelli" Tel. +39 081 7472870

Marlex® D163-N Polyethylene

Version 1.2

SDS Number:100000106975

Version 1.2	Revision Date 2025-04-10
Poisoning and Drug Inf 67042473. (24 hours.) Liechtenstein: BIG +32. Lithuania: +370 (85) 236 Luxembourg: (+352) 800 Malta: +356 2395 2000 The Netherlands: NVIC: Norway: 22 59 13 00 (24 Poland: BIG +32.14.584 Portugal: CIAV phone n Romania: +4021318360 Slovakia: +421 2 5477 4 Slovenia: Phone number	D2 5500 (24 hours/day, 7 days/week) +31 (0)88 755 8000 4 hours/day, 7 days/week) 545 (phone) or +32.14583516 (telefax) umber: +351 800 250 250 6 -166 r: 112 ncy Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24
	 Product Safety and Toxicology Group SDS@CPChem.com www.CPChem.com CAUTION: Do not use this material in medical applications involving the human body or permanent contact with internal body fluids or tissues
human body or contact with directly from Chevron Philli expressly acknowledges th Chevron Phillips Chemical express warranty or implied	medical applications involving brief or temporary implantation in the n internal body fluids or tissues unless the material has been provided ps Chemical Company LP or its legal affiliates under an agreement which e contemplated use. Company LP and its legal affiliates makes no representation, promise, d warranty concerning the suitability of this material for use in implantation intact with internal body fluids or tissues.
SECTION 2: Hazards identifica	ation
	stance or mixture sified in accordance with the hazard communication standard 29 CFR bels contain all the information as required by the standard.
Classification	: Combustible dust
Labeling	
Signal Word	: Warning
Hazard Statements	: May form combustible dust concentrations in air. While this product may not be a combustible dust as sold, further processing or handling may form combustible dust concentration in air.
Potential Health Effects	
Physical Hazards	 Pellets may cause a slip hazard on hard surfaces. Mechanical processing may form combustible dust concentrations in air and thermal processing at elevated
SDS Number:100000106975	2/13

2/13

	vothvlono
arlex® D163-N Poly	Revision Date 2025-0
Inhalation	 temperatures may generate formaldehyde. Repeated exposure to dust from this material may cause respiratory irritation. Fumes generated during thermal processing may cause
Skin	 irritation of the upper respiratory tract. Contact with the skin is not expected to cause prolonged or significant irritation. Contact with the skin is not expected to cause an allergic response. If this material is heated, thermal burns may result from contact. Thermal burns may include pain or feeling of heat,
Eyes	 discolorations, swelling, and blistering. Contact with the eyes may cause irritation due to the abrasive action. Not expected to cause prolonged or significant eye irritation. Thermal burns may result if heated material contacts eye.
Ingestion	: Ingestion of this product is not a likely route of exposure.
Carcinogenicity:	
IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
CTION 3: Composition/info	ormation on ingredients
CTION 3: Composition/info Component Polyethylene Hexene Cop	CAS-No. Weight %
Component	CAS-No. Weight % olymer 25213-02-9 99 - 100
Component Polyethylene Hexene Cop	CAS-No. Weight % olymer 25213-02-9 99 - 100
Component Polyethylene Hexene Cope CTION 4: First aid measure	CAS-No. Weight % olymer 25213-02-9 99 - 100 es : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist,
Component Polyethylene Hexene Cope CTION 4: First aid measure	CAS-No. Weight % olymer 25213-02-9 99 - 100 es : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician. : If the molten material gets on skin, quickly cool in water. Seek immediate medical attention. Do not try to peel the solidified
Component Polyethylene Hexene Cope CTION 4: First aid measure If inhaled In case of skin contact	CAS-No. Weight % olymer 25213-02-9 99 - 100 es
Component Polyethylene Hexene Cope CTION 4: First aid measure If inhaled In case of skin contact In case of eye contact	CAS-No. Weight % olymer 25213-02-9 99 - 100 es : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician. : If the molten material gets on skin, quickly cool in water. Seek immediate medical attention. Do not try to peel the solidified material from the skin or use solvents or thinners to dissolve it. : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. : Do not induce vomiting without medical advice.
Component Polyethylene Hexene Cope CTION 4: First aid measure If inhaled In case of skin contact In case of eye contact If swallowed	CAS-No. Weight % olymer 25213-02-9 99 - 100 es : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician. : If the molten material gets on skin, quickly cool in water. Seek immediate medical attention. Do not try to peel the solidified material from the skin or use solvents or thinners to dissolve it. : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. : Do not induce vomiting without medical advice.

Marlex® D163-N Polyethylene

Version	1.2

Revision Date 2025-04-10

Autoignition temperature	:	No data available
Suitable extinguishing media	:	Water. Water mist. Dry chemical. Carbon dioxide (CO2). Foam. If possible, water should be applied as a spray from a fogging nozzle since this is a surface burning material. The application of high velocity water will spread the burning surface layer. Avoid the use of straight streams that may create a dust cloud and the risk of a dust explosion. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards during fire fighting	:	Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges.
Special protective equipment for fire-fighters	:	Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	This material will burn although it is not easily ignited.
Fire and explosion protection	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Hazardous decomposition products	:	Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
SECTION 6: Accidental release	mea	asures
Personal precautions	:	Sweep up to prevent slipping hazard. Avoid breathing dust. Avoid dust formation.
Environmental precautions	:	Do not contaminate surface water. Prevent product from entering drains.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum.
Additional advice	:	Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
SECTION 7: Handling and stora	ge	
Handling		
Advice on safe handling	:	Use good housekeeping for safe handling of the product. Keep out of water sources and sewers. Spilled pellets may create a slipping hazard. Electrostatic charge may accumulate and create a hazardous
SDS Number:100000106975		4/13

larlex® D163-N Polye	thy	/lene
ersion 1.2		Revision Date 2025-04-10
Advice on protection	:	condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient. At elevated temperatures (>350°F, >177°C), polyethylene can release vapors and gases, which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. These substances may include acetaldehyde, acetone, acetic acid, formic acid, formaldehyde and acrolein. Based on animal data and limited epidemiological evidence, formaldehyde has been listed as a carcinogen. Following all recommendations within this SDS should minimize exposure to thermal processing emissions.
against fire and explosion		dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Storage		
Requirements for storage areas and containers	:	Keep in a dry place. Keep in a well-ventilated place.
Advice on common storage	:	Do not store together with oxidizing and self-igniting products.
ECTION 8: Exposure controls/	'nor	sonal protection
ECTION 6: Exposure controls/	per	
Ingredients with workplace	0.0	ntrol narameters

US Components Basis Value Control parameters Note Nuisance Dust OSHA Z-3 TWA 15 mg/m3 Total dust OSHA Z-3 TWA 5 mg/m3 (respirable dust)

Control as Particulate Not Otherwise Classified (PNOC). The ACGIH Guideline* for respirable dust is 3.0 mg/m3 and 10.0 mg/m3 for total dust. The OSHA PEL for respirable dust is 5.0 mg/m3 and 15.0 mg/m3 for total dust.

* This value is for inhalable (total) particulate matter containing no asbestos and < 1.0% crystalline silica.

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

 No respiratory protection is normally required. If heated material generates vapor or fumes that are not adequately controlled by ventilation, wear an appropriate respirator. Use the following elements for air-purifying respirators: Organic Vapor and Formaldehyde. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection. Dust safety masks are recommended when the dust concentration is excessive.
5/13

rlex® D163-N Polyet	SAFETY DATA S	HE
sion 1.2	Revision Date 2025-	-04
Eye protection	Use of safety glasses with side shields for solid handling is good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles.	e
Skin and body protection	At ambient temperatures use of clean and protective clothing good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not adequate.	
CTION 9: Physical and chemic	properties	
Information on basic physic	and chemical properties	
Appearance		
Form Physical state Color Odor Odor Threshold	 Pellets solid Opaque Mild to no odor No data available 	
Safety data		
Flash point	No data available	
Lower explosion limit	Not applicable	
Upper explosion limit	Not applicable	
Autoignition temperature	No data available	
Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing	j .
рН	Not applicable	
Melting point/ range	: 90-140°C (194-284°F)	
Freezing point	Not applicable	
Initial boiling point and boiling range	Not applicable	
Vapor pressure	Not applicable	
Relative density	Not applicable	
Density	 0.91 - 0.97 g/cm3 Please refer to the Technical Data Sheet (TDS) for more detailed information relating to the nominal physical properties, including density, of this polyethylene resin grade).
S Number:100000106975	6/13	

Marlex® D163-N Polyethylene

Version 1.2

Revision Date 2025-04-10

Water solubility	: negligible
Partition coefficient: n- octanol/water	: No data available
Solubility in other solvents	: No data available
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Relative vapor density	: Not applicable
Evaporation rate	: Not applicable
Dust deflagration index Kst	: >0.0 m.b_/s

SECTION 10: Stability and reactivity

Reactivity	: This material is considered non-reactive under normal ambient and anticipated storage and handling conditions of temperature and pressure.		
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.		
Possibility of hazardous reactions			
Hazardous reactions	: Hazardous reactions: None known.		
Conditions to avoid	: Avoid prolonged storage at elevated temperature.		
Materials to avoid	: Avoid contact with strong oxidizing agents.		
Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.		
Hazardous decomposition products	: Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.		
Other data	: No decomposition if stored and applied as directed.		
SECTION 11: Toxicological inform	nation		
Marlex® D163-N Polyethylen Acute oral toxicity	e : Presumed Not Toxic		
SDS Number:100000106975	7/13		

Marlex® D163-N Polyethylene

Version 1.2

Revision Date 2025-04-10

Marlex® D163-N Polyethylene Acute inhalation toxicity	
Marlex® D163-N Polyethylene Acute dermal toxicity	
Marlex® D163-N Polyethylene Skin irritation	: No skin irritation
Marlex® D163-N Polyethylene Eye irritation	: No eye irritation
Marlex® D163-N Polyethylene Sensitization	: Did not cause sensitization on laboratory animals.
Toxicology Assessment	
Marlex® D163-N Polyethylene CMR effects	: Carcinogenicity: No adverse effects expected Mutagenicity: No adverse effects expected Reproductive toxicity: No adverse effects expected
Marlex® D163-N Polyethylene Further information	 This product contains POLYMERIZED OLEFINS. During thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and limited epidemiological evidence.
SECTION 12: Ecological information	on
Ecotoxicity effects	
Toxicity to fish	: Not applicable
Toxicity to daphnia and other aquatic invertebrates	: No data available
Biodegradability	: This material is not expected to be readily biodegradable.
Elimination information (persiste	ence and degradability)
SDS Number:100000106975	8/13

Marlex[®] D163-N Polyethylene

Versio

rsion 1.2		Revision Date 2025-04-10
Bioaccumulation	:	Does not bioaccumulate.
Mobility	:	The product is insoluble and floats on water.
Results of PBT assessment	:	Non-classified vPvB substance
Additional ecological information	:	This material is not expected to be harmful to aquatic organisms., Fish or birds may eat pellets which may obstruct their digestive tracts.
Ecotoxicology Assessment		
Short-term (acute) aquatic hazard	:	This product has no known ecotoxicological effects.
Long-term (chronic) aquatic hazard	:	This product has no known ecotoxicological effects.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

SDS Number:100000106975

9/13

Marlex® D163-N Polyethylene

Version 1.2

Revision Date 2025-04-10

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

DANGEROUS GOODS (EL	HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR	
ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.		
Maritime transport in bulk SECTION 15: Regulatory inform	according to IMO instruments	
National legislation		
SARA 311/312 Hazards	: Combustible dust	
CERCLA Reportable Quantity	: This material does not contain any components with a CERCLA RQ.	
SARA 302 Reportable Quantity	: This material does not contain any components with a SARA 302 RQ.	
SARA 302 Threshold Planning Quantity	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	

Clean Air Act

SARA 304 Reportable

SARA 313 Components

Quantity

Ozone-Depletion	: This product neither contains, nor was manufactured with a Class I or
Potential	Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR
	82, Subpt. A, App.A + B).

304 EHS RQ.

SDS Number:100000106975

: This material does not contain any components with a section

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SAFETY	ΠΑΤΑ	SHEET
SALLI	DAIA	

Marlex[®] D163-N Polyethylene Version 1.2 Revision Date 2025-04-10 This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489). **US State Regulations** Pennsylvania Right To Know : No components are subject to the Pennsylvania Right to Know Act. California Prop. 65 : This product, as shipped, does not contain any carcinogens or Components reproductive toxins presently known by the State of California to cause cancer or reproductive toxicity at a level of exposure subject to the requirements of California Proposition 65. Notification status Europe REACH This product is in full compliance according to REACH 5 regulation 1907/2006/EC. Switzerland CH INV On the inventory, or in compliance with the inventory United States of America (USA) On or in compliance with the active portion of the TSCA **TSCA** inventory Canada DSL All components of this product are on the Canadian 2 DSL Australia AIIC On the inventory, or in compliance with the inventory New Zealand NZIoC On the inventory, or in compliance with the inventory 1 On the inventory, or in compliance with the inventory Japan ENCS 1 Korea KECI All substances in this product were registered, notified 5 to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on CPChem's notifications or if the Importer of Record themselves notified the substances. Philippines PICCS On the inventory, or in compliance with the inventory 5 Taiwan TCSI On the inventory, or in compliance with the inventory : China IECSC On the inventory, or in compliance with the inventory :

SDS Number:100000106975

Marlex® D163-N Polyethylene

Version 1.2

Revision Date 2025-04-10

SECTION 16: Other information

SECTION TO. Other information		
NFPA Classification	: Health Hazard: 0 Fire Hazard: 1 Reactivity Hazard: 0	
Further information		

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ACGIH	American Conference of	LD50	Lethal Dose 50%
	Government Industrial Hygienists		
AIIC	Australian Inventory of Industrial	LOAEL	Lowest Observed Adverse Effe
	Chemicals		Level
DSL	Canada, Domestic Substances	NFPA	National Fire Protection Agence
	List		
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupation
	Substances List		Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of
			Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect
			Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentra
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health
	Scenario Tool		Administration
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit
	Chemicals Association		
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of
	Chemical Substances		Commercial Chemical Substar
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic
	Values		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recov
		077	Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and
			Reauthorization Act.
IARC	International Agency for Research	TLV	Threshold Limit Value
15000	on Cancer		
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average
	Substances in China		
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act
1/501	New Chemical Substances	1.11.(0.5	
KECI	Korea, Existing Chemical	UVCB	Unknown or Variable Composi
	Inventory		Complex Reaction Products, a

Marlex® D163-N Polyethylene

Version 1.2

Revision Date 2025-04-10

			Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

SDS Number:100000106975