

Marlex® 1017 Polyethylene

Version 4.4

Revision Date 2025-07-02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	 Marlex® 1017 Polyethylene 1044096, 1044095, 1044094, 1044093, 1044092, 1042083,
Company	1042085, 1042084, 1042081, 1040034, 1040033, 1042082 Chevron Phillips Chemical Company LP 9500 Lakeside Blvd. The Woodlands, TX 77381
Emergency telephone:	
Asia: CHEMWATCH Mexico CHEMTREC South America SOS- Argentina: +(54)-1159 EUROPE: BIG +32.14 Austria: VIZ +43 1 40 Belgium: 070 245 248 Bulgaria: +359 2 9154 Croatia: +3851 2348 Cyprus: 1401 Czech Republic: Toxi Denmark: Danish Poi Estonia: BIG +32.14.9 Finland: 0800 147 11 France: ORFILA num Germany: BIG +32.14 Greece: (0030) 21077 Hungary: +36-80-201 Iceland: 543 2222 (24	rnational) 4.9300 or 703.527.3887(int'l) (+612 9186 1132) China: 0532 8388 9090 01-800-681-9531 (24 hours) Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600 9839431 4.584545 (phone) or +32.14583516 (telefax) 16 43 43 (24 hours/day, 7 days/week) 5 (24 hours/day, 7 days/week)

SDS Number:10000000530

Versic 4 4

wision Date 2025-07-02 -

Revision Date 2025-07-02
scue Service, phone number: 112; Toxicology and Sepsis Clinic rmation Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 4.584545 (phone) or +32.14583516 (telefax) 2052 2 5500 (24 hours/day, 7 days/week) +31 (0)88 755 8000 hours/day, 7 days/week) 545 (phone) or +32.14583516 (telefax) mber: +351 800 250 250 5 166 : 112 cy Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 pisons Information
 Product Safety and Toxicology Group SDS@CPChem.com www.CPChem.com
AUTION: Do not use this material in medical applications involving the human body or permanent contact with internal body fluids or tissues
nedical applications involving brief or temporary implantation in the internal body fluids or tissues unless the material has been provided s Chemical Company LP or its legal affiliates under an agreement which contemplated use.
Company LP and its legal affiliates makes no representation, promise, warranty concerning the suitability of this material for use in implantation tact with internal body fluids or tissues.
tion
ance or mixture ified in accordance with the hazard communication standard 29 CFR pels contain all the information as required by the standard.
: Combustible dust
: Warning
: May form combustible dust concentrations in air. While this product may not be a combustible dust as sold, further processing or handling may form combustible dust concentration in air.
: Pellets may cause a slip hazard on hard surfaces. Mechanical processing may form combustible dust concentrations in air and thermal processing at elevated

2/12

rlex® 1017 Polyet					
sion 4.4	пуюте		Revision Date 2025		
Inhalation	: Repeated respiratory	exposure to due irritation.	te formaldehyde. st from this material may cause thermal processing may cause		
Skin	: Contact wi significant Contact wi response. If this mate Thermal bu	irritation. th the skin is no rial is heated, t urns may includ	ot expected to cause prolonged or ot expected to cause an allergic hermal burns may result from conta le pain or feeling of heat,		
Eyes	: Contact wi action. Not expect	 discolorations, swelling, and blistering. Contact with the eyes may cause irritation due to the abrasive action. Not expected to cause prolonged or significant eye irritation. Thermal burns may result if heated material contacts eye. 			
Ingestion			s not a likely route of exposure.		
Carcinogenicity:					
IARC	equal to 0.1		ct present at levels greater than or as probable, possible or confirmed C.		
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.				
			as a known or anticipated carcinoge		
TION 3: Composition/info	by NTP.		as a known or anticipated carcinoge		
TION 3: Composition/info	by NTP.		as a known or anticipated carcinoge		
Component	by NTP.		as a known or anticipated carcinoge Weight % 100		
	by NTP.	redients CAS-No.	Weight %		
Component Polyethylene TION 4: First aid measure	by NTP.	redients CAS-No. 2002-88-4 resh air in case n overheating c	Weight %		
Component Polyethylene TION 4: First aid measur d	by NTP. prmation on ingr prmation on ingr g es : Move to fr fumes from call a physically : If the molt immediate	redients CAS-No. 2002-88-4 resh air in case m overheating of sician. en material get e medical attent	Weight % 100 of accidental inhalation of dust or		
Component Polyethylene TION 4: First aid measur If inhaled In case of skin contact	by NTP. prmation on ingr crmation on ingr crmation on ingr get es : Move to fr fumes from call a physical : If the molt immediate material from call a physical : In the cas	redients CAS-No. 2002-88-4 resh air in case m overheating of sician. en material get e medical attent rom the skin or	Weight % 100 of accidental inhalation of dust or proceeding of the solution. If symptoms persists s on skin, quickly cool in water. Section. Do not try to peel the solidified use solvents or thinners to dissolve h eyes, rinse immediately with plent		
Component Polyethylene TION 4: First aid measure If inhaled In case of skin contact In case of eye contact	by NTP. prmation on ingr crmation on ingr () () () () () () () () () ()	redients CAS-No. 2002-88-4 Tesh air in case m overheating of sician. en material get e medical attent from the skin or e of contact wit nd seek medica	Weight % 100 of accidental inhalation of dust or proceeding of the solution. If symptoms persists s on skin, quickly cool in water. Section. Do not try to peel the solidified use solvents or thinners to dissolve h eyes, rinse immediately with plent		
Component Polyethylene TION 4: First aid measure If inhaled In case of skin contact In case of eye contact If swallowed	by NTP. prmation on ingr crmation on ingr ges es : Move to fr fumes from call a physical : If the molt immediate material fr : In the cass of water a : Do not inc	redients CAS-No. 2002-88-4 Tesh air in case m overheating of sician. en material get e medical attent from the skin or e of contact wit nd seek medica	Weight % 100 of accidental inhalation of dust or or combustion. If symptoms persist s on skin, quickly cool in water. Section. Do not try to peel the solidified use solvents or thinners to dissolve h eyes, rinse immediately with plental advice.		
Component Polyethylene	by NTP. prmation on ingr crmation on ingr ges es : Move to fr fumes from call a physical : If the molt immediate material fr : In the cass of water a : Do not inc	redients	Weight % 100 of accidental inhalation of dust or or combustion. If symptoms persist s on skin, quickly cool in water. Section. Do not try to peel the solidified use solvents or thinners to dissolve h eyes, rinse immediately with plental advice.		

		SAFETY DATA SHEET
larlex® 1017 Polyethy	yle	
ersion 4.4		Revision Date 2025-07-02
Autoignition temperature	:	No data available
Suitable extinguishing media	:	Water. Water mist. Dry chemical. Carbon dioxide (CO2). Foam. If possible, water should be applied as a spray from a fogging nozzle since this is a surface burning material. The application of high velocity water will spread the burning surface layer. Avoid the use of straight streams that may create a dust cloud and the risk of a dust explosion. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards during fire fighting	:	Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges.
Special protective equipment for fire-fighters	:	Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	This material will burn although it is not easily ignited.
Fire and explosion protection	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Hazardous decomposition products	:	Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
CTION 6: Accidental release	me	asures
Personal precautions	:	Sweep up to prevent slipping hazard. Avoid breathing dust. Avoid dust formation.
Environmental precautions	:	Do not contaminate surface water. Prevent product from entering drains.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum.
Additional advice	:	Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air)

SECTION 7: Handling and storage

На	ndli	na

Advice on safe handling :	Use good housekeeping for safe handling of the product. Keep out of water sources and sewers. Spilled pellets may create a slipping hazard. Electrostatic charge may accumulate and create a hazardous
SDS Number:10000000530	4/12

compressed air).

Iarlav® 1017 Daluath		no			SAFETY DATA S	
larlex® 1017 Polyeth ersion 4.4	iyie	ne		Re	evision Date 2025-	07-0
		bonding themselv >177°C) are irrita throat, a acetalde and acro epidemic carcinog	and grounding ves be sufficier , polyethylene ting to the muc nd lungs. The hyde, acetone blein. Based of blogical eviden en. Following	g this material. To m may be necessary, nt. At elevated temp can release vapors a ous membranes of t se substances may i , acetic acid, formic a n animal data and lin ce, formaldehyde ha all recommendations ure to thermal proce	but may not by eratures (>350°F, and gases, which he eyes, mouth, nclude acid, formaldehyde nited s been listed as a s within this SDS	Ð
Advice on protection against fire and explosion	:	disperse	d in air in suffi	n burn. Avoid gener cient concentrations, source is a potentia	and in the	st
Storage						
Requirements for storage areas and containers	:	Keep in	a dry place. K	eep in a well-ventilat	ed place.	
Advice on common storage	:	Do not s	tore together v	vith oxidizing and sel	f-igniting products	
Ingredients with workplac		-	otection ameters			
Ingredients with workplac	ce co	ntrol para	ameters			
Ingredients with workplac	Bas	ntrol para	Value	Control paramet	T () ()	
Ingredients with workplac S Components Nuisance Dust	Bas OSH	ntrol para is IA Z-3 IA Z-3	Value TWA TWA	15 mg/m3 5 mg/m3	Total dust (respirable dust)	
Ingredients with workplace S Components Nuisance Dust ontrol as Particulate Not Otherwise Cla r total dust. The OSHA PEL for respira This value is for inhalable (total) particu Engineering measures Consider the potential haza activities, and other substar personal protective equipment exposure to harmful levels of	Bas OSH OSH Assified able du late n ulate n ards c nces ent. of this	ntrol para is IA Z-3 IA Z-3 Id (PNOC). 1 ust is 5.0 mg natter contai of this mat in the wor If enginee s material	Twa Twa Twa Twa The ACGIH Guidel /m3 and 15.0 mg/ ning no asbestos a erial (see Sect k place when c ring controls o , the personal	15 mg/m3 5 mg/m3 ine* for respirable dust is m3 for total dust. and < 1.0% crystalline silic	Total dust (respirable dust) 3.0 mg/m3 and 10.0 m ca. Dosure limits, job g controls and sel- not adequate to pi t listed below is	ng/m3 ecting rever
Ingredients with workplace S Components Nuisance Dust ontrol as Particulate Not Otherwise Cla r total dust. The OSHA PEL for respira This value is for inhalable (total) particu Engineering measures Consider the potential haza activities, and other substar personal protective equipment	Bas OSH OSH OSH Assified able du late n urds c nces ent. of this houlc tion is	ntrol para is IA Z-3 IA Z-3 d (PNOC). T ust is 5.0 mg natter contai of this mat in the wor If enginee s material I read and s usually p	Ameters Value TWA TWA TWA The ACGIH Guidel /m3 and 15.0 mg/ ning no asbestos a erial (see Sect k place when o ring controls o , the personal understand al	15 mg/m3 5 mg/m3 ine* for respirable dust is m3 for total dust. and < 1.0% crystalline silic	Total dust (respirable dust) 3.0 mg/m3 and 10.0 m ca. cosure limits, job g controls and selution not adequate to prot t listed below is itations supplied v	ng/m3 ecting rever

5/12

SDS Number:100000000530

arlex® 1017 Polyethyl	en	SAFETY DATA SHE
rsion 4.4		Revision Date 2025-07-
Eye protection		Use of safety glasses with side shields for solid handling is good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles.
Skin and body protection		At ambient temperatures use of clean and protective clothing is good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not adequate.
CTION 9: Physical and chemic	al	properties
Information on basic physic	al a	and chemical properties
Appearance		
Form Physical state Color Odor Odor Threshold	:	Pellets solid Opaque Mild to no odor No data available
Safety data		
Flash point	:	No data available
Lower explosion limit	:	Not applicable
Upper explosion limit	:	Not applicable
Autoignition temperature	:	No data available
Thermal decomposition	:	Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
рН	:	Not applicable
Melting point/ range	:	90-140°C (194-284°F)
Freezing point		Not applicable
Initial boiling point and boiling range	:	Not applicable
Vapor pressure	:	Not applicable
Relative density	:	Not applicable
Density	:	0.91 - 0.97 g/cm3 Please refer to the Technical Data Sheet (TDS) for more detailed information relating to the nominal physical properties, including density, of this polyethylene resin grade.
S Number:10000000530		6/12

Marlex® 1017 Polyethylene

Version 4.4

Revision Date 2025-07-02

Water solubility	: negligible
Partition coefficient: n- octanol/water	: No data available
Solubility in other solvents	: No data available
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Relative vapor density	: Not applicable
Evaporation rate	: Not applicable

SECTION 10: Stability and reactivity

Reactivity	:	This material is considered non-reactive under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Chemical stability	:	This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous read	ctio	ons
Hazardous reactions	:	Hazardous reactions: None known.
Conditions to avoid	:	Avoid prolonged storage at elevated temperature.
Materials to avoid	:	Avoid contact with strong oxidizing agents.
Thermal decomposition	:	Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
Hazardous decomposition products	:	Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
Other data	:	No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Marlex® 1017 Polyethylene		
Acute oral toxicity	:	Presumed Not Toxic

SDS Number:10000000530

SAFETY	δάτα	SHEET
SALLI	DAIA	

Version 4.4

Revision Date 2025-07-02

Version 4.4	Revision Date 2025-07-02					
Marlex® 1017 Polyethylene Acute inhalation toxicity	: Presumed Not Toxic					
Marlex® 1017 Polyethylene Acute dermal toxicity	: Presumed Not Toxic					
Marlex® 1017 Polyethylene Skin irritation	: No skin irritation					
Marlex® 1017 Polyethylene Eye irritation	: No eye irritation					
Marlex® 1017 Polyethylene Sensitization	: Did not cause sensitization on laboratory animals.					
Marlex® 1017 Polyethylene Further information	: This product contains POLYMERIZED OLEFINS. During thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and limited epidemiological evidence.					
SECTION 12: Ecological informa	tion					
Ecotoxicity effects						
Toxicity to fish	: Not applicable					
Toxicity to daphnia and other aquatic invertebrates	: No data available					
Biodegradability	: This material is not expected to be readily biodegradable.					
Elimination information (persis	Elimination information (persistence and degradability)					
	dence and degradability)					
Bioaccumulation	: Does not bioaccumulate.					
Bioaccumulation Mobility						
	: Does not bioaccumulate.					
Mobility	Does not bioaccumulate.The product is insoluble and floats on water.					
Mobility Results of PBT assessment Additional ecological information	 Does not bioaccumulate. The product is insoluble and floats on water. Non-classified vPvB substance This material is not expected to be harmful to aquatic organisms., Fish or birds may eat pellets which may obstruct 					
Mobility Results of PBT assessment Additional ecological	 Does not bioaccumulate. The product is insoluble and floats on water. Non-classified vPvB substance This material is not expected to be harmful to aquatic organisms., Fish or birds may eat pellets which may obstruct 					

SAFETY	DATA	SHEET

Version 4.4

Revision Date 2025-07-02

Short-term (acute) aquatic
hazard
Long-term (chronic) aquatic
hazard
This product has no known ecotoxicological effects.
This product has no known ecotoxicological effects.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

SDS Number:10000000530

9/12

Version 4.4

Revision Date 2025-07-02

CTION 15: Regulatory inform	nation			
National legislation				
SARA 311/312 Hazards	: Combustible dust			
EPCRA - EMERGENCY PLA	NNING COMMUNITY RIGHT - TO – KNOW			
CERCLA Reportable Quantity	: This material does not contain any components with a CERCLA RQ.			
SARA 302 Reportable Quantity	: This material does not contain any components with a SARA 302 RQ.			
SARA 302 Threshold Planning Quantity SARA 304 Reportable Quantity	 No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. This material does not contain any components with a section 304 EHS RQ. 			
SARA 313 Components	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.			
Clean Air Act				
Ozone-Depletion : This product neither contains, nor was manufactured with a Class I or Potential : Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).				
This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).				
This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).				
This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).				
S Number:100000000530	10/12			

Marlex® 1017 Polyethylene

Version 4.4

Revision Date 2025-07-02

US State Regulations					
California Prop. 65 : This produc Components reproductiv cause canc	 Polyethylene - 9002-88-4 This product, as shipped, does not contain any carcinogens or reproductive toxins presently known by the State of California to cause cancer or reproductive toxicity at a level of exposure subject to the requirements of California Proposition 65. 				
EuropeREACH:OrSwitzerlandCH INV:NoUnited States of America (USA):AllTSCA:AllCanadaDSL:AustraliaAIIC:New ZealandNZIoC:JapanENCS:KoreaKECI:PhilippinesPICCS:TaiwanTCSI:ChinaIECSC:OtherTECI:	t in compliance with the inventory the inventory, or in compliance with the inventory t in compliance with the inventory substances listed as active on the TSCA inventory components of this product are on the Canadian L the inventory, or in compliance with the inventory the inventory, or in compliance with the inventory				
SECTION 16: Other information NFPA Classification Fire Hazard Reactivity H	:1				
Further information Legacy SDS Number : 240370	· ·				
Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.					
The information in this SDS pertains only to the product as shipped.SDS Number:1000000053011/12					

Marlex® 1017 Polyethylene

Version 4.4

Revision Date 2025-07-02

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

K	ey or legend to abbreviations and a	cronyms use	d in the safety data sheet
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate