SAFETY DATA SHEET



Marlex® D350 Polyethylene

Version 3.7

Revision Date 2025-07-02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name Material	 Marlex® D350 Polyethylene 1130009, 1130010, 1130008, 1080521, 1019024, 1019023, 1019021, 1019020, 1019019, 1019566, 1019565, 1019564,
Company	1019022, 1019568, 1018364, 1018361, 1019567 Chevron Phillips Chemical Company LP 9500 Lakeside Blvd. The Woodlands, TX 77381
Emergency telephone:	
Health: 866.442.9628 (North An 1.832.813.4984 (Interna Transport: CHEMTREC 800 424 93	
Asia: CHEMWATCH (+6 Mexico CHEMTREC 01 South America SOS-Co Argentina: +(54)-115983	612 9186 1132) China: 0532 8388 9090 -800-681-9531 (24 hours) otec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
	43 43 (24 hours/day, 7 days/week)
Belgium: 070 245 245 (2 Bulgaria: +359 2 9154 2 Croatia: +3851 2348 34	24 hours/day, 7 days/week)
Belgium: 070 245 245 (2 Bulgaria: +359 2 9154 2 Croatia: +3851 2348 34 Cyprus: 1401 Czech Republic: Toxico Denmark: Danish Poiso Estonia: BIG +32.14.584	24 hours/day, 7 days/week) 233 22 (24 hours/day, 7 days/week) blogical Information Center +420 224 919 293, +420 224 915 402 on Center (Giftlinjen): +45 8212 1212 4545 (phone) or +32.14583516 (telefax)
Belgium: 070 245 245 (2 Bulgaria: +359 2 9154 2 Croatia: +3851 2348 342 Cyprus: 1401 Czech Republic: Toxico Denmark: Danish Poiso Estonia: BIG +32.14.584 Finland: 0800 147 111 France: ORFILA numbe Germany: BIG +32.14.5 Greece: (0030) 2107792 Hungary: +36-80-201-15	24 hours/day, 7 days/week) 233 22 (24 hours/day, 7 days/week) blogical Information Center +420 224 919 293, +420 224 915 402 on Center (Giftlinjen): +45 8212 1212 4545 (phone) or +32.14583516 (telefax) 09 471 977 (24 hours/day) er (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 584545 (phone) or +32.14583516 (telefax) 3777 (24 hours/day, 7 days/week) 99 (24 hours/day, 7 days/week)
Belgium: 070 245 245 (2 Bulgaria: +359 2 9154 2 Croatia: +3851 2348 342 Cyprus: 1401 Czech Republic: Toxicol Denmark: Danish Poiso Estonia: BIG +32.14.584 Finland: 0800 147 111 France: ORFILA numbe Germany: BIG +32.14.5 Greece: (0030) 2107793 Hungary: +36-80-201-19 Iceland: 543 2222 (24 h Ireland: BIG +32.14.584 Italy: POISON CENTER 66101029; POISON CE clinica Tel. +39 06 3054 Tel. +39 06 68593726;P	24 hours/day, 7 days/week) 233 22 (24 hours/day, 7 days/week) blogical Information Center +420 224 919 293, +420 224 915 402 on Center (Giftlinjen): +45 8212 1212 4545 (phone) or +32.14583516 (telefax) 09 471 977 (24 hours/day) er (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) 584545 (phone) or +32.14583516 (telefax) 3777 (24 hours/day, 7 days/week) 99 (24 hours/day, 7 days/week)

SDS Number:10000000668

Version 3.7

wision Date 2025-07-02 -

Revision Date 2025-07-02
escue Service, phone number: 112; Toxicology and Sepsis Clinic prmation Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 4.584545 (phone) or +32.14583516 (telefax) 2052 2 5500 (24 hours/day, 7 days/week) +31 (0)88 755 8000 4 hours/day, 7 days/week) 545 (phone) or +32.14583516 (telefax) imber: +351 800 250 250 6 166 :: 112 ncy Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 Poisons Information
 Product Safety and Toxicology Group SDS@CPChem.com www.CPChem.com
AUTION: Do not use this material in medical applications involving he human body or permanent contact with internal body fluids or tissues
nedical applications involving brief or temporary implantation in the internal body fluids or tissues unless the material has been provided os Chemical Company LP or its legal affiliates under an agreement which e contemplated use.
Company LP and its legal affiliates makes no representation, promise, warranty concerning the suitability of this material for use in implantation stact with internal body fluids or tissues.
tion
tance or mixture sified in accordance with the hazard communication standard 29 CFR pels contain all the information as required by the standard.
: Combustible dust
: Warning
: May form combustible dust concentrations in air. While this product may not be a combustible dust as sold, further processing or handling may form combustible dust concentration in air.
: Pellets may cause a slip hazard on hard surfaces. Mechanical processing may form combustible dust concentrations in air and thermal processing at elevated

2/12

arlex® D350 Polyet	hvlono				
rsion 3.7	Invicine		Revision Date 2025-07		
Inhalation	: Repea respira	atory irritation.			
Skin	irritatic : Contac signific Contac respor If this Therm	 irritation of the upper respiratory tract. Contact with the skin is not expected to cause prolonged or significant irritation. Contact with the skin is not expected to cause an allergic response. If this material is heated, thermal burns may result from contact. Thermal burns may include pain or feeling of heat, discolorations, swelling, and blistering. Contact with the eyes may cause irritation due to the abrasive action. Not expected to cause prolonged or significant eye irritation. Thermal burns may result if heated material contacts eye. 			
Eyes	: Contae action Not ex				
Ingestion			not a likely route of exposure.		
Carcinogenicity:					
IARC	equal to		t present at levels greater than or s probable, possible or confirmed		
NTP		o 0.1% is identified a	t present at levels greater than or s a known or anticipated carcinogen		
CTION 3: Composition/info	ormation on	ingredients			
Component Polyethylene Hexene Cop	olymer	CAS-No. 25213-02-9	Weight % 99 - 100		
CTION 4: First aid measure	es				
If inhaled	fumes		of accidental inhalation of dust or r combustion. If symptoms persist,		
If inhaled In case of skin contact	fumes call a : If the imme	s from overheating o physician. molten material gets diate medical attenti			
	fumes call a : If the imme mater : In the	s from overheating o physician. molten material gets diate medical attenti- rial from the skin or u	r combustion. If symptoms persist, on skin, quickly cool in water. Seek on. Do not try to peel the solidified ise solvents or thinners to dissolve it.		
In case of skin contact	fumes call a : If the imme mater : In the of wa	s from overheating o physician. molten material gets idiate medical attenti- rial from the skin or u e case of contact with ter and seek medica	r combustion. If symptoms persist, on skin, quickly cool in water. Seek on. Do not try to peel the solidified ise solvents or thinners to dissolve it.		
In case of skin contact In case of eye contact If swallowed	fumes call a : If the imme mater : In the of wa : Do no	s from overheating o physician. molten material gets idiate medical attenti- rial from the skin or u e case of contact with ter and seek medica	r combustion. If symptoms persist, on skin, quickly cool in water. Seek on. Do not try to peel the solidified ise solvents or thinners to dissolve it. eyes, rinse immediately with plenty l advice.		
In case of skin contact	fumes call a : If the imme mater : In the of wa : Do no	s from overheating o physician. molten material gets idiate medical attenti- rial from the skin or u e case of contact with ter and seek medica	r combustion. If symptoms persist, on skin, quickly cool in water. Seek on. Do not try to peel the solidified use solvents or thinners to dissolve it. eyes, rinse immediately with plenty l advice.		

		SAFETY DATA SHEET
Marlex® D350 Polyeth	yle	ine
Version 3.7		Revision Date 2025-07-02
Autoignition temperature	:	No data available
Suitable extinguishing media	:	Water. Water mist. Dry chemical. Carbon dioxide (CO2). Foam. If possible, water should be applied as a spray from a fogging nozzle since this is a surface burning material. The application of high velocity water will spread the burning surface layer. Avoid the use of straight streams that may create a dust cloud and the risk of a dust explosion. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards during fire fighting	:	Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges.
Special protective equipment for fire-fighters	:	Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	This material will burn although it is not easily ignited.
Fire and explosion protection	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Hazardous decomposition products	:	Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
SECTION 6: Accidental release	me	asures
Personal precautions	:	Sweep up to prevent slipping hazard. Avoid breathing dust. Avoid dust formation.
Environmental precautions	:	Do not contaminate surface water. Prevent product from entering drains.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum.

Additional advice : Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

SECTION 7: Handling and storage

Handling

Advice on safe handling :	Use good housekeeping for safe handling of the product. Keep out of water sources and sewers. Spilled pellets may create a slipping hazard. Electrostatic charge may accumulate and create a hazardous
SDS Number:10000000668	4/12

larlex® D350 Polyet				SAF	ETY DATA SHEET
	hyle	ene			
ersion 3.7				Revisi	on Date 2025-07-02
		condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient. At elevated temperatures (>350°F, >177°C), polyethylene can release vapors and gases, which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. These substances may include acetaldehyde, acetone, acetic acid, formic acid, formaldehyde and acrolein. Based on animal data and limited epidemiological evidence, formaldehyde has been listed as a carcinogen. Following all recommendations within this SDS should minimize exposure to thermal processing emissions.			
Advice on protection against fire and explosion	:	disperse	d in air in suffi	an burn. Avoid generating icient concentrations, and n source is a potential dus	in the
Storage					
Requirements for storage areas and containers Advice on common storag	: e :	·		Keep in a well-ventilated p with oxidizing and self-ign	
, la lice en commen eleraig	• •	2011010	to gouror		
ECTION 8: Exposure contro	ls/pe	rsonal pro	otection		
Ingredients with workpla	-				
Ingredients with workpla	-	ontrol para		Control parameters	Note
Ingredients with workpla s Components	Bas	ontrol para	Ameters Value TWA	15 mg/m3	Total dust
Ingredients with workpla	Bas OSH OSH	ontrol para sis 1A Z-3 1A Z-3 d (PNOC). 1 ust is 5.0 mg	Ameters Value TWA TWA The ACGIH Guide g/m3 and 15.0 mg	15 mg/m3 5 mg/m3 eline* for respirable dust is 3.0 m /m3 for total dust.	Total dust (respirable dust)
Ingredients with workpla	Bas OSF OSF Iassified irable di culate n ards c ances nent. 5 of this should	ontrol para haz-3 haz-3 d (PNOC). T ust is 5.0 mg natter contai of this mat in the wor lf enginee s material d read and	Ameters Value TWA TWA TWA The ACGIH Guide J/m3 and 15.0 mg ning no asbestos erial (see Sec k place when ering controls c , the personal I understand a	15 mg/m3 5 mg/m3 sline* for respirable dust is 3.0 m /m3 for total dust. and < 1.0% crystalline silica.	Total dust (respirable dust) ng/m3 and 10.0 mg/m3 nre limits, job ntrols and selecting adequate to preven ed below is ons supplied with
S Components Nuisance Dust Dontrol as Particulate Not Otherwise C r total dust. The OSHA PEL for respi This value is for inhalable (total) partic Engineering measures Consider the potential haz activities, and other substa personal protective equipn exposure to harmful levels recommended. The user s	lassified rable di culate n ards c ances nent. should ction is	ontrol para in Z-3 in Z-3 d (PNOC). T ust is 5.0 mg natter contai of this mat in the wor lf engineed s material d read and s usually p	Ameters Value TWA TWA TWA The ACGIH Guide J/m3 and 15.0 mg ning no asbestos erial (see Sec k place when ering controls c , the personal I understand a	15 mg/m3 5 mg/m3 sline* for respirable dust is 3.0 m /m3 for total dust. and < 1.0% crystalline silica.	Total dust (respirable dust) ng/m3 and 10.0 mg/m3 nre limits, job ntrols and selecting adequate to preven ed below is ons supplied with

Vapor and Formaldehyde. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Dust safety masks are recommended when the dust concentration is excessive.

SDS Number:10000000668 5/12

arlex® D350 Polyethy	ler	SAFETY DATA SHE
rsion 3.7		Revision Date 2025-07-
Eye protection		Use of safety glasses with side shields for solid handling is good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles.
Skin and body protection		At ambient temperatures use of clean and protective clothing is good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not adequate.
CTION 9: Physical and chemi	cal	properties
Information on basic physic	al a	and chemical properties
Appearance		
Form Physical state Color Odor Odor Threshold	:	Pellets solid Opaque Mild to no odor No data available
Safety data		
Flash point	:	No data available
Lower explosion limit	:	Not applicable
Upper explosion limit	:	Not applicable
Autoignition temperature	:	No data available
Thermal decomposition	:	Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
рН	:	Not applicable
Melting point/ range	:	90-140°C (194-284°F)
Freezing point		Not applicable
Initial boiling point and boiling range	:	Not applicable
Vapor pressure	:	Not applicable
Relative density	:	Not applicable
Density	:	0.91 - 0.97 g/cm3 Please refer to the Technical Data Sheet (TDS) for more detailed information relating to the nominal physical properties, including density, of this polyethylene resin grade.
S Number:10000000668		6/12

SAFETY DATA SHEET

Marlex® D350 Polyethylene

Version 3.7

Revision Date 2025-07-02

Water solubility	: negligible
Partition coefficient: n-	: No data available
Solubility in other solvents	: No data available
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Relative vapor density	: Not applicable
Evaporation rate	: Not applicable
Dust deflagration index Kst	: > 0.0 m.b_/s

SECTION 10: Stability and reactivity

Reactivity	: This material is considered non-reactive under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous read	ctions
Hazardous reactions	: Hazardous reactions: None known.
Conditions to avoid	: Avoid prolonged storage at elevated temperature.
Materials to avoid	: Avoid contact with strong oxidizing agents.
Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
Hazardous decomposition products	: Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
Other data	: No decomposition if stored and applied as directed.
SECTION 11: Toxicological inform	nation
Marlex® D350 Polyethylene Acute oral toxicity	: Presumed Not Toxic
SDS Number:10000000668	7/12

Version 3.7

SAFETY DATA SHEET

Revision Date 2025-07-02

Marlex® D350 Polyethylene Acute inhalation toxicity	: Presumed Not Toxic
Marlex® D350 Polyethylene Acute dermal toxicity	: Presumed Not Toxic
Marlex® D350 Polyethylene Skin irritation	: No skin irritation
Marlex® D350 Polyethylene Eye irritation	: No eye irritation
Marlex® D350 Polyethylene Sensitization	: Did not cause sensitization on laboratory animals.
Marlex® D350 Polyethylene Further information	: This product contains POLYMERIZED OLEFINS. During thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and limited epidemiological evidence.
SECTION 12: Ecological informat	ion
Ecotoxicity effects	
Ecotoxicity effects Toxicity to fish	: Not applicable
-	: Not applicable : No data available
Toxicity to fish Toxicity to daphnia and	
Toxicity to fish Toxicity to daphnia and other aquatic invertebrates	 No data available This material is not expected to be readily biodegradable.
Toxicity to fish Toxicity to daphnia and other aquatic invertebrates Biodegradability	 No data available This material is not expected to be readily biodegradable.
Toxicity to fish Toxicity to daphnia and other aquatic invertebrates Biodegradability Elimination information (persist	 No data available This material is not expected to be readily biodegradable. tence and degradability)
Toxicity to fish Toxicity to daphnia and other aquatic invertebrates Biodegradability Elimination information (persist Bioaccumulation	 No data available This material is not expected to be readily biodegradable. tence and degradability) Does not bioaccumulate.
Toxicity to fish Toxicity to daphnia and other aquatic invertebrates Biodegradability Elimination information (persist Bioaccumulation Mobility Additional ecological information Ecotoxicology Assessment	 No data available This material is not expected to be readily biodegradable. tence and degradability) Does not bioaccumulate. The product is insoluble and floats on water. This material is not expected to be harmful to aquatic organisms., Fish or birds may eat pellets which may obstruct their digestive tracts.
Toxicity to fish Toxicity to daphnia and other aquatic invertebrates Biodegradability Elimination information (persist Bioaccumulation Mobility Additional ecological information	 No data available This material is not expected to be readily biodegradable. tence and degradability) Does not bioaccumulate. The product is insoluble and floats on water. This material is not expected to be harmful to aquatic organisms., Fish or birds may eat pellets which may obstruct

SAFETY	DATA	SHEET

Version 3.7

Revision Date 2025-07-02

Short-term (acute) aquatic
hazard
Long-term (chronic) aquatic
hazard
This product has no known ecotoxicological effects.
This product has no known ecotoxicological effects.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION) NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

SDS Number:10000000668

9/12

Version 3.7

Revision Date 2025-07-02

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information National legislation SARA 311/312 Hazards : Combustible dust CERCLA Reportable : This material does not contain any components with a CERCLA Quantity RQ. SARA 302 Reportable : This material does not contain any components with a SARA Quantity 302 RQ. SARA 302 Threshold : No chemicals in this material are subject to the reporting Planning Quantity requirements of SARA Title III, Section 302. SARA 304 Reportable : This material does not contain any components with a section 304 EHS RQ. Quantity SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. **Clean Air Act**

Ozone-Depletion : This product neither contains, nor was manufactured with a Class I or Potential : Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

US	State	Regulation	s
----	-------	------------	---

SDS Number:10000000668

10/12

larlex® D350 Polyeth	SAFETY DATA SHEE
ersion 3.7	Revision Date 2025-07-0
Pennsylvania Right To Know	 No components are subject to the Pennsylvania Right to Know Act.
California Prop. 65 Components	: This product, as shipped, does not contain any carcinogens or reproductive toxins presently known by the State of California to cause cancer or reproductive toxicity at a level of exposure subject to the requirements of California Proposition 65.
Notification status Europe REACH Switzerland CH INV United States of America (US TSCA Canada DSL	 This product is in full compliance according to REACH regulation 1907/2006/EC. On the inventory, or in compliance with the inventory SA) On or in compliance with the active portion of the TSCA inventory All components of this product are on the Canadian DSL
Australia AIIC New Zealand NZIoC Japan ENCS Philippines PICCS China IECSC Korea KECI	 On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory On the inventory, or in compliance with the inventory A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations.
Taiwan TCSI	: On the inventory, or in compliance with the inventory
ECTION 16: Other information	
NFPA Classification	: Health Hazard: 0 Fire Hazard: 1 Reactivity Hazard: 0
Further information	
Legacy SDS Number	: 240370
Significant changes since the previous versions.	e last version are highlighted in the margin. This version replaces all
The information in this SDS	pertains only to the product as shipped.
DS Number:10000000668	11/12

SAFETY DATA SHEET

Marlex® D350 Polyethylene

Version 3.7

Revision Date 2025-07-02

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

k	key or legend to abbreviations and a	cronyms use	d in the safety data sheet
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate