

Marlex® D163 Polyethylene

Version 3.9

Revision Date 2025-07-02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information Product Name	: Marlex® D163 Polyethylene
Vaterial	: 1130014, 1120241, 1120240, 1120239, 1120238, 1120237, 1120161, 1120160, 1120236, 1120235, 1120234, 1120233, 1120232, 1102391, 1102390, 1102462, 1102466, 1102465,
Company	1102463, 1102464 : Chevron Phillips Chemical Company LP 9500 Lakeside Blvd.
	The Woodlands, TX 77381
Emergency telephon	e:
Health: 866.442.9628 (Nort	th America)
1.832.813.4984 (Int	
Transport: CHEMTREC 800.42	24.9300 or 703.527.3887(int'l)
Asia: CHEMWATC	H (+612 9186 1132) China: 0532 8388 9090
	C 01-800-681-9531 (24 hours) S-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
Argentina: +(54)-11	59839431
	.14.584545 (phone) or +32.14583516 (telefax) 406 43 43 (24 hours/day, 7 days/week)
Belgium: 070 245 2	245 (24 hours/day, 7 days/week)
Bulgaria: +359 2 91	154 233 ·8 342 (24 hours/day, 7 days/week)
Cyprus: 1401	0 5+2 (2+ 110013/002), 7 0033/Week)
	Dxicological Information Center +420 224 919 293, +420 224 915 402 Poison Center (Giftlinjen): +45 8212 1212
	4.584545 (phone) or +32.14583516 (telefax)
	111 09 471 977 (24 hours/day)
	umber (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week) .14.584545 (phone) or +32.14583516 (telefax)
Greece: (0030) 210)7793777 (24 hours/day, 7 days/week)
	01-199 (24 hours/day, 7 days/week) (24 hours/day, 7 days/week)
	1.584545 (phone) or +32.14583516 (telefax)
Number:100000066	24 1/12

Marlex® D163 Polyethylene

SAFETY DATA SHEET

Version 3.9

Revision Date 2025-07-02

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME - Policlinico "Agostino Gemelli", Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME - Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 8000; POISON CENTER FOGGIA - Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera "Antonio Cardarelli" Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA - IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO - Azienda Ospedaliera "Papa Giovanni XXIII" Tel. 800 883 300; POISON CENTER VERONA - Azienda Ospedaliera Universitaria integrata Tel. 800 011 858: Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.) Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Lithuania: +370 (85) 2362052 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week) Malta: +356 2395 2000 The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week) Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Portugal: CIAV phone number: +351 800 250 250 Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week) Sweden: 112 – ask for Poisons Information : Product Safety and Toxicology Group Responsible Department : SDS@CPChem.com E-mail address Website : www.CPChem.com MEDICAL APPLICATION CAUTION: Do not use this material in medical applications involving permanent implantation in the human body or permanent contact with internal body fluids or tissues fluids or tissues. Do not use this material in medical applications involving brief or temporary implantation in the human body or contact with internal body fluids or tissues unless the material has been provided directly from Chevron Phillips Chemical Company LP or its legal affiliates under an agreement which expressly acknowledges the contemplated use. Chevron Phillips Chemical Company LP and its legal affiliates makes no representation, promise, express warranty or implied warranty concerning the suitability of this material for use in implantation in the human body or in contact with internal body fluids or tissues. **SECTION 2: Hazards identification** Classification of the substance or mixture This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard. Classification Combustible dust Labeling Signal Word : Warning

SDS Number:10000000664

2/13

Marlav® D162 Dalvati	avlono		SAFETY DATA SHEET
Marlex® D163 Polyeth	lylelle		Revision Date 2025-07-02
Hazard Statements	While furthe		concentrations in air. e a combustible dust as sold, g may form combustible dust
Potential Health Effects			
Physical Hazards	Mechan concent		m combustible dust al processing at elevated
Inhalation	: Repeate respirate Fumes g	ory irritation. generated during therm	n this material may cause al processing may cause
Skin	: Contact significa Contact respons If this m	nt irritation. with the skin is not exp e.	ected to cause prolonged or ected to cause an allergic al burns may result from contact.
Eyes	discolora : Contact action. Not exp	ations, swelling, and bli with the eyes may caus ected to cause prolonge	stering. se irritation due to the abrasive ed or significant eye irritation.
Ingestion			ated material contacts eye. a likely route of exposure.
Carcinogenicity:			
			cont at lovels greater than or
IARC	equal to	dient of this product pre 0.1% is identified as pro arcinogen by IARC.	bable, possible or confirmed
IARC NTP	equal to (human ca No ingree	0.1% is identified as pro arcinogen by IARC. dient of this product pre	
NTP	equal to (human ca No ingred equal to (by NTP.	0.1% is identified as pro arcinogen by IARC. dient of this product pre 0.1% is identified as a k	bbable, possible or confirmed sent at levels greater than or
NTP	equal to (human ca No ingred equal to (by NTP.	0.1% is identified as pro arcinogen by IARC. dient of this product pre 0.1% is identified as a k	bbable, possible or confirmed sent at levels greater than or
NTP SECTION 3: Composition/info	equal to (human ca No ingred equal to (by NTP.	0.1% is identified as pro arcinogen by IARC. dient of this product pre 0.1% is identified as a k	bable, possible or confirmed sent at levels greater than or mown or anticipated carcinogen
	equal to 6 human ca No ingrea equal to 6 by NTP.	0.1% is identified as pro arcinogen by IARC. dient of this product pre 0.1% is identified as a k	bbable, possible or confirmed sent at levels greater than or
NTP SECTION 3: Composition/info Component	equal to 6 human ca equal to 6 by NTP.	0.1% is identified as pro arcinogen by IARC. dient of this product pre 0.1% is identified as a k ngredients	bable, possible or confirmed sent at levels greater than or mown or anticipated carcinogen
NTP SECTION 3: Composition/info Component Polyethylene Hexene Copo	equal to 6 human ca equal to 6 by NTP.	0.1% is identified as pro arcinogen by IARC. dient of this product pre 0.1% is identified as a k ngredients	bable, possible or confirmed sent at levels greater than or mown or anticipated carcinogen
NTP SECTION 3: Composition/info Component Polyethylene Hexene Copo	equal to 6 human ca equal to 6 by NTP. rmation on ir olymer s : Move to fumes f	0.1% is identified as pro arcinogen by IARC. dient of this product pre 0.1% is identified as a k ngredients CAS-No. 25213-02-9	bable, possible or confirmed sent at levels greater than or mown or anticipated carcinogen
NTP SECTION 3: Composition/info Component Polyethylene Hexene Copo SECTION 4: First aid measure	equal to 6 human ca equal to 6 by NTP. rmation on ir lymer : Move to fumes f call a p : If the m	0.1% is identified as pro arcinogen by IARC. dient of this product pre 0.1% is identified as a k ngredients CAS-No. 25213-02-9 o fresh air in case of ac from overheating or con hysician.	bable, possible or confirmed sent at levels greater than or nown or anticipated carcinogen Weight % 99 - 100

rlex® D163 Polyeth	vlo	SAFETY DATA SH
sion 3.9	yie	Revision Date 2025-0
		material from the skin or use solvents or thinners to dissolve it.
In case of eye contact	:	
	•	of water and seek medical advice.
If swallowed	:	Do not induce vomiting without medical advice.
TION 5: Firefighting measu	res	
Flash point	:	No data available
Autoignition temperature	:	No data available
Suitable extinguishing media	:	Water. Water mist. Dry chemical. Carbon dioxide (CO2). Foam. If possible, water should be applied as a spray from a fogging nozzle since this is a surface burning material. The application of high velocity water will spread the burning surface layer. Avoid the use of straight streams that may create a dust cloud and the risk of a dust explosion. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards during fire fighting	:	Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges.
Special protective equipment for fire-fighters	:	Use personal protective equipment. Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	This material will burn although it is not easily ignited.
Fire and explosion protection	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Hazardous decomposition products	:	Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
TION 6: Accidental release	me	asures
Personal precautions	:	Sweep up to prevent slipping hazard. Avoid breathing dust. Avoid dust formation.
Environmental precautions	:	Do not contaminate surface water. Prevent product from entering drains.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum.
Additional advice	:	Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid
Number:10000000664		4/13

Marlex® D163 Polyethylene

SAFETY DATA SHEET

Version 3.9

Revision Date 2025-07-02

dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

SECTION 7: Handling and storage

Handling		
Advice on safe handling	:	Use good housekeeping for safe handling of the product. Keep out of water sources and sewers. Spilled pellets may create a slipping hazard. Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient. At elevated temperatures (>350°F, >177°C), polyethylene can release vapors and gases, which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. These substances may include acetaldehyde, acetone, acetic acid, formic acid, formaldehyde and acrolein. Based on animal data and limited epidemiological evidence, formaldehyde has been listed as a carcinogen. Following all recommendations within this SDS should minimize exposure to thermal processing emissions.
Advice on protection against fire and explosion	:	Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Storage		
Requirements for storage areas and containers	:	Keep in a dry place. Keep in a well-ventilated place.
Advice on common storage	:	Do not store together with oxidizing and self-igniting products.

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

US

Components	Basis	Value	Control parameters	Note
Nuisance Dust	OSHA Z-3	TWA	15 mg/m3	Total dust
	OSHA Z-3	TWA	5 mg/m3	(respirable dust)

Control as Particulate Not Otherwise Classified (PNOC). The ACGIH Guideline* for respirable dust is 3.0 mg/m3 and 10.0 mg/m3 for total dust. The OSHA PEL for respirable dust is 5.0 mg/m3 and 15.0 mg/m3 for total dust.

* This value is for inhalable (total) particulate matter containing no asbestos and < 1.0% crystalline silica.

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

SDS Number:10000000664

Marlex® D163 Polyethylene

Version 3.9

Revision Date 2025-07-02

Respiratory protection	 No respiratory protection is normally required. If heated material generates vapor or fumes that are not adequately controlled by ventilation, wear an appropriate respirator. Use the following elements for air-purifying respirators: Organic Vapor and Formaldehyde. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection. Dust safety masks are recommended when the dust concentration is excessive. No respiratory protection is normally required. If heated material generates vapor or fumes that are not adequately controlled by ventilation, wear an appropriate respirator. Use the following elements for air-purifying respirators: Organic Vapor and Formaldehyde. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators. Use the following elements for air-purifying respirators: Organic Vapor and Formaldehyde. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection. Dust safety masks are recommended when the dust concentration is excessive.
Eye protection	: Use of safety glasses with side shields for solid handling is good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles. Use of safety glasses with side shields for solid handling is good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles.
Skin and body protection	 At ambient temperatures use of clean and protective clothing is good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not adequate. At ambient temperatures use of clean and protective clothing is good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not adequate.
SECTION 9: Physical and chemic	cal properties
Information on basic physic	ai and chemical properties
Appearance	
Form	: Pellets
Physical state	: solid
Color	: Opaque
Odor Odor Threshold	: Mild to no odor : No data available
	. No dala available
	0//0
SDS Number:10000000664	6/13

Marlex® D163 Polyethylene

Vor	sion	30
vei	SION	3.9

rsion 3.9	Revision Date 2025-07-0	02
Safety data		
Flash point	: No data available	
Lower explosion limit	: Not applicable	
Upper explosion limit	: Not applicable	
Autoignition temperature	: No data available	
Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.	
рН	: Not applicable	
Melting point/ range	: 90-140°C (194-284°F)	
Freezing point	Not applicable	
Initial boiling point and boiling	: Not applicable	
range Vapor pressure	: Not applicable	
Relative density	: Not applicable	
Density	: 0.91 - 0.97 g/cm3 Please refer to the Technical Data Sheet (TDS) for more detailed information relating to the nominal physical properties, including density, of this polyethylene resin grade.	
Water solubility	: negligible	
Partition coefficient: n- octanol/water	: No data available	
Solubility in other solvents	: No data available	
Viscosity, dynamic	: Not applicable	
Viscosity, kinematic	: Not applicable	
Relative vapor density	: Not applicable	
Evaporation rate	: Not applicable	
Dust deflagration index Kst	: > 0.0 m.b_/s	

SECTION 10: Stability and reactivity

rlav@ D162 Daluathu	lono
rlex® D163 Polyethy sion 3.9	Revision Date 2025-07
Reactivity	: This material is considered non-reactive under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous rea	ctions
Hazardous reactions	: Hazardous reactions: None known.
Conditions to avoid	: Avoid prolonged storage at elevated temperature.
Materials to avoid	: Avoid contact with strong oxidizing agents.
Thermal decomposition	: Low molecular weight hydrocarbons, alcohols, aldehydes, acids and ketones can be formed during thermal processing.
Hazardous decomposition products	: Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.
Other data	: No decomposition if stored and applied as directed.
CTION 11: Toxicological inform	mation
Marlex® D163 Polyethylene Acute oral toxicity	: Presumed Not Toxic
Marlax® D162 Delvethylene	
Marlex® D163 Polyethylene Acute inhalation toxicity	: Presumed Not Toxic
Acute inhalation toxicity Marlex® D163 Polyethylene	
Acute inhalation toxicity Marlex® D163 Polyethylene Acute dermal toxicity Marlex® D163 Polyethylene	: Presumed Not Toxic
Acute inhalation toxicity Marlex® D163 Polyethylene Acute dermal toxicity Marlex® D163 Polyethylene Skin irritation Marlex® D163 Polyethylene	 Presumed Not Toxic No skin irritation
Acute inhalation toxicity Marlex® D163 Polyethylene Acute dermal toxicity Marlex® D163 Polyethylene Skin irritation Marlex® D163 Polyethylene Eye irritation Marlex® D163 Polyethylene	 Presumed Not Toxic No skin irritation No eye irritation

	lene
arlex® D163 Polyethy ersion 3.9	Revision Date 2025-07-0
Further information	: This product contains POLYMERIZED OLEFINS. During thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and limited epidemiological evidence.
CTION 12: Ecological informa	tion
Ecotoxicity effects	
Toxicity to fish	: Not applicable
Toxicity to daphnia and other aquatic invertebrates	: No data available
Biodegradability	: This material is not expected to be readily biodegradable.
Elimination information (persis	stence and degradability)
Bioaccumulation	: Does not bioaccumulate.
Mobility	: The product is insoluble and floats on water.
Additional ecological information	: This material is not expected to be harmful to aquatic organisms., Fish or birds may eat pellets which may obstruct their digestive tracts.
Ecotoxicology Assessment	
Short-term (acute) aquatic hazard	: This product has no known ecotoxicological effects.
Long-term (chronic) aquatic hazard	: This product has no known ecotoxicological effects.
CTION 13: Disposal considera	ations
Use material for its intended p may meet the criteria of a haz other State and local regulation regulated components may be	ertains only to the product as shipped. ourpose or recycle if possible. This material, if it must be discarded, ardous waste as defined by US EPA under RCRA (40 CFR 261) or ons. Measurement of certain physical properties and analysis for a necessary to make a correct determination. If this material is ste, federal law requires disposal at a licensed hazardous waste
CTION 14: Transport informat	ion
	hown here are for bulk shipments only, and may not apply to ages (see regulatory definition).
Consult the appropriate dome	stic or international mode-specific and quantity-specific Dangerous
OS Number:10000000664	9/13

Marlex® D163 Polyethylene

Version 3.9	Revision Date 2025-07-02
etc.) Therefore, the information	tional shipping description requirements (e.g., technical name or names, ation shown here, may not always agree with the bill of lading shipping Flashpoints for the material may vary slightly between the SDS and the
	S DEPARTMENT OF TRANSPORTATION) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR 7 THIS AGENCY.
	NAL MARITIME DANGEROUS GOODS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR 7 THIS AGENCY.
	IR TRANSPORT ASSOCIATION) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR ′ THIS AGENCY.
	ANGEROUS GOODS BY ROAD (EUROPE)) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR ′ THIS AGENCY.
DANGEROUS GOODS (EU	A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR
OF DANGEROUS GOODS	EMENT CONCERNING THE INTERNATIONAL CARRIAGE BY INLAND WATERWAYS) A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR THIS AGENCY.
Maritime transport in bull	k according to IMO instruments
ECTION 15: Regulatory infor	mation
National legislation	
SARA 311/312 Hazards	: Combustible dust
CERCLA Reportable Quantity	: This material does not contain any components with a CERCLA RQ.
SARA 302 Reportable Quantity	: This material does not contain any components with a SARA 302 RQ.
DS Number:10000000664	10/13

SDS Number:10000000664

10/13

rlex® D163 Polyethy	SAFETY DATA SHE
sion 3.9	Revision Date 2025-07
SARA 302 Threshold Planning Quantity SARA 304 Reportable Quantity	 No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. This material does not contain any components with a section 304 EHS RQ.
SARA 313 Components	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
Clean Air Act	
Potential Class I	oduct neither contains, nor was manufactured with a Class I or I ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR opt. A, App.A + B).
This product does not contain Act Section 112 (40 CFR 61).	any hazardous air pollutants (HAP), as defined by the U.S. Clean A
	any chemicals listed under the U.S. Clean Air Act Section 112(r) fo n (40 CFR 68.130, Subpart F).
This product does not contain Intermediate or Final VOC's (4	any chemicals listed under the U.S. Clean Air Act Section 111 SOC 40 CFR 60.489).
US State Regulations	
Pennsylvania Right To Know	: No components are subject to the Pennsylvania Right to Know Act.
California Prop. 65 Components	: This product, as shipped, does not contain any carcinogens or reproductive toxins presently known by the State of California to cause cancer or reproductive toxicity at a level of exposure subject to the requirements of California Proposition 65.
Notification status Europe REACH	: This product is in full compliance according to REACH regulation 1907/2006/EC.
	11/13

sion 3.9	63 Polyethyle			
				Revision Date 2025-07
Switzerland United States TSCA Canada DSL	s of America (USA)	: On or TSCA	in compliance inventory	in compliance with the inventory with the active portion of the is product are on the Canadian
Australia All New Zealand Japan ENCS Korea KECI	I NZIOC S	: On the : On the : On the : A subs notified	inventory, or inventory, or stance(s) in thi d to be registe	in compliance with the inventory in compliance with the inventory in compliance with the inventory is product was not registered, red, or exempted from registration ng to K-REACH regulations.
Philippines F China IECS(Taiwan TCS	C	: On the	inventory, or	in compliance with the inventory in compliance with the inventory in compliance with the inventory
TION 16: Oth	ner information			
Further info	rmation	Reactivity Haza	ard: U	
Significant ch previous vers		version are hi	ghlighted in th	e margin. This version replaces all
The informat	ion in this SDS perta	ins only to the	product as shi	pped.
information a	nd belief at the date safe handling, use, p sidered a warranty o	of its publication processing, sto or quality specif	on. The inform rage, transpor ication. The in	o the best of our knowledge, ation given is designed only as a tation, disposal and release and is formation relates only to the terial used in combination with any
not to be con specific mate other materia	als or in any process	unless specifi		d in the safety data sheet
not to be con specific mate other materia	als or in any process Key or legend to abb American Confere	unless specific reviations and a nce of		d in the safety data sheet Lethal Dose 50%
not to be con specific mate other materia	Als or in any process (ey or legend to abb American Confere Government Indus Australian Invento	unless specifi reviations and a nce of trial Hygienists	acronyms use	Lethal Dose 50%
not to be con specific mate other materia ACGIH	Als or in any process (ey or legend to abb American Confere Government Indus	unless specific reviations and a nce of trial Hygienists ry of Industrial	acronyms use LD50	Lethal Dose 50%
not to be con specific mate other materia ACGIH AIIC	Als or in any process (ey or legend to abb American Confere Government Indus Australian Invento Chemicals Canada, Domestic	unless specific reviations and a nce of trial Hygienists ry of Industrial Substances	acronyms use LD50 LOAEL	Lethal Dose 50% Lowest Observed Adverse Effec Level National Fire Protection Agency National Institute for Occupation Safety & Health
not to be con specific mate other materia ACGIH AIIC DSL NDSL CNS CAS	Als or in any process (ey or legend to abb American Confere Government Indus Australian Invento Chemicals Canada, Domestic List Canada, Non-Dom Substances List Central Nervous S Chemical Abstract	unless specific reviations and a nee of trial Hygienists ry of Industrial Substances nestic ystem Service	ACTONYMS USE LD50 LOAEL NFPA NIOSH NTP NZIoC	Lethal Dose 50% Lowest Observed Adverse Effec Level National Fire Protection Agency National Institute for Occupation Safety & Health National Toxicology Program New Zealand Inventory of Chemicals
not to be con specific mate other materia ACGIH AIIC DSL NDSL CNS	Als or in any process (ey or legend to abb American Confere Government Indus Australian Invento Chemicals Canada, Domestic List Canada, Non-Dom Substances List Central Nervous S	unless specific reviations and a nee of trial Hygienists ry of Industrial Substances nestic ystem Service ation	ACTONYMS USE LD50 LOAEL NFPA NIOSH NTP	Lethal Dose 50% Lowest Observed Adverse Effect Level National Fire Protection Agency National Institute for Occupational Safety & Health National Toxicology Program New Zealand Inventory of

٦

Marlex® D163 Polyethylene

Version 3.9

Revision Date 2025-07-02

	Scenario Tool		Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate