

Version 4.0 Revision Date 2025-09-02

according to GB/T 16483 and GB/T 17519

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : Scentinel® A Gas Odorant

Material : 1017907, 1017909, 1119674, 1119564, 1106807, 1098462,

1102596, 1086453, 1098407, 1086452, 1102264, 1072060, 1098463, 1103512, 1070006, 1024777, 1024776, 1024775, 1024774, 1029441, 1029442, 1029443, 1029444, 1029445

Company : Chevron Phillips Chemical Company LP

9500 Lakeside Blvd. The Woodlands, TX 77381

Local : Chevron Phillips Chemicals (Shanghai) Corporation

Room 1810-1812, Shanghai Mart,

2299 Yan An Road (W), Shanghai, PRC 200336 Tel: (86-21) 22157200

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax) Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week) Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week) Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

SDS Number:100000068741 1/16

Version 4.0 Revision Date 2025-09-02

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico "Agostino Gemelli", Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera "Antonio Cardarelli" Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera "Papa Giovanni XXIII" Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858:

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24

hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared : Product Safety and Toxicology Group

the SDS

E-mail address : SDS@CPChem.com Website : www.CPChem.com

ODOR-FADE WARNING

A GAS LEAK CAN CAUSE A FIRE OR EXPLOSION RESULTING IN SERIOUS INJURY OR DEATH.

Be aware that the stenching chemical added to gas to make it detectable may not warn of a gas leak or the presence of propane or natural gas to all persons in every instance.

Instances where the odorant in an odorized gas may be undetectable include:

- Odor intensity may fade or be eliminated for a variety of chemical and physical causes, including the oxidation of rusting pipes, adsorption into or sticking onto the interior of pipes or appliances, or absorption into liquids.
- Contact with soil in underground leaks may de-odorize or remove odorant from the gas.
- Some people have a diminished ability, or inability to smell the stench. Factors that negatively affect a person's sense of smell include age, gender, medical conditions, and alcohol/tobacco usage.
- The stench of odorized gas may not awaken sleeping persons.
- Other odors may mask or hide the stench.
- Exposure to the odor for even a short period of time, may cause nasal fatigue, where a person can no longer smell the stench.

Gas detectors listed by the Underwriters Laboratories (UL) can be used as an extra measure of safety for detecting gas leaks, especially under conditions where the odorant alone may not provide an adequate warning. Gas detectors emit a loud, shrill sound when gas is present and do not depend on sense of smell. Because the odor intensity can fade or people may have problems with

SDS Number:100000068741 2/16

Scentinel® A Gas Odorant

Version 4.0 Revision Date 2025-09-02

their sense of smell, we recommend installing, per manufacturer's instructions, one or more combustible gas detectors, in suitable locations to ensure adequate coverage to detect gas leaks.

Educate yourself, your employees, and your customers with the content of this warning and other important facts associated with the so-called "odor-fade phenomenon."

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS Classification and Labeling: Follow GB 13690, GB 15258 and GB 30000.2 to GB 30000.29 (GHS 2013)

Emergency Overview

Danger

Form: liquid Physical state: liquid Color: Colorless Odor: Repulsive

Hazards : Extremely flammable liquid and vapor. Harmful if swallowed.

Toxic if inhaled. Causes serious eye damage. May cause an allergic skin reaction. May be harmful if swallowed and enters airways. Very toxic to aquatic life. Very toxic to aquatic life with

long lasting effects.

Classification

: Flammable liquids, Category 1
Acute toxicity, Category 4, Oral
Acute toxicity, Category 3, Inhalation

Serious eye damage/eye irritation, Category 1

Skin sensitization, Sub-category 1B Aspiration hazard, Category 2

Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1

Labeling

Symbol(s) :











Signal Word : Danger

Hazard Statements : H224: Extremely flammable liquid and vapor.

H302: Harmful if swallowed.

H305: May be harmful if swallowed and enters airways.

H317: May cause an allergic skin reaction. H318: Causes serious eye damage.

H331: Toxic if inhaled.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P210: Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.
P241: Use explosion-proof electrical/ ventilating/ lighting/

equipment.

P242: Use only non-sparking tools.

SDS Number:100000068741 3/16

Version 4.0 Revision Date 2025-09-02

P243: Take precautionary measures against static discharge.

P261: Avoid breathing mist or vapors.

P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/ eye protection/ face protection.

Response:

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340+P311: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor.

P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P331: Do NOT induce vomiting.

P333 + P313: If skin irritation or rash occurs: Get medical advice/ attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P370+P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P391: Collect spillage.

Storage:

P403 + P233: Store in a well-ventilated place. Keep container tightly closed.

P403 + P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

Disposal:

P501: Dispose of contents/ container to an approved waste disposal plant.

SECTION 3: Composition/information on ingredients

Synonyms : ETSH

Ethanethiol Ethyl Mercaptan

Molecular formula : C2H6S

Chemical name	CAS-No. / EINECS-No.	Concentration [wt%]
Ethyl Mercaptan	75-08-1	99 - 100

SECTION 4: First aid measures

General advice : Move out of dangerous area. Consult a physician. Show this

SDS Number:100000068741 4/16

Scentinel® A Gas Odorant

Version 4.0 Revision Date 2025-09-02

material safety data sheet to the doctor in attendance. Material

may produce a serious, potentially fatal pneumonia if

swallowed or vomited.

If inhaled : Call a physician or poison control center immediately. If

unconscious, place in recovery position and seek medical

advice.

In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a

specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to

an unconscious person. If symptoms persist, call a physician.

Take victim immediately to hospital.

SECTION 5: Firefighting measures

Flash point : -48° C (-54°F)

Method: ASTM D 93

Autoignition temperature : 295°C (563°F)

Suitable extinguishing

media

: Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical.

Unsuitable extinguishing

media

: High volume water jet.

Specific hazards during fire

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Special protective

equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case

of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed

containers.

Fire and explosion

protection

: Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge

5/16

(which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot

surfaces and sources of ignition.

Hazardous decomposition

products

Carbon oxides. Sulfur oxides.

SDS Number:100000068741

Scentinel® A Gas Odorant

Version 4.0 Revision Date 2025-09-02

SECTION 6: Accidental release measures

Personal precautions : Use personal protective equipment. Ensure adequate

ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low

areas.

Environmental precautions : Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

SECTION 7: Handling and storage

Handling

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid

exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any

process in which this mixture is being used.

Advice on protection against fire and explosion

Do not spray on a naked flame or any incandescent material.

Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot

surfaces and sources of ignition.

Storage

Requirements for storage areas and containers

: Prevent unauthorized access. No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

SDS Number:100000068741 6/16

Version 4.0 Revision Date 2025-09-02

CN

Components	Basis	Value	Control parameters	Note
Ethyl Mercaptan	CN OEL	PC-TWA	1 mg/m3	

Not applicable

Engineering measures

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : If ventilation or other engineering controls are not adequate to

maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Full-Face Supplied-Air Respirator. A positive pressure, air-supplying respirator may be appropriate if there is potential for

uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators

may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Complete head face and neck protection. Rubber apron. Footwear protecting against chemicals.

Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not

eat or drink. When using do not smoke. Wash hands before

breaks and immediately after handling the product.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Form : liquid
Physical state : liquid
Color : Colorless

SDS Number:100000068741 7/16

Scentinel® A Gas Odorant

Version 4.0 Revision Date 2025-09-02

Odor : Repulsive

Safety data

Flash point : $-48^{\circ}\text{C} (-54^{\circ}\text{F})$

Method: ASTM D 93

Lower explosion limit : 2.8 %(V)

Upper explosion limit : 18 %(V)

Oxidizing properties : No

Autoignition temperature : 295°C (563°F)

Molecular formula : C2H6S

Molecular weight : 62.14 g/mol

pH : Not applicable

Pour point : No data available

Initial boiling point and boiling : 35°C (95°F)

range

Vapor pressure : 16.20 PSI

at 37.8°C (100.0°F)

Relative density : 0.84

at 15.6 °C (60.1 °F)

Water solubility : negligible

Partition coefficient: n-

octanol/water

: No data available

Viscosity, kinematic : No data available

Relative vapor density : 2.1

(Air = 1.0)

Evaporation rate : 1

Percent volatile : > 99 %

Conductivity : No data available

SECTION 10: Stability and reactivity

Reactivity : Stable under recommended storage conditions.

SDS Number:100000068741 8/16

Scentinel® A Gas Odorant

Version 4.0 Revision Date 2025-09-02

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Hazardous reactions : Hazardous polymerization does not

occur.

Hazardous reactions: Vapors may form explosive mixture with

air.

Conditions to avoid : Heat, flames and sparks.

Materials to avoid : May react with oxygen and strong oxidizing agents, such as

chlorates, nitrates, peroxides, etc.

Hazardous decomposition

products

: Carbon oxides Sulfur oxides

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Acute oral toxicity

Ethyl Mercaptan : LD50: 682 mg/kg

Species: Rat Sex: male

Method: Fixed Dose Method

Acute inhalation toxicity

Ethyl Mercaptan : LC50: 11.23 mg/l

Exposure time: 4 h Species: Rat Sex: male

Test atmosphere: vapor

LC50: 7.14 mg/l Exposure time: 4 h Species: Mouse

Sex: male

Test atmosphere: vapor

Skin irritation

Ethyl Mercaptan : slight irritation.

Scentinel® A Gas Odorant

Eye irritation : May cause irreversible eye damage.

Scentinel® A Gas Odorant

Sensitization : Causes sensitization.

Repeated dose toxicity

SDS Number:100000068741 9/16

Version 4.0 Revision Date 2025-09-02

Ethyl Mercaptan : Species: Rat, Male and female

Sex: Male and female Application Route: Inhalation Dose: 25, 100, 400 ppm Exposure time: 13 wks

Number of exposures: 6 hr/d, 5 d/wk

NOEL: 100 ppm

Lowest observable effect level: 400 ppm

Method: OECD Guideline 413

Information given is based on data obtained from similar

substances.

Species: Rat, Male and female

Sex: Male and female Application Route: Oral Dose: 0, 10, 50, 200 mg/kg Exposure time: 42-53 days

NOEL: 50 mg/kg

Method: OECD Guideline 422

Information given is based on data obtained from similar

substances.

Species: Rat, Male and female

Sex: Male and female Application Route: Inhalation Dose: 9, 97, 196 ppm Exposure time: 13 wks

Number of exposures: 6 hr/d, 5 d/wk

NOEL: >=196 ppm

Method: OECD Guideline 413

Information given is based on data obtained from similar

substances.

Species: Rat, Male and female

Sex: Male and female Application Route: Inhalation Dose: 0.03, 0.26, 0.55 mg/L Exposure time: 13 wks

Number of exposures: 6 hr/d, 5 d/wk

NOEL: 0.03 mg/l

Method: OECD Test Guideline 413

Information given is based on data obtained from similar

substances.

Genotoxicity in vitro

Ethyl Mercaptan : Test Type: Ames test

Metabolic activation: with and without metabolic activation Method: Mutagenicity (Escherichia coli - reverse mutation

assay)

Result: negative

SDS Number:100000068741

Version 4.0 Revision Date 2025-09-02

Test Type: Mouse lymphoma assay Method: OECD Guideline 476

Result: Ambiguous

Test Type: Sister Chromatid Exchange Assay

Metabolic activation: with and without metabolic activation

Result: positive

Test Type: Micronucleus test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

Genotoxicity in vivo

Ethyl Mercaptan : Test Type: Micronucleus test

Species: Mouse

Method: Mutagenicity (micronucleus test)

Result: negative

Reproductive toxicity

Ethyl Mercaptan : Species: Rat

Sex: male and female Application Route: Oral diet Dose: 0, 10, 50, 200 mg/kg Exposure time: 42-53 days Number of exposures: once daily Method: OECD Guideline 422 NOAEL Parent: 200 mg/kg NOAEL F1: 50 mg/kg

Information given is based on data obtained from similar

substances.

Developmental Toxicity

Ethyl Mercaptan : Species: Rat

Application Route: Inhalation Dose: 0, 0.037, 0.28, or 0.56 mg/L Number of exposures: 6 hrs/d

Test period: GD 6-19

Method: OECD Guideline 414 NOAEL Teratogenicity: > 0.56 mg/l

Information given is based on data obtained from similar

substances.

Species: Rat

Application Route: Inhalation Dose: 0, 10, 100, 200 ppm Number of exposures: 6 hrs/d

Test period: GD 6-19

Method: OECD Guideline 414 NOAEL Teratogenicity: > 200 ppm NOAEL Maternal: > 200 ppm

Information given is based on data obtained from similar

11/16

substances.

SDS Number:100000068741

Scentinel® A Gas Odorant

Version 4.0 Revision Date 2025-09-02

Aspiration toxicity

Ethyl Mercaptan : May be harmful if swallowed and enters airways.

CMR effects

Ethyl Mercaptan : Carcinogenicity: Not available

Mutagenicity: Not mutagenic in Ames Test.

Teratogenicity: Animal testing did not show any effects on

fetal development.

Reproductive toxicity: Animal testing did not show any effects

on fertility.

Scentinel® A Gas Odorant

Further information : Solvents may degrease the skin. Inhalation of high vapor

concentrations may cause symptoms like headache,

dizziness, tiredness, nausea and vomiting.

SECTION 12: Ecological information

Toxicity to fish

Ethyl Mercaptan : 2.4 mg/l

Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

Ethyl Mercaptan : EC50: < 0.1 mg/l

Exposure time: 48 h

Species: Daphnia magna (Water flea) static test Method: OECD Test Guideline 202

Toxicity to algae

Ethyl Mercaptan : EC50: 3 mg/l

Exposure time: 72 h

Species: Pseudokirchneriella subcapitata (green algae)

Method: OECD Test Guideline 201

M-Factor

ethanethiol : M-Factor (Acute Aquat. Tox.) 10

M-Factor (Chron. Aquat. Tox.) 10

Biodegradability

Ethyl Mercaptan : aerobic

Result: Not readily biodegradable.

0 %

Testing period: 29 d

Method: OECD Test Guideline 301F

Elimination information (persistence and degradability)

SDS Number:100000068741 12/16

Scentinel® A Gas Odorant

Version 4.0 Revision Date 2025-09-02

Bioaccumulation : This material is not expected to bioaccumulate.

Mobility

Ethyl Mercaptan : The product will be dispersed amongst the various

environmental compartments (soil/ water/ air).

Results of PBT assessment

Ethyl Mercaptan : Non-classified PBT substance, Non-classified vPvB substance

Additional ecological

information

: Very toxic to aquatic life with long lasting effects.

Ecotoxicology Assessment

Short-term (acute) aquatic hazard

Ethyl Mercaptan : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard

Ethyl Mercaptan : Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water

courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed

waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers. Do not burn, or use a cutting

torch on, the empty drum.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

SDS Number:100000068741 13/16

Version 4.0 Revision Date 2025-09-02

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN2363, ETHYL MERCAPTAN, 3, I, MARINE POLLUTANT, (ETHYL MERCAPTAN)

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN2363, ETHYL MERCAPTAN, 3, I, (-48 °C c.c.), MARINE POLLUTANT, (ETHYL MERCAPTAN)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN2363, ETHYL MERCAPTAN, 3, I

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN2363, ETHYL MERCAPTAN, 3, I, (D/E), ENVIRONMENTALLY HAZARDOUS, (ETHYL MERCAPTAN)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

33,UN2363,ETHYL MERCAPTAN, 3, I, ENVIRONMENTALLY HAZARDOUS, (ETHYL MERCAPTAN)

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN2363, ETHYL MERCAPTAN, 3, I, ENVIRONMENTALLY HAZARDOUS, (ETHYL MERCAPTAN)

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

Classification and Labeling of

Commonly Used Dangerous
Chemical Substances

: Primary label: Combustible Liquid.

Notification status

Europe REACH : This product is in full compliance according to REACH

regulation 1907/2006/EC.

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) : On or in compliance with the active portion of the

TSCA TSCA inventory

Canada DSL : All components of this product are on the Canadian

DSL

Australia AIIC : On the inventory, or in compliance with the inventory
New Zealand NZIoC : On the inventory, or in compliance with the inventory
Japan ENCS : On the inventory, or in compliance with the inventory
Japan ISHL : On the inventory, or in compliance with the inventory

Korea KECI : All substances in this product were registered, notified

to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was

included on CPChem's notifications or if the Importer of

SDS Number:100000068741 14/16

Scentinel® A Gas Odorant

Version 4.0 Revision Date 2025-09-02

Record themselves notified the substances.

Philippines PICCS : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory Taiwan TCSI : On the inventory, or in compliance with the inventory Other TECI : On the inventory, or in compliance with the inventory

Other regulations : Law on the Prevention and Control of Occupational

Diseases

SECTION 16: Other information

Further information

Legacy SDS Number : 25580

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of	LD50	Lethal Dose 50%	
	Government Industrial Hygienists			
AIIC	Australian Inventory of Industrial	LOAEL	Lowest Observed Adverse Effect	
	Chemicals		Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational	
	Substances List		Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of	
			Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health	
	Scenario Tool		Administration	
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit	
	Chemicals Association			
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of	
	Chemical Substances		Commercial Chemical Substances	
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and	
			Reauthorization Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average	
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act	

SDS Number:100000068741 15/16

Scentinel® A Gas Odorant

Version 4.0 Revision Date 2025-09-02

	New Chemical Substances		
KECI	Korea, Existing Chemical	UVCB	Unknown or Variable Composition,
	Inventory		Complex Reaction Products, and
			Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials
			Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

SDS Number:100000068741 16/16