

Version 4.0 Revision Date 2025-09-09

according to GB/T 16483 and GB/T 17519

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product information** 

Product Name : n-Propyl Mercaptan

Material : 1124518, 1086425, 1086424, 1021446, 1027454, 1021458,

1021457, 1021456, 1021454, 1021447, 1021455, 1021445,

1029252, 1021452, 1021453, 1029741

Use : Odorant

Uses advised against

This material should not be used for purposes other than the

identified uses in section 1 without expert advice.

Company : Chevron Phillips Chemical Company LP

Specialty Chemicals 9500 Lakeside Blvd. The Woodlands, TX 77381

Local : Chevron Phillips Chemicals (Shanghai) Corporation

Room 1810-1812, Shanghai Mart,

2299 Yan An Road (W), Shanghai, PRC 200336 Tel: (86-21) 22157200

#### **Emergency telephone:**

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

SDS Number:100000013357 1/14

Version 4.0 Revision Date 2025-09-09

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico "Agostino Gemelli", Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera "Antonio Cardarelli" Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera "Papa Giovanni XXIII" Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371

67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24

hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared

the SDS

: Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

## **SECTION 2: Hazards identification**

Classification of the substance or mixture

GHS Classification and Labeling: Follow GB 13690, GB 15258 and GB 30000.2 to GB 30000.29 (GHS 2013)

#### **Emergency Overview**

Danger

Form: liquid Physical state: liquid Color: Clear Odor: Repulsive

Hazards : Highly flammable liquid and vapor. Harmful if swallowed.

Causes serious eye irritation. May cause an allergic skin reaction. May cause respiratory irritation. May be harmful if swallowed and enters airways. Very toxic to aquatic life. Very

toxic to aquatic life with long lasting effects.

Classification

: Flammable liquids, Category 2 Acute toxicity, Category 4, Oral

Serious eye damage/eye irritation, Category 2A

SDS Number:100000013357 2/14

Version 4.0 Revision Date 2025-09-09

Skin sensitization, Sub-category 1B

Specific target organ toxicity - single exposure, Category 3,

respiratory tract irritation Aspiration hazard, Category 2

Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1

#### Labeling

Symbol(s) :









Signal Word : Danger

Hazard Statements : H225: Highly flammable liquid and vapor.

H302: Harmful if swallowed.

H305: May be harmful if swallowed and enters airways.

H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H335: May cause respiratory irritation.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention**:

P210: Keep away from heat/ sparks/ open flames/ hot

surfaces. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.
P241: Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing mist or vapors.
P264: Wash skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/ eye protection/ face protection.

Response:

P301+P310: IF SWALLOWED: Immediately call a POISON

CENTER/doctor.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

P304 + P340 + P312: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/ doctor if you feel unwell.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P331: Do NOT induce vomiting.

P333 + P313: If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313: If eye irritation persists: Get medical advice/

attention.

P362+P364: Take off contaminated clothing and wash it

before reuse.

# n-Propyl Mercaptan

Version 4.0 Revision Date 2025-09-09

P370+P378: In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

P391: Collect spillage.

Storage:

P403 + P233: Store in a well-ventilated place. Keep container

tightly closed.

P403 + P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

Disposal:

P501: Dispose of contents/ container to an approved waste

disposal plant.

## SECTION 3: Composition/information on ingredients

Synonyms : 1-propanethiol

N-Propyl Mercaptan

NPM

Normal Propyl Mercaptan

Molecular formula : C3H8S

Chemical name	CAS-No. / EINECS-No.	Concentration [wt%]
n-Propyl Mercaptan	107-03-9	98.5 - 100

### **SECTION 4: First aid measures**

General advice : Move out of dangerous area. Show this material safety data

sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while

rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to

an unconscious person. If symptoms persist, call a physician.

Take victim immediately to hospital.

Notes to physician

Symptoms : No data available.

Risks : No data available.

Treatment : No data available.

SDS Number:100000013357 4/14

# n-Propyl Mercaptan

Version 4.0 Revision Date 2025-09-09

## **SECTION 5: Firefighting measures**

Flash point :  $-21^{\circ}$ C ( $-6^{\circ}$ F)

Method: closed cup

Autoignition temperature : No data available

Suitable extinguishing

media

: Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical.

Unsuitable extinguishing

media

: High volume water jet.

Specific hazards during fire

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Special protective equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed

containments. Use a water spray to cool fully closed

containers.

Fire and explosion

protection

Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot

surfaces and sources of ignition.

Hazardous decomposition

products

: Sulfur oxides. Carbon oxides.

#### **SECTION 6: Accidental release measures**

Personal precautions : Use personal protective equipment. Ensure adequate

ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low

areas.

Environmental precautions : Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

#### **SECTION 7: Handling and storage**

### Handling

SDS Number:100000013357 5/14

# n-Propyl Mercaptan

Version 4.0 Revision Date 2025-09-09

Advice on safe handling : Avoid form

Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion

Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

#### **Storage**

Requirements for storage areas and containers

No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Uses advised against

This material should not be used for purposes other than the identified uses in section 1 without expert advice.

Use : Odorant

#### **SECTION 8: Exposure controls/personal protection**

Not listed

#### **Engineering measures**

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

#### Personal protective equipment

Respiratory protection : If ventilation or other engineering controls are not adequate to

maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Air-Purifying

Respirator for Organic Vapors. A positive pressure, air-

SDS Number:100000013357 6/14

# n-Propyl Mercaptan

Version 4.0 Revision Date 2025-09-09

supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators

may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Remove and wash contaminated clothing before re-use. Skin should be washed

after contact. Footwear protecting against chemicals.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

## **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

**Appearance** 

Form : liquid
Physical state : liquid
Color : Clear
Odor : Repulsive

Safety data

Flash point :  $-21^{\circ}$ C ( $-6^{\circ}$ F)

Method: closed cup

Lower explosion limit : No data available

Upper explosion limit : No data available

Oxidizing properties : No

Autoignition temperature : No data available

Molecular formula : C3H8S

Molecular weight : 76.17 g/mol

pH : Not applicable

Pour point : No data available

Boiling point/boiling range : 68°C (154°F)

SDS Number:100000013357 7/14

# n-Propyl Mercaptan

Version 4.0 Revision Date 2025-09-09

Vapor pressure : 5.10 PSI

at 37.8°C (100.0°F)

Relative density : 0.847

at 15.6 °C (60.1 °F)

Water solubility : negligible

Partition coefficient: n-

octanol/water

: No data available

Viscosity, dynamic

: 0.399 cP

Relative vapor density : 2.62

(Air = 1.0)

Percent volatile : > 99 %

Conductivity : No data available

### **SECTION 10: Stability and reactivity**

**Reactivity** : Stable under recommended storage conditions.

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

#### Possibility of hazardous reactions

**Hazardous reactions** : Hazardous reactions: Hazardous polymerization does not

occur.

Hazardous reactions: Vapors may form explosive mixture with

air.

**Conditions to avoid** : Heat, flames and sparks.

Materials to avoid : May react with oxygen and strong oxidizing agents, such as

chlorates, nitrates, peroxides, etc.

Hazardous decomposition

products

: Sulfur oxides Carbon oxides

Other data : No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

**Acute oral toxicity** 

n-Propyl Mercaptan : LD50: 1,790 mg/kg

SDS Number:100000013357 8/14

# n-Propyl Mercaptan

Version 4.0 Revision Date 2025-09-09

Species: Rat Sex: male

Method: OECD Test Guideline 420

Acute inhalation toxicity

n-Propyl Mercaptan : LC50: > 5.67 mg/l

Exposure time: 4 h Species: Rat

Sex: male and female Test atmosphere: vapor

Method: OECD Test Guideline 436

An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable

concentration.

**Acute dermal toxicity** 

n-Propyl Mercaptan : LD50: > 2,000 mg/kg

Species: Rabbit Sex: male and female

Method: OECD Test Guideline 402

Skin irritation

n-Propyl Mercaptan : No skin irritation

Eye irritation

n-Propyl Mercaptan : Irritating to eyes.

Causes serious eye irritation.

Sensitization

n-Propyl Mercaptan : The product is a skin sensitizer, sub-category 1B.

positive

Repeated dose toxicity

n-Propyl Mercaptan : Species: Rat, male and female

Sex: male and female Application Route: Inhalation Dose: 9, 97, 196 ppm Exposure time: 13 wks

Number of exposures: 6 hrs/d, 5 d/wk

NOEL: 196 ppm

Method: OECD Test Guideline 413

Information given is based on data obtained from similar

substances.

Genotoxicity in vitro

n-Propyl Mercaptan : Test Type: Ames test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

SDS Number:100000013357 9/14

# n-Propyl Mercaptan

Version 4.0 Revision Date 2025-09-09

Test Type: Cytogenetic assay

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Mouse lymphoma assay

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Remarks: Information given is based on data obtained from

similar substances.

n-Propyl Mercaptan

**Aspiration toxicity** : May be harmful if swallowed and enters airways.

Sensitization

n-Propyl Mercaptan : May cause an allergic skin reaction.

**CMR** effects

n-Propyl Mercaptan : Carcinogenicity: Not available

Mutagenicity: In vitro tests did not show mutagenic effects Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on

animal experiments., No toxicity to reproduction

n-Propyl Mercaptan

**Further information** : Solvents may degrease the skin. Symptoms of overexposure

may be headache, dizziness, tiredness, nausea and vomiting.

Solvents may degrease the skin.

### **SECTION 12: Ecological information**

#### Toxicity to fish

n-Propyl Mercaptan : LC50: 1.3 mg/l

Exposure time: 96 h

Species: Pimephales promelas (fathead minnow)

semi-static test Analytical monitoring: yes

Test substance: yes

Method: OECD Test Guideline 203

Toxic to aquatic organisms.

## Toxicity to daphnia and other aquatic invertebrates

n-Propyl Mercaptan : EC50: 70 μg/l

Exposure time: 48 h

Species: Daphnia magna (Water flea)

Analytical monitoring: yes Test substance: yes

Method: OECD Test Guideline 202 Very toxic to aquatic organisms.

### Toxicity to algae

n-Propyl Mercaptan : ErC50: 3 mg/l

SDS Number:100000013357 10/14

# n-Propyl Mercaptan

Version 4.0 Revision Date 2025-09-09

Exposure time: 72 h

Species: Pseudokirchneriella subcapitata (algae) Growth inhibition Method: OECD Test Guideline 201 Information given is based on data obtained from similar

substances.

M-Factor

propane-1-thiol : M-Factor (Acute Aquat. Tox.) 10

M-Factor (Chron. Aquat. Tox.) 10

Toxicity to bacteria

n-Propyl Mercaptan : EC50: 880.5 mg/l

Exposure time: 3 h Respiration inhibition

Method: OECD Test Guideline 209

Information given is based on data obtained from similar

substances.

Biodegradability

n-Propyl Mercaptan : aerobic

Result: Not readily biodegradable.

17 %

Testing period: 28 Days

Method: OECD Test Guideline 301

Bioaccumulation

n-Propyl Mercaptan : Bioconcentration factor (BCF): 7.26

This material is not expected to bioaccumulate.

Mobility

n-Propyl Mercaptan : Method: Calculation, Mackay Level III Fugacity Model

The product will be dispersed amongst the various environmental compartments (soil/ water/ air).

Results of PBT assessment

n-Propyl Mercaptan : Non-classified PBT substance, Non-classified vPvB substance

Additional ecological

information

: Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life

with long lasting effects.

**Ecotoxicology Assessment** 

Short-term (acute) aquatic hazard

SDS Number:100000013357 11/14

# n-Propyl Mercaptan

Version 4.0 Revision Date 2025-09-09

n-Propyl Mercaptan : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard

n-Propyl Mercaptan : Very toxic to aquatic life with long lasting effects.

#### **SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water

courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed

waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers. Do not burn, or use a cutting

torch on, the empty drum.

## **SECTION 14: Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

## **US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

UN2402, PROPANETHIOLS, 3, II

## IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN2402, PROPANETHIOLS, 3, II, (-21 °C c.c.), MARINE POLLUTANT, (N-PROPYL MERCAPTAN)

#### IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN2402, PROPANETHIOLS, 3, II

#### ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN2402, PROPANETHIOLS, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS, (N-PROPYL MERCAPTAN)

# RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

SDS Number:100000013357 12/14

Version 4.0 Revision Date 2025-09-09

33,UN2402,PROPANETHIOLS, 3, II, ENVIRONMENTALLY HAZARDOUS, (N-PROPYL MERCAPTAN)

# ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN2402, PROPANETHIOLS, 3, II, ENVIRONMENTALLY HAZARDOUS, (N-PROPYL MERCAPTAN)

## Maritime transport in bulk according to IMO instruments

## **SECTION 15: Regulatory information**

Classification and Labeling of

Commonly Used Dangerous Chemical Substances

: Primary label: Combustible Liquid.

**Notification status** 

Europe REACH : This product is in full compliance according to REACH

regulation 1907/2006/EC.

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) : On or in compliance with the active portion of the

TSCA TSCA inventory

Australia AIIC : On the inventory, or in compliance with the inventory Canada DSL : All components of this product are on the Canadian

DSL

Japan ENCS : On the inventory, or in compliance with the inventory

Korea KECI : Not in compliance with the inventory

Philippines PICCS : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory New Zealand NZIoC : On the inventory, or in compliance with the inventory Taiwan TCSI : On the inventory, or in compliance with the inventory Other TECI : On the inventory, or in compliance with the inventory

#### **SECTION 16: Other information**

#### **Further information**

Legacy SDS Number : 74260

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

SDS Number:100000013357 13/14

# n-Propyl Mercaptan

Version 4.0 Revision Date 2025-09-09

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

SDS Number:100000013357 14/14