

Version 1.11 Revision Date 2025-09-24

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product information** 

Product Name : Methyl-3 Mercaptopropionate

Material : 1131212, 1113892, 1086430, 1093790, 1086431, 1086432,

1086433, 1066661, 1025300, 1024824, 1027475, 1024823

Use : Chemical intermediate

Uses advised against : This material should not be used for purposes other than the

identified uses in section 1 without expert advice.

Company : Chevron Phillips Chemical Company LP

9500 Lakeside Blvd. The Woodlands, TX 77381

## **Emergency telephone:**

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week) Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

SDS Number:100000013277 1/15

Version 1.11 Revision Date 2025-09-24

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico "Agostino Gemelli", Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera "Antonio Cardarelli" Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera "Papa Giovanni XXIII" Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24

hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared : Product Safety and Toxicology Group

the SDS

E-mail address : SDS@CPChem.com Website : www.CPChem.com

## **SECTION 2: Hazards identification**

## Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

## Classification

Flammable liquids, Category 4
Acute toxicity, Category 3, Oral
Acute toxicity, Category 2, Inhalation
Acute toxicity, Category 4, Dermal

#### Labeling

Symbol(s) :

Signal Word : Danger

Hazard Statements : H227: Combustible liquid.

H301: Toxic if swallowed.

H312: Harmful in contact with skin.

H330: Fatal if inhaled.

SDS Number:100000013277 2/15

## **Methyl-3 Mercaptopropionate**

Version 1.11 Revision Date 2025-09-24

Precautionary Statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection/ hearing protection.

P284 Wear respiratory protection.

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a

POISON CENTER/ doctor. Rinse mouth.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER/ doctor.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

**Potential Health Effects** 

Symptoms of Overexposure : No data available

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

**SECTION 3: Composition/information on ingredients** 

Synonyms : MMP

Methyl beta-Mercaptopropionate Methyl-3 Mercaptopropionate

Molecular formula : C4H8O2S

Component	CAS-No.	Weight %
Methyl 3-Mercaptopropionate	2935-90-2	99 - 100

SDS Number:100000013277 3/15

## **Methyl-3 Mercaptopropionate**

Version 1.11 Revision Date 2025-09-24

## **SECTION 4: First aid measures**

General advice : Move out of dangerous area. Consult a physician. Show this

material safety data sheet to the doctor in attendance. Material

may produce a serious, potentially fatal pneumonia if

swallowed or vomited.

If inhaled : Call a physician or poison control center immediately. If

unconscious, place in recovery position and seek medical

advice.

In case of skin contact : Take victim immediately to hospital. If on skin, rinse well with

water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while

rinsing. If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician. Keep

respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to

hospital.

Notes to physician

Symptoms : No data available.

Risks : No data available.

Treatment : Treat symptomatically.

## **SECTION 5: Firefighting measures**

Flash point : 67°C (153°F)

Method: closed cup

Autoignition temperature : No data available

Suitable extinguishing

media

: Carbon dioxide (CO2).

Unsuitable extinguishing

media

: High volume water jet.

Specific hazards during fire

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Special protective

equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case

of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed

SDS Number:100000013277 4/15

## **Methyl-3 Mercaptopropionate**

Version 1.11 Revision Date 2025-09-24

containers.

Fire and explosion

protection

: Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of

ignition.

Hazardous decomposition

products

: Sulfur oxides.

#### **SECTION 6: Accidental release measures**

Personal precautions : Use personal protective equipment. Ensure adequate

ventilation. Evacuate personnel to safe areas.

Environmental precautions : Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable,

closed containers for disposal.

## **SECTION 7: Handling and storage**

## Handling

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid

contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance

with local and national regulations.

Advice on protection against fire and explosion

Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of

ignition.

#### Storage

Requirements for storage areas and containers

: Prevent unauthorized access. No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical

installations / working materials must comply with the technological safety standards.

Uses advised against : This material should not be used for purposes other than the

identified uses in section 1 without expert advice.

Use : Chemical intermediate

## SECTION 8: Exposure controls/personal protection

SDS Number:100000013277 5/15

Version 1.11 Revision Date 2025-09-24

## **Engineering measures**

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

## Personal protective equipment

Respiratory protection : If ventilation or other engineering controls are not adequate to

maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Full-Face Supplied-Air Respirator. A positive pressure, air-supplying respirator may be appropriate if there is potential for

uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators

may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Flame retardant protective clothing. Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing apparatus. Footwear protecting against chemicals.

Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not

eat or drink. When using do not smoke. Wash hands before

breaks and immediately after handling the product.

## **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

## **Appearance**

Form : liquid
Physical state : liquid
Color : Colorless
Odor : Repulsive

Safety data

SDS Number:100000013277 6/15

# **Methyl-3 Mercaptopropionate**

Version 1.11 Revision Date 2025-09-24

Flash point : 67°C (153°F)

Method: closed cup

Lower explosion limit : No data available

Upper explosion limit : No data available

Oxidizing properties : No

Autoignition temperature : No data available

Molecular formula : C4H8O2S

Molecular weight : 120.18 g/mol

pH : Not applicable

Freezing point : No data available

Pour point No data available

Boiling point/boiling range : 166-169°C (331-336°F)

Vapor pressure : 2.00 MMHG

at 21°C (70°F)

Relative density : 1.11

at 15 °C (59 °F), estimated

Water solubility : negligible

Partition coefficient: n-

octanol/water

: No data available

Viscosity, kinematic : No data available

Relative vapor density : 4.1

(Air = 1.0)

Evaporation rate : No data available

Percent volatile : > 99 %

Conductivity : No data available

# **SECTION 10: Stability and reactivity**

**Reactivity**: Stable under recommended storage conditions.

SDS Number:100000013277 7/15

# **Methyl-3 Mercaptopropionate**

Version 1.11 Revision Date 2025-09-24

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Hazardous reactions : Hazardous polymerization does not

occur.

Hazardous reactions: Vapors may form explosive mixture with

air.

Conditions to avoid Hazardous decomposition

products

: Heat, flames and sparks.: Sulfur oxides

Other data : No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

**Acute oral toxicity** 

Methyl 3-Mercaptopropionate : LD50: 194 mg/kg

Species: Rat

Sex: male and female

Method: OECD Test Guideline 401

Acute inhalation toxicity

Methyl 3-Mercaptopropionate : LC50: 1.8 - 2.11 mg/l

Exposure time: 4 h

Species: Rat

Test atmosphere: vapor

Method: OECD Test Guideline 403

Acute dermal toxicity

Methyl 3-Mercaptopropionate : LD50: 1,903.7 mg/kg

Species: Rabbit Sex: male and female

Method: OECD Test Guideline 402

Skin irritation

Methyl 3-Mercaptopropionate : No skin irritation

Eye irritation

Methyl 3-Mercaptopropionate : slight irritation.

Sensitization

Methyl 3-Mercaptopropionate : Did not cause sensitization on laboratory animals.

Repeated dose toxicity

SDS Number:100000013277 8/15

Version 1.11 Revision Date 2025-09-24

Methyl 3-Mercaptopropionate : Species: Rat, Male and female

Sex: Male and female

Application Route: oral gavage Dose: 25, 50, 100 mg/kg Exposure time: 28 day Number of exposures: daily

NOEL: 50 mg/kg

Lowest observable effect level: 100 mg/kg

Method: OECD Test Guideline 407

Target Organs: Stomach

Genotoxicity in vitro

Methyl 3-Mercaptopropionate : Test Type: Ames test

Result: negative

Test Type: Mouse lymphoma assay

Result: negative

Test Type: Sister Chromatid Exchange Assay

Result: positive

Reproductive toxicity

Methyl 3-Mercaptopropionate : Species: Rat

Sex: male and female

Application Route: oral gavage Dose: 25, 50, 100 mg/kg Number of exposures: daily

Test period: 28 d

Method: OECD Guideline 422 NOAEL Parent: 100 mg/kg NOAEL F1: 100 mg/kg no abnormalities observed

**Developmental Toxicity** 

Methyl 3-Mercaptopropionate : Species: Rat

Application Route: Oral diet Dose: 25, 50, 100 mg/kg

Test period: 28 d

NOAEL Teratogenicity: 100 mg/kg NOAEL Maternal: 100 mg/kg No adverse effects expected

Methyl-3 Mercaptopropionate

**Aspiration toxicity** : No aspiration toxicity classification.

**CMR** effects

Methyl 3-Mercaptopropionate : Carcinogenicity: Not available

Mutagenicity: Tests on bacterial or mammalian cell cultures

did not show mutagenic effects.

Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on

animal experiments.

SDS Number:100000013277 9/15

## **Methyl-3 Mercaptopropionate**

Version 1.11 Revision Date 2025-09-24

Methyl-3 Mercaptopropionate

Further information : No data available.

## **SECTION 12: Ecological information**

## Toxicity to fish

Methyl 3-Mercaptopropionate : LC50: 1.7 mg/l

Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout) flow-through test Analytical monitoring: yes Method: OECD Test Guideline 203

## Toxicity to daphnia and other aquatic invertebrates

Methyl 3-Mercaptopropionate : 0.55 mg/l

Exposure time: 48 h

Species: Daphnia magna (Water flea) static test Analytical monitoring: yes Method: OECD Test Guideline 202

Toxicity to algae

Methyl 3-Mercaptopropionate : ErC50: 0.65 mg/l

Species: Desmodesmus subspicatus (green algae)

Analytical monitoring: yes

Method: OECD Test Guideline 201

M-Factor

methyl 3-mercaptopropionate : M-Factor (Acute Aquat. Tox.) 1

M-Factor (Chron. Aquat. Tox.)

Biodegradability

Methyl 3-Mercaptopropionate : aerobic

Result: Not readily biodegradable.

46.0 %

Method: OECD Test Guideline 301

Bioaccumulation

Methyl 3-Mercaptopropionate : Bioconcentration factor (BCF): 3.16

Method: Estimated based on individual component values.

Mobility

Methyl 3-Mercaptopropionate : No data available

Results of PBT assessment

Methyl 3-Mercaptopropionate : Non-classified PBT substance

SDS Number:100000013277 10/15

Version 1.11 Revision Date 2025-09-24

Additional ecological

information

: Very toxic to aquatic life with long lasting effects.

## **Ecotoxicology Assessment**

Short-term (acute) aquatic hazard

Methyl 3-Mercaptopropionate : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard

Methyl 3-Mercaptopropionate : Very toxic to aquatic life with long lasting effects.

## **SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water

courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed

waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers. Do not burn, or use a cutting

torch on, the empty drum.

#### **SECTION 14: Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

## **US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

UN2810, TOXIC, LIQUIDS, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II

## IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II, (67 °C c.c.), MARINE POLLUTANT, (METHYL 3-MERCAPTOPROPIONATE)

#### IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II

SDS Number:100000013277 11/15

Version 1.11 Revision Date 2025-09-24

## ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II, (D/E), ENVIRONMENTALLY HAZARDOUS, (METHYL 3-MERCAPTOPROPIONATE)

# RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

60,UN2810,TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II, ENVIRONMENTALLY HAZARDOUS, (METHYL 3-MERCAPTOPROPIONATE)

# ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II, ENVIRONMENTALLY HAZARDOUS, (METHYL 3-MERCAPTOPROPIONATE)

Maritime transport in bulk according to IMO instruments

## **SECTION 15: Regulatory information**

Notional	logiclation
National	legislation

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

Acute toxicity (any route of exposure)

**CERCLA Reportable** 

Quantity

: Listed substances in the product are at low enough levels to not

be expected to exceed the RQ

Hydrogen Sulfide

SARA 302 Reportable

Quantity

: Listed substances in the product are at low enough levels to not

be expected to exceed the RQ

Hydrogen Sulfide

SARA 302 Threshold Planning Quantity

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

302 EHS TPQ.

: Listed substances in the product are at low enough levels to not

be expected to exceed the RQ

Hydrogen Sulfide 7783-06-4 100 lbs

SARA 313 Components : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SDS Number:100000013277 12/15

Version 1.11 Revision Date 2025-09-24

#### Clean Air Act

Ozone-Depletion

Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

## **US State Regulations**

Pennsylvania Right To Know

: Methyl 3-Mercaptopropionate - 2935-90-2

Hydrogen Sulfide - 7783-06-4

California Prop. 65

Components

: This product, as shipped, does not contain any carcinogens or reproductive toxins presently known by the State of California to cause cancer or reproductive toxicity at a level of exposure subject to the requirements of California Proposition 65.

#### Notification status

**TSCA** 

Europe REACH This product is in full compliance according to REACH

regulation 1907/2006/EC.

Switzerland CH INV

On the inventory, or in compliance with the inventory United States of America (USA) On or in compliance with the active portion of the

TSCA inventory

Canada DSL All components of this product are on the Canadian

Australia AIIC On the inventory, or in compliance with the inventory

Not in compliance with the inventory New Zealand NZIoC

Japan ENCS On the inventory, or in compliance with the inventory Japan ISHL On the inventory, or in compliance with the inventory Korea KECI All substances in this product were registered, notified

> to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was

> included on CPChem's notifications or if the Importer of

Record themselves notified the substances.

SDS Number:100000013277 13/15

Version 1.11 Revision Date 2025-09-24


Philippines PICCS : On the inventory, or in compliance with the inventory Taiwan TCSI : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory

Other TECI: Not in compliance with the inventory

## **SECTION 16: Other information**

NFPA Classification : Health Hazard: 3

Fire Hazard: 1 Reactivity Hazard: 0 Health Hazard: 3 Fire Hazard: 2 Reactivity Hazard: 0



**Revision Date** 2025-09-24 **Date of last issue** 2020-04-14

**Further information** 

Legacy SDS Number : 75720

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%	
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration	
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit	
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances	
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic	

14/15

SDS Number:100000013277

# Methyl-3 Mercaptopropionate

Version 1.11 Revision Date 2025-09-24

	Values		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

SDS Number:100000013277 15/15