

**Di-tert-Nonyl Polysulfide (TNPS 537)**

Version 1.11

Revision Date 2025-10-10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product information**

Product Name : Di-tert-Nonyl Polysulfide (TNPS 537)  
Material : 1104364, 1024830, 1024829, 1024547, 1024554, 1024551,  
1024552, 1024550, 1024549, 1024553, 1024548, 1024555,  
1024546  
Use : Presulfiding Agent, Lubricant Additive  
Uses advised against : This material should not be used for purposes other than the  
identified uses in section 1 without expert advice.

**Company** : Chevron Phillips Chemical Company LP  
Specialty Chemicals  
9500 Lakeside Blvd.  
The Woodlands, TX 77381

**Emergency telephone:****Health:**

866.442.9628 (North America)  
1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)  
Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090  
Mexico CHEMTREC 01-800-681-9531 (24 hours)  
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600  
Argentina: +(54)-1159839431  
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)  
Belgium: 070 245 245 (24 hours/day, 7 days/week)  
Bulgaria: +359 2 9154 233  
Croatia: +3851 2348 342 (24 hours/day, 7 days/week)  
Cyprus: 1401  
Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402  
Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212  
Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Finland: 0800 147 111 09 471 977 (24 hours/day)  
France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)  
Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
Greece: (0030) 2107793777 (24 hours/day, 7 days/week)  
Hungary: +36-80-201-199 (24 hours/day, 7 days/week)  
Iceland: 543 2222 (24 hours/day, 7 days/week)  
Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

**Di-tert-Nonyl Polysulfide (TNPS 537)**

Version 1.11

Revision Date 2025-10-10

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca' Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico "Agostino Gemelli", Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera "Antonio Cardarelli" Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera "Papa Giovanni XXIII" Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000

Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606

Slovakia: +421 2 5477 4166

Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared the SDS : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com

Website : www.CPChem.com

**SECTION 2: Hazards identification****Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

**Classification**

: Skin sensitization, Category 1

**Labeling**

Symbol(s) :



Signal Word :

Warning

Hazard Statements :

H317: May cause an allergic skin reaction.

Precautionary Statements :

**Prevention:**

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

**Di-tert-Nonyl Polysulfide (TNPS 537)**

Version 1.11

Revision Date 2025-10-10

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Potential Health Effects**

Symptoms of Overexposure : No data available

**Carcinogenicity:****IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 3: Composition/information on ingredients**

Synonyms : Di-tert-nonyl polysulfide  
t-Nonyl polysulfide  
tertiary-Nonyl polysulfide  
Petroleum Oil, TNPS 537

Molecular formula : C<sub>18</sub>H<sub>38</sub>S<sub>x</sub> (x= average of 5)

Component	CAS-No.	Weight %
Di-t-nonyl Polysulfide	68425-16-1	100

**SECTION 4: First aid measures**

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

**Notes to physician**

**Di-tert-Nonyl Polysulfide (TNPS 537)**

Version 1.11

Revision Date 2025-10-10

Symptoms : No data available.

Risks : No data available.

Treatment : Treat symptomatically.

**SECTION 5: Firefighting measures**

Flash point : 136-144°C (277-291°F)  
Method: PMCC

Autoignition temperature : 240°C (464°F)

Unsuitable extinguishing media : High volume water jet.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Fire and explosion protection : Normal measures for preventive fire protection.

Hazardous decomposition products : Carbon oxides. Sulfur oxides.

**SECTION 6: Accidental release measures**

Personal precautions : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

**SECTION 7: Handling and storage****Handling**

Advice on safe handling : Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national

**Di-tert-Nonyl Polysulfide (TNPS 537)**

Version 1.11

Revision Date 2025-10-10

regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

**Storage**

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Uses advised against : This material should not be used for purposes other than the identified uses in section 1 without expert advice.

Use : Presulfiding Agent, Lubricant Additive

**SECTION 8: Exposure controls/personal protection****Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as: A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

**Di-tert-Nonyl Polysulfide (TNPS 537)**

Version 1.11

Revision Date 2025-10-10

- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Footwear protecting against chemicals.
- Hygiene measures : Wash hands before breaks and at the end of workday.

**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties****Appearance**

- Form : liquid
- Physical state : liquid
- Color : Yellow to yellow-orange
- Odor : Mildly unpleasant

**Safety data**

- Flash point : 136-144°C (277-291°F)  
Method: PMCC
- Lower explosion limit : No data available
- Upper explosion limit : No data available
- Oxidizing properties : No
- Autoignition temperature : 240°C (464°F)
- Molecular formula : C<sub>18</sub>H<sub>38</sub>S<sub>x</sub> (x= average of 5)
- Molecular weight : Varies
- pH : Not applicable
- Melting point/ range : <-20.0°C (<-4.0°F)
- Freezing point : <-20.0°C (<-4.0°F)
- Boiling point/boiling range : 208.3-263.8°C (406.9-506.8°F)  
at 99.80 kPa  
Decomposes
- Vapor pressure : 0.00 Pa  
at 25°C (77°F)
- Relative density : 1.03  
at 20.0 °C (68.0 °F)
- Water solubility : 0.063 µg/l  
at 20°C (68°F)
- Partition coefficient: n-octanol/water : log Pow: > 5.2  
at 20°C (68°F)

**Di-tert-Nonyl Polysulfide (TNPS 537)**

Version 1.11

Revision Date 2025-10-10

Method: OECD Test Guideline 123

Solubility in other solvents : Medium: Hydrocarbons  
soluble

Medium: Water  
Insoluble

Viscosity, kinematic : 129 mm<sup>2</sup>/s  
at 20°C (68°F)

34.4 mm<sup>2</sup>/s  
at 40°C (104°F)

Relative vapor density : No data available

Evaporation rate : < 1

Conductivity : No data available

**SECTION 10: Stability and reactivity**

**Reactivity** : Stable under recommended storage conditions.

**Chemical stability** : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**Possibility of hazardous reactions**

**Hazardous reactions** : Further information: No decomposition if stored and applied as directed.

**Conditions to avoid** : No data available.

**Hazardous decomposition products** : Carbon oxides  
Sulfur oxides

**Other data** : No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information****Acute oral toxicity**

Di-t-nonyl Polysulfide : LD50: 19,550 mg/kg  
Species: Rat  
Sex: male and female  
Method: OECD Test Guideline 401

**Acute inhalation toxicity**

**Di-tert-Nonyl Polysulfide (TNPS 537)**

Version 1.11

Revision Date 2025-10-10

Di-t-nonyl Polysulfide : LC50: > 15.5 mg/l  
Exposure time: 4 h  
Species: Rat  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Di-tert-Nonyl Polysulfide (TNPS 537)**

**Acute dermal toxicity** : Acute toxicity estimate: 2,500 mg/kg  
Method: Calculation method

**Skin irritation**

Di-t-nonyl Polysulfide : slight irritation.

**Eye irritation**

Di-t-nonyl Polysulfide : No eye irritation

**Sensitization**

Di-t-nonyl Polysulfide : May cause sensitization by skin contact.

**Repeated dose toxicity**

Di-t-nonyl Polysulfide : Species: Rat, female  
Sex: female  
Application Route: oral gavage  
Dose: 500, 1000 mg/kg  
Exposure time: 14 d  
Number of exposures: daily  
No significant adverse effects were reported

Species: Rat, male  
Sex: male  
Application Route: oral gavage  
Dose: 100, 300, 1000 mg/kg  
Exposure time: 90 d  
Number of exposures: daily  
NOEL: 100 mg/kg  
Method: OECD Test Guideline 408  
Target Organs: Kidney, Liver, spleen

Species: Rat, female  
Sex: female  
Application Route: oral gavage  
Dose: 100, 300, 1000 mg/kg  
Exposure time: 90 d  
Number of exposures: daily  
NOEL: 1,000 mg/kg  
Method: OECD Test Guideline 408  
Target Organs: Liver, spleen

**Genotoxicity in vitro**

Di-t-nonyl Polysulfide : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative



**Di-tert-Nonyl Polysulfide (TNPS 537)**

Version 1.11

Revision Date 2025-10-10

Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Guideline 473  
Result: negative

Test Type: Mouse lymphoma assay  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 490  
Result: negative

**Reproductive toxicity**

Di-t-nonyl Polysulfide : No adverse effects expected  
Information given is based on data obtained from similar substances.

**Developmental Toxicity**

Di-t-nonyl Polysulfide : Species: Rat  
Application Route: oral gavage  
Dose: 100, 300, 1000 mg/kg  
Number of exposures: daily  
Test period: GD 6-20  
Method: OECD Guideline 414  
NOAEL Teratogenicity: 1,000 mg/kg  
NOAEL Maternal: 1,000 mg/kg

**Di-tert-Nonyl Polysulfide (TNPS 537)**

**Further information** : No data available.

**SECTION 12: Ecological information****Toxicity to fish**

Di-t-nonyl Polysulfide : No data available

**Toxicity to daphnia and other aquatic invertebrates**

Di-t-nonyl Polysulfide : No data available

**Toxicity to algae**

Di-t-nonyl Polysulfide : ErL50: > 0.78 µg/l  
Exposure time: 72 h  
Species: Raphidocelis subcapitata (freshwater green alga)  
Growth inhibition Method: OECD Test Guideline 201

**M-Factor**

Polysulfides, di-tert-nonyl : M-Factor (Chron. Aquat. Tox.) 100

**Toxicity to fish (Chronic toxicity)**

**Di-tert-Nonyl Polysulfide (TNPS 537)**

Version 1.11

Revision Date 2025-10-10

Di-t-nonyl Polysulfide : NOEL: 0.0001 mg/l  
Species: Pimephales promelas (fathead minnow)  
Test substance: yes  
Method: OECD Test Guideline 210

**Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)**

Di-t-nonyl Polysulfide : NOEC: > 0.001 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test substance: yes  
Method: OECD Test Guideline 211  
No toxicity at the limit of solubility.

**Biodegradability**

Di-t-nonyl Polysulfide : aerobic  
0 %  
Testing period: 28 d  
Method: OECD Test Guideline 301F  
Information given is based on data obtained from similar substances.

**Bioaccumulation**

Di-t-nonyl Polysulfide : Species: Cyprinus carpio (Carp)  
Exposure time: 14 d  
Method: OECD Test Guideline 305  
Does not bioaccumulate.  
Information given is based on data obtained from similar substances.

**Mobility**

Di-t-nonyl Polysulfide : No data available

**Results of PBT assessment**

Di-t-nonyl Polysulfide : Not persistent, bioaccumulative, and toxic (PBT)., Not very persistent and very bioaccumulative (vPvB).

**Long-term (chronic) aquatic hazard**

Di-t-nonyl Polysulfide : Very toxic to aquatic life with long lasting effects.

**SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

**Di-tert-Nonyl Polysulfide (TNPS 537)**

Version 1.11

Revision Date 2025-10-10

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

**SECTION 14: Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III, (136 - 144 °C c.c.), MARINE POLLUTANT, (DI-T-NONYL POLYSULFIDE)

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

UN3334, AVIATION REGULATED LIQUID, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III, (-)

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

90, UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 1.11

Revision Date 2025-10-10

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

National legislation

SARA 311/312 Hazards : Respiratory or skin sensitization

CERCLA Reportable Quantity : Listed substances in the product are at low enough levels to not be expected to exceed the RQ

Propylene oxide

SARA 302 Reportable Quantity : Listed substances in the product are at low enough levels to not be expected to exceed the RQ

Propylene oxide

SARA 302 Threshold Planning Quantity : This material does not contain any components with a section 302 EHS TPQ.

SARA 304 Reportable Quantity : Listed substances in the product are at low enough levels to not be expected to exceed the RQ

Propylene oxide 75-56-9 100 lbs

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 1.11

Revision Date 2025-10-10

US State Regulations

Pennsylvania Right To Know

- : Di-t-nonyl Polysulfide - 68425-16-1
- Propylene oxide - 75-56-9
- Methanol - 67-56-1

California Prop. 65  
Components

- : WARNING: This product can expose you to chemicals including [listed below], which is [are] known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov/food](http://www.P65Warnings.ca.gov/food).

Propylene oxide 75-56-9

WARNING: This product can expose you to chemicals including [listed below], which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Methanol 67-56-1

Notification status

- Europe REACH : This product is in full compliance according to REACH regulation 1907/2006/EC.
- Switzerland CH INV : On the inventory, or in compliance with the inventory
- United States of America (USA) TSCA : On or in compliance with the active portion of the TSCA inventory
- Canada DSL : All components of this product are on the Canadian DSL
- Australia AIIC : On the inventory, or in compliance with the inventory
- New Zealand NZIoC : Not in compliance with the inventory
- Japan ENCS : On the inventory, or in compliance with the inventory
- Japan ISHL : On the inventory, or in compliance with the inventory
- Korea KECI : Not in compliance with the inventory
- Philippines PICCS : On the inventory, or in compliance with the inventory
- China IECSC : On the inventory, or in compliance with the inventory
- Taiwan TCSI : On the inventory, or in compliance with the inventory
- Other TECI : On the inventory, or in compliance with the inventory


**Di-tert-Nonyl Polysulfide (TNPS 537)**

Version 1.11

Revision Date 2025-10-10

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 2  
Fire Hazard: 1  
Reactivity Hazard: 0



**Revision Date** : 2025-10-10  
**Date of last issue** : 2021-09-30

**Further information**

Legacy SDS Number : 168730

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AiIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research	TLV	Threshold Limit Value

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 1.11

Revision Date 2025-10-10

	on Cancer		
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate