

**Di-tert-Nonyl Polysulfide (TNPS 537)**

Version 2.0

Revision Date 2025-10-10

According to Regulation (EC) No. 1907/2006, Regulation (EC) No. 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1****Product information**

Product Name : Di-tert-Nonyl Polysulfide (TNPS 537)
Material : 1104364, 1024830, 1024829, 1024547, 1024554, 1024551,
1024552, 1024550, 1024549, 1024553, 1024548, 1024555,
1024546

EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
Di-t-nonyl Polysulfide	68425-16-1 270-336-2	Chevron Phillips Chemicals International NV 01-2119978295-23-0000

1.2**Relevant identified uses of the substance or mixture and uses advised against**

Relevant Identified Uses : Manufacture
Supported Formulation
Lubricants - Industrial
Lubricants - Professional
Lubricants - Consumer

Uses advised against : This material should not be used for purposes other than the identified uses in section 1 without expert advice.

1.3**Details of the supplier of the safety data sheet**

Company : Chevron Phillips Chemical Company LP
Specialty Chemicals
9500 Lakeside Blvd.
The Woodlands, TX 77381

Local : Chevron Phillips Chemicals International N.V.
Airport Plaza (Stockholm Building)
Leonardo Da Vincilaan 19
1831 Diegem
Belgium

SDS Requests: (800) 852-5530
Responsible Party: Product Safety Group
Email:sds@cpchem.com

1.4

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

Emergency telephone:**Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02

66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia

clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù

Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000;

POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326;

POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870;

POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055

7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382

24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883

300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011

858;

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic

Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371

67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000

Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606

Slovakia: +421 2 5477 4166

Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared : Product Safety and Toxicology Group
the SDS

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

E-mail address : SDS@CPChem.com

Website : www.CPChem.com

SECTION 2: Hazards identification**2.1****Classification of the substance or mixture****REGULATION (EC) No 1272/2008****REGULATION (EC) No 1272/2008**

Skin sensitization, Category 1

H317:

May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard,
Category 1

H410:

Very toxic to aquatic life with long lasting effects.

2.2**Labeling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



Signal Word : Warning

Hazard Statements :

H317

May cause an allergic skin reaction.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary Statements :

Prevention:

P261

Avoid breathing mist or vapors.

P273

Avoid release to the environment.

P280

Wear protective gloves.

Response:

P333 + P313

If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364

Take off contaminated clothing and wash it before reuse.

P391

Collect spillage.

Hazardous ingredients which must be listed on the label:

- 68425-16-1 Di-t-nonyl Polysulfide

2.3**Other hazards**Results of PBT and vPvB
assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting
properties

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

SECTION 3: Composition/information on ingredients

Synonyms : Di-tert-nonyl polysulfide
t-Nonyl polysulfide
tertiary-Nonyl polysulfide
Petroleum Oil, TNPS 537

Molecular formula : C₁₈H₃₈S_x (x= average of 5)

Hazardous ingredients

Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]	Specific Conc. Limits, M-factors and ATEs
Di-t-nonyl Polysulfide	68425-16-1 270-336-2	Skin Sens. 1; H317 Aquatic Chronic 1; H410	100	M [Chronic]=100

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures**4.1****Description of first-aid measures**

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed**Notes to physician**

Symptoms : No data available.

Risks : No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

Flash point : 136-144°C (277-291°F)
Method: PMCC

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

Autoignition temperature : 240°C (464°F)

5.1**Extinguishing media**

Unsuitable extinguishing media : High volume water jet.

5.2**Special hazards arising from the substance or mixture**

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

5.3**Advice for firefighters**

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Fire and explosion protection : Normal measures for preventive fire protection.

Hazardous decomposition products : Carbon oxides. Sulfur oxides.

SECTION 6: Accidental release measures**6.1****Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.

6.2**Environmental precautions**

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3**Methods and materials for containment and cleaning up**

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4**Reference to other sections**

Reference to other sections : For personal protection see section 8. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1****Precautions for safe handling**

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

Handling

Advice on safe handling : Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

7.2**Conditions for safe storage, including any incompatibilities****Storage**

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Uses advised against : This material should not be used for purposes other than the identified uses in section 1 without expert advice.

SECTION 8: Exposure controls/personal protection**8.1****Control parameters
Ingredients with workplace control parameters****RU**

Компоненты	Основа	Величина	Параметры контроля	Заметка
Propylene oxide	RU OEL	ПДК разовая	1 mg/m3	+, 2, пары и/или газы
	RU OEL	ПДК разовая	1 mg/m3	2, пары и/или газы
	РФ ПДК	ПДК разовая	1 mg/m3	2, +, пары и/или газы
Methanol	RU OEL	ПДК	5 mg/m3	+, 3, пары и/или газы
	RU OEL	ПДК разовая	15 mg/m3	+, 3, пары и/или газы
	RU OEL	ПДК	5 mg/m3	3, пары и/или газы
	RU OEL	ПДК разовая	15 mg/m3	3, пары и/или газы
	РФ ПДК	ПДК	5 mg/m3	3, +, пары и/или газы
	РФ ПДК	ПДК разовая	15 mg/m3	3, +, пары и/или газы

+ соединения, при работе с которыми требуется специальная защита кожи и глаз; символ проставлен вслед за наименованием вещества

2 2 класс - высокоопасные

3 3 класс - опасные

DNEL

Di-t-nonyl Polysulfide : End Use: Workers
Routes of exposure: Inhalation
Potential health effects: Chronic effects, Systemic effects
Value: 23,5 mg/m3

End Use: Workers

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

Routes of exposure: Skin contact
 Potential health effects: Chronic effects, Systemic effects
 Value: 3,33 mg/kg

End Use: Consumers
 Routes of exposure: Inhalation
 Potential health effects: Chronic effects, Systemic effects
 Value: 5,8 mg/m3

End Use: Consumers
 Routes of exposure: Skin contact
 Potential health effects: Chronic effects, Systemic effects
 Value: 1,66 mg/kg

End Use: Consumers
 Routes of exposure: Ingestion
 Potential health effects: Chronic effects, Systemic effects
 Value: 1,66 mg/kg

PNEC
 Di-t-nonyl Polysulfide : Fresh water sediment
 Value: 3,85 mg/kg

Marine sediment
 Value: 0,385 mg/kg

Oral
 Value: 66,7 mg/kg

8.2**Exposure controls****Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as: A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Footwear protecting against chemicals.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties**9.1****Information on basic physical and chemical properties****Appearance**

Form : liquid
Physical state : liquid
Color : Yellow to yellow-orange
Odor : Mildly unpleasant

Safety data

Flash point : 136-144°C (277-291°F)
Method: PMCC

Lower explosion limit : No data available

Upper explosion limit : No data available

Oxidizing properties : No

Autoignition temperature : 240°C (464°F)

Molecular formula : C₁₈H₃₈S_x (x= average of 5)

Molecular weight : Varies

pH : Not applicable

Melting point/ range : <-20,0°C (<-4,0°F)

Freezing point : <-20,0°C (<-4,0°F)

Boiling point/boiling range : 208,3-263,8°C (406,9-506,8°F)
at 99,80 kPa
Decomposes

Vapor pressure : 0,00 Pa
at 25°C (77°F)

Relative density : 1,03

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

at 20,0 °C (68,0 °F)

Water solubility	: 0,063 µg/l at 20°C (68°F)
Partition coefficient: n-octanol/water	: log Pow: > 5,2 at 20°C (68°F) Method: OECD Test Guideline 123
Solubility in other solvents	: Medium: Hydrocarbons soluble Medium: Water Insoluble
Viscosity, kinematic	: 129 mm ² /s at 20°C (68°F) 34,4 mm ² /s at 40°C (104°F)
Relative vapor density	: No data available
Evaporation rate	: < 1

9.2**Other information**

Conductivity : No data available

SECTION 10: Stability and reactivity**10.1****Reactivity** : Stable under recommended storage conditions.**10.2****Chemical stability** : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.**10.3****Possibility of hazardous reactions****Hazardous reactions** : Further information: No decomposition if stored and applied as directed.**10.4****Conditions to avoid** : No data available.**10.6****Hazardous decomposition products** : Carbon oxides
Sulfur oxides

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

Other data : No decomposition if stored and applied as directed.**SECTION 11: Toxicological information****11.1****Information on toxicological effects****Acute oral toxicity**

Di-t-nonyl Polysulfide : LD50: 19.550 mg/kg
Species: Rat
Sex: male and female
Method: OECD Test Guideline 401

Acute inhalation toxicity

Di-t-nonyl Polysulfide : LC50: > 15,5 mg/l
Exposure time: 4 h
Species: Rat
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity

Di-t-nonyl Polysulfide : LD50: > 2.000 mg/kg
Species: Rabbit
Sex: male and female
Method: OECD Test Guideline 402
Information given is based on data obtained from similar substances.

Skin irritation

Di-t-nonyl Polysulfide : slight irritation.

Eye irritation

Di-t-nonyl Polysulfide : No eye irritation

Sensitization

Di-t-nonyl Polysulfide : May cause sensitization by skin contact.

Repeated dose toxicity

Di-t-nonyl Polysulfide : Species: Rat, female
Sex: female
Application Route: oral gavage
Dose: 500, 1000 mg/kg
Exposure time: 14 d
Number of exposures: daily
No significant adverse effects were reported

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

Species: Rat, male
Sex: male
Application Route: oral gavage
Dose: 100, 300, 1000 mg/kg
Exposure time: 90 d
Number of exposures: daily
NOEL: 100 mg/kg
Method: OECD Test Guideline 408
Target Organs: Kidney, Liver, spleen

Species: Rat, female
Sex: female
Application Route: oral gavage
Dose: 100, 300, 1000 mg/kg
Exposure time: 90 d
Number of exposures: daily
NOEL: 1.000 mg/kg
Method: OECD Test Guideline 408
Target Organs: Liver, spleen

Genotoxicity in vitro

Di-t-nonyl Polysulfide

: Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Guideline 473
Result: negative

Test Type: Mouse lymphoma assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 490
Result: negative

Reproductive toxicity

Di-t-nonyl Polysulfide

: No adverse effects expected
Information given is based on data obtained from similar substances.

Developmental Toxicity

Di-t-nonyl Polysulfide

: Species: Rat
Application Route: oral gavage
Dose: 100, 300, 1000 mg/kg
Number of exposures: daily
Test period: GD 6-20
Method: OECD Guideline 414
NOAEL Teratogenicity: 1.000 mg/kg
NOAEL Maternal: 1.000 mg/kg

11.2**Information on other hazards**

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

Di-tert-Nonyl Polysulfide (TNPS 537)

Further information : No data available.

Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information**12.1****Toxicity****Toxicity to fish**

Di-t-nonyl Polysulfide : No data available

Toxicity to daphnia and other aquatic invertebrates

Di-t-nonyl Polysulfide : No data available

Toxicity to algae

Di-t-nonyl Polysulfide : ErL50: > 0,78 µg/l
Exposure time: 72 h
Species: Raphidocelis subcapitata (freshwater green alga)
Growth inhibition Method: OECD Test Guideline 201

M-Factor

Polysulfides, di-tert-nonyl : M-Factor (Chron. Aquat. Tox.) 100

Toxicity to fish (Chronic toxicity)

Di-t-nonyl Polysulfide : NOEL: 0,0001 mg/l
Species: Pimephales promelas (fathead minnow)
Test substance: yes
Method: OECD Test Guideline 210

EC10: 0,00023 mg/l
Species: Pimephales promelas (fathead minnow)
Test substance: yes
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

Di-t-nonyl Polysulfide : NOEC: > 0,001 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test substance: yes
Method: OECD Test Guideline 211
No toxicity at the limit of solubility.

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

12.2**Persistence and degradability**

Biodegradability

Di-t-nonyl Polysulfide : aerobic
0 %
Testing period: 28 d
Method: OECD Test Guideline 301F
Information given is based on data obtained from similar substances.

12.3**Bioaccumulative potential**

Bioaccumulation

Di-t-nonyl Polysulfide : Species: Cyprinus carpio (Carp)
Exposure time: 14 d
Method: OECD Test Guideline 305
Does not bioaccumulate.
Information given is based on data obtained from similar substances.

12.4**Mobility in soil**

Mobility

Di-t-nonyl Polysulfide : No data available

12.5**Results of PBT and vPvB assessment**

Results of PBT assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6**Endocrine disrupting properties**

Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7**Other adverse effects**

Additional ecological information : No data available

12.8**Additional Information****Ecotoxicology Assessment**

Long-term (chronic) aquatic hazard

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

Di-t-nonyl Polysulfide : Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations**13.1****Waste treatment methods**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information**14.1 - 14.7****Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III, (136 - 144 °C c.c.), MARINE POLLUTANT, (DI-T-NONYL POLYSULFIDE)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN3334, AVIATION REGULATED LIQUID, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III, (-)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

90, UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (DI-T-NONYL POLYSULFIDE), 9, III

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information**15.1**

Safety, health and environmental regulations/legislation specific for the substance or mixture
National legislation

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Water hazard class
(Germany)

: WGK 1 slightly hazardous to water
 Description of the classification procedure for all materials, which are not named in the appendices 1 and 2, on the basis of R-sentence-classifications of the European dangerous materials

15.2**Chemical Safety Assessment**

Components : Polysulfides, di-tert-nonyl 270-336-2

Major Accident Hazard Legislation : 96/82/EC Update: 2003
 Directive 96/82/EC does not apply

: ZEU_SEVES3 Update:
 ENVIRONMENTAL HAZARDS
 E1
 Quantity 1: 100 t
 Quantity 2: 200 t

Notification status

Europe REACH : This product is in full compliance according to REACH regulation 1907/2006/EC.
 Switzerland CH INV : On the inventory, or in compliance with the inventory
 United States of America (USA) : On or in compliance with the active portion of the
 TSCA TSCA inventory
 Canada DSL : All components of this product are on the Canadian
 DSL
 Australia AIIC : On the inventory, or in compliance with the inventory

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

New Zealand NZIoC	:	Not in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Japan ISHL	:	On the inventory, or in compliance with the inventory
Korea KECI	:	Not in compliance with the inventory
Philippines PICCS	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory
Taiwan TCSI	:	On the inventory, or in compliance with the inventory
Other TECI	:	On the inventory, or in compliance with the inventory

SECTION 16: Other information

Revision Date : 2025-10-10
Date of last issue : 2023-05-19

Further information

Legacy SDS Number : 168730

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value

Di-tert-Nonyl Polysulfide (TNPS 537)

Version 2.0

Revision Date 2025-10-10

IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

Full text of H-Statements referred to under sections 2 and 3.

- H317

May cause an allergic skin reaction.
- H410

Very toxic to aquatic life with long lasting effects.