

**Synfluid® PAO 8 cSt**

Version 1.21

Revision Date 2025-10-22

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product information**

Product Name : Synfluid® PAO 8 cSt
Material : 1133535, 1111743, 1111742, 1111735, 1079836, 1079942, 1079666

Use : Synthetic Lubricants

Uses advised against :
This material should not be used for purposes other than the identified uses in section 1 without expert advice.

Company : Chevron Phillips Chemical Company LP
9500 Lakeside Blvd.
The Woodlands, TX 77381

Emergency telephone:**Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Synfluid® PAO 8 cSt

Version 1.21

Revision Date 2025-10-22

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
 Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000

Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606

Slovakia: +421 2 5477 4166

Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared : Product Safety and Toxicology Group
 the SDS

E-mail address : SDS@CPChem.com

Website : www.CPChem.com

SECTION 2: Hazards identification**Classification of the substance or mixture**

GHS Classification and labelling according to JIS Z 7252-2019 and JIS Z 7253-2019 (GHS 2015)

Classification

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

Labeling

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS).

SECTION 3: Composition/information on ingredients

Synonyms : Polyalphaolefin
 PAO

Molecular formula : Polymer

Synfluid® PAO 8 cSt

Version 1.21

Revision Date 2025-10-22

Chemical name	CAS-No.	Concentration	ENCS/ISHL number
1-Decene Homopolymer Hydrogenated	68037-01-4	100%	9-2375 (6)-1109 9-3416

Contains no hazardous ingredients according to GHS.

SECTION 4: First aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
- In case of eye contact : Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Notes to physician

- Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

- Flash point : 252-265°C (486-509°F)
Method: ASTM D-92
- Autoignition temperature : 369°C (696°F)
- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet.
- Specific hazards during fire fighting : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Fire and explosion protection : Normal measures for preventive fire protection.
- Hazardous decomposition products : Carbon oxides.

Synfluid® PAO 8 cSt

Version 1.21

Revision Date 2025-10-22

SECTION 6: Accidental release measures

- Personal precautions : Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.
- Environmental precautions : No special environmental precautions required.
- Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage**Handling**

- Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

- Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.
- Uses advised against : This material should not be used for purposes other than the identified uses in section 1 without expert advice.
- Advice on common storage : No materials to be especially mentioned.
- Use : Synthetic Lubricants

SECTION 8: Exposure controls/personal protection**Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

- Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate.
- Hand protection : The suitability for a specific workplace should be discussed

Synfluid® PAO 8 cSt

Version 1.21

Revision Date 2025-10-22

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection	:	Eye wash bottle with pure water. Tightly fitting safety goggles.
Skin and body protection	:	Choose body protection according to the amount and concentration of the substance and the task performed at the work place. Appropriate PPE may include:. Lightweight protective clothing.
Hygiene measures	:	General industrial hygiene practice.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

Physical state	:	liquid
Color	:	Clear, Colorless
Odor	:	Odorless

Safety data

Flash point	:	252-265°C (486-509°F) Method: ASTM D-92
Lower explosion limit	:	Not applicable
Upper explosion limit	:	Not applicable
Flammability (solid, gas)	:	
Oxidizing properties	:	no
Autoignition temperature	:	369°C (696°F)
Thermal decomposition	:	No data available
Molecular formula	:	Polymer
Molecular weight	:	Varies
pH	:	Not applicable
Pour point	:	No data available
Melting point/freezing point	:	Not applicable
Boiling point/boiling range	:	430°C (806°F)
Vapor pressure	:	0.10 MMHG at 232°C (450°F)

Synfluid® PAO 8 cSt

Version 1.21

Revision Date 2025-10-22

Relative density	: 0.83 at 15.6 °C (60.1 °F)
Water solubility	: Soluble in hydrocarbon solvents; insoluble in water.
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: 46 cSt at 40°C (104°F)
Relative vapor density	: 10 (Air = 1.0)
Evaporation rate	: 3 Method: ASTM D5800

SECTION 10: Stability and reactivity

Reactivity	: Stable at normal ambient temperature and pressure.
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous reactions	
Hazardous reactions	: Further information: Stable under recommended storage conditions., No hazards to be specially mentioned.
Conditions to avoid	: No data available.
Materials to avoid	: No data available.
Thermal decomposition	: No data available
Hazardous decomposition products	: Carbon oxides
Other data	: No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Synfluid® PAO 8 cSt Acute oral toxicity	: LD50 Oral: > 5,000 mg/kg Species: Rat
Synfluid® PAO 8 cSt Acute inhalation toxicity	: LC50: > 5.2 mg/l Exposure time: 4 h

Synfluid® PAO 8 cSt

Version 1.21

Revision Date 2025-10-22

Species: Rat
Test atmosphere: dust/mist

**Synfluid® PAO 8 cSt
Acute dermal toxicity**

: LD50: > 2,000 mg/kg
Species: Rabbit

**Synfluid® PAO 8 cSt
Skin irritation**

: No skin irritation

**Synfluid® PAO 8 cSt
Eye irritation**

: No eye irritation

**Synfluid® PAO 8 cSt
Sensitization**

: Did not cause sensitization on laboratory animals.

Repeated dose toxicity

1-Decene Homopolymer
Hydrogenated

: Species: Rat
Application Route: Oral
Dose: 0, 8000, 20000, 50000 ppm
Exposure time: 28 day
Number of exposures: daily
NOEL: 6,245 mg/kg
Method: OECD Test Guideline 407

Species: Rat
Application Route: oral gavage
Dose: 0, 1000, 7000, 50000 ppm
Exposure time: 13 weeks
Number of exposures: daily
NOEL: 4,159.4 mg/kg
Method: OCED Guideline 408

**Synfluid® PAO 8 cSt
Genotoxicity in vitro**

: Remarks: No adverse effects expected, Information given is based on data obtained from similar substances.

**Synfluid® PAO 8 cSt
Genotoxicity in vivo**

: Remarks: No adverse effects expected, Information given is based on data obtained from similar substances.

**Synfluid® PAO 8 cSt
Carcinogenicity**

: Remarks: This information is not available.

Reproductive toxicity

1-Decene Homopolymer
Hydrogenated

: Species: Rat
Sex: male and female
Application Route: oral gavage
Dose: 0, 100, 500, 1000 mg/kg
Number of exposures: daily

Synfluid® PAO 8 cSt

Version 1.21

Revision Date 2025-10-22

Test period: 10 weeks
Method: OECD Test Guideline 415
NOAEL Parent: 1,000 mg/kg

Developmental Toxicity

1-Decene Homopolymer Hydrogenated : Animal testing did not show any effects on fetal development. Information given is based on data obtained from similar substances.

Aspiration toxicity

1-Decene Homopolymer Hydrogenated : No aspiration toxicity classification.

Toxicology Assessment**Synfluid® PAO 8 cSt
CMR effects**

: Carcinogenicity:
Not classifiable as a human carcinogen.
Mutagenicity:
Animal testing did not show any mutagenic effects.
Teratogenicity:
no developmental effects
Reproductive toxicity:
No toxicity to reproduction

**Synfluid® PAO 8 cSt
Further information**

: No data available.

SECTION 12: Ecological information**Ecotoxicity effects**

Toxicity to fish : LL50: > 1,000 mg/l
Exposure time: 96 h
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates : EL50: > 1,000 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)
static test Method: OECD Test Guideline 202

Toxicity to algae : NOELR: 1,000 mg/l
Exposure time: 72 h
Species: Scenedesmus capricornutum (fresh water algae)
static test Method: OECD Test Guideline 201

Biodegradability : This material is not expected to be readily biodegradable.
Expected to be inherently biodegradable.

Synfluid® PAO 8 cSt

Version 1.21

Revision Date 2025-10-22

Elimination information (persistence and degradability)

Bioaccumulation : This material is not expected to bioaccumulate.

Mobility : No data available

Results of PBT assessment

1-Decene Homopolymer : Non-classified PBT substance, Non-classified vPvB substance
Hydrogenated

Additional ecological information : No data available

Ecotoxicology Assessment

Short-term (acute) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

Long-term (chronic) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

Synfluid® PAO 8 cSt

Version 1.21

Revision Date 2025-10-22

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Other information	: Polyolefin (molecular weight 300+), S.T. 2, Cat.Y
--------------------------	--

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information**National legislation****Poisonous and Deleterious Substances Control Law**

: Not applicable

Industrial Safety and Health Law

Substances Subject to be : Not applicable
Notified Names

Enforcement Order of the :
Industrial Safety and Health
Law - Attached table 1
(Dangerous Substances)

Harmful Substances Required : Not applicable
Permission for Manufacture

Hazardous Substances : Not applicable
Subject to Labeling
Requirements

Ordinance on Prevention of : Not applicable
Organic Solvent Poisoning

Ordinance on Prevention of : Not applicable
Lead Poisoning

Harmful Substances : Not applicable
Prohibited from Manufacture

Ordinance on Prevention of : Not applicable
Hazards Due to Specified

Synfluid® PAO 8 cSt

Version 1.21

Revision Date 2025-10-22

Chemical Substances
 Ordinance on Prevention of
 Tetraalkyl Lead Poisoning : Not applicable
 : Not applicable
 : Not applicable

Substances Prevented From : Not applicable
 Impairment of Health Listed

Chemical Substance Control Law

: Not applicable for Specified Chemical Substance, Monitoring
 Chemical Substance and Priority Assessment Chemical
 Substance.

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

: Not applicable

Other regulations

Fire Service Law : Not applicable to dangerous materials / designated flammables.

Fire Service Law : Designated Flammable Substances
 Flammable liquid

High Pressure Gas Safety Act : Not applicable

Explosive Control Law : Not applicable

Vessel Safety Law : Not regulated as a dangerous good

Aviation Law : Not regulated as a dangerous good

Notification status

Europe REACH : This product is in full compliance according to REACH
 regulation 1907/2006/EC.
 Switzerland CH INV : On the inventory, or in compliance with the inventory
 United States of America (USA) : On or in compliance with the active portion of the
 TSCA TSCA inventory
 Canada DSL : All components of this product are on the Canadian
 DSL
 Australia AIIC : On the inventory, or in compliance with the inventory
 New Zealand NZIoC : On the inventory, or in compliance with the inventory
 Notification number: HSR002606
 Japan ENCS : On the inventory, or in compliance with the inventory
 Korea KECI : All substances in this product were registered, notified
 to be registered, or exempted from registration by
 CPChem through an Only Representative according to
 K-REACH regulations. Importation of this product is
 permitted if the Korean Importer of Record was
 included on CPChem's notifications or if the Importer of

Synfluid® PAO 8 cSt

Version 1.21

Revision Date 2025-10-22

Record themselves notified the substances.

Philippines PICCS : On the inventory, or in compliance with the inventory
 Taiwan TCSI : On the inventory, or in compliance with the inventory
 China IECSC : On the inventory, or in compliance with the inventory

SECTION 16: Other information**Further information**

Legacy SDS Number : 3334

NSF H1, HX-1 Registered, meets USDA 1998 H1 Guidelines

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIRC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and

Synfluid® PAO 8 cSt

Version 1.21

Revision Date 2025-10-22

			Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate