

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product information**

Product Name : Sulfole® 100 Mercaptan  
Material : 1098106, 1024816, 1021527, 1035961, 1021528, 1021529, 1021526, 1027474, 1105025  
Use : Chemical intermediate  
Uses advised against : This material should not be used for purposes other than the identified uses in section 1 without expert advice.

**Company** : Chevron Phillips Chemical Company LP  
Specialty Chemicals  
9500 Lakeside Blvd.  
The Woodlands, TX 77381

**Emergency telephone:****Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000

Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606

Slovakia: +421 2 5477 4166

Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared : Product Safety and Toxicology Group  
the SDS

E-mail address : SDS@CPChem.com

Website : www.CPChem.com

**SECTION 2: Hazards identification****Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

**Classification**

: Flammable liquids, Category 4  
Skin irritation, Category 2  
Eye irritation, Category 2A  
Skin sensitization, Category 1

**Labeling**

Symbol(s)

:



Signal Word

: Warning

Hazard Statements

: H227: Combustible liquid.  
H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H319: Causes serious eye irritation.

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

Precautionary Statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing mist or vapors.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
**Storage:**  
P403 Store in a well-ventilated place.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Potential Health Effects**

Symptoms of Overexposure : No data available

**Carcinogenicity:****IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 3: Composition/information on ingredients**

Synonyms : 100 Mercaptan  
TNM and TDM Mixture

Molecular formula : Mixture

Component	CAS-No.	Weight %
tert-Nonanethiol	25360-10-5	60 - 75
tert-Dodecanethiol	25103-58-6	25 - 40

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

**SECTION 4: First aid measures**

- General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.
- If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

**Notes to physician**

- Symptoms : No data available.
- Risks : No data available.
- Treatment : Treat symptomatically.

**SECTION 5: Firefighting measures**

- Flash point : 67°C (153°F)
- Autoignition temperature : No data available
- Suitable extinguishing media : Carbon dioxide (CO2).
- Unsuitable extinguishing media : High volume water jet.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
- Fire and explosion protection : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

Hazardous decomposition : Carbon oxides. Sulfur oxides.  
products

**SECTION 6: Accidental release measures**

Personal precautions : Use personal protective equipment. Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

**SECTION 7: Handling and storage****Handling**

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.

**Storage**

Requirements for storage areas and containers : No smoking. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Uses advised against : This material should not be used for purposes other than the identified uses in section 1 without expert advice.

Use : Chemical intermediate

**SECTION 8: Exposure controls/personal protection****Ingredients with workplace control parameters**

Chevron Phillips Chemical Company LP

Components	Basis	Value	Control parameters	Note
------------	-------	-------	--------------------	------

SDS Number:100000014209

5/20

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

tert-Dodecanethiol	Manufacturer	TWA	0.1 ppm,	
--------------------	--------------	-----	----------	--

**US**

Components	Basis	Value	Control parameters	Note
------------	-------	-------	--------------------	------

**Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

- Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Flame retardant protective clothing. Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Footwear protecting against chemicals.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties****Appearance**

- Form : liquid
- Physical state : liquid
- Color : Colorless
- Odor : Repulsive

**Safety data**

SDS Number:100000014209

6/20

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

Flash point	: 67°C (153°F)
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Molecular formula	: Mixture
Molecular weight	: Not applicable
pH	: Not applicable
Freezing point	: No data available
Pour point	No data available
Boiling point/boiling range	: 188-233°C (370-451°F) estimated
Vapor pressure	: 0.02 PSI at 25.5°C (77.9°F)
Relative density	: 0.855 at 15.6 °C (60.1 °F)
Density	: 853.2 g/l
Water solubility	: negligible
Partition coefficient: n-octanol/water	: No data available
Viscosity, dynamic	: 1.77 cP
Relative vapor density	: 3 (Air = 1.0)
Evaporation rate	: 1
Percent volatile	: > 99 %

**SECTION 10: Stability and reactivity**

**Reactivity** : Stable under recommended storage conditions.

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

<b>Chemical stability</b>	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
<b>Possibility of hazardous reactions</b>	
<b>Hazardous reactions</b>	: Hazardous reactions: Hazardous polymerization does not occur.  Hazardous reactions: Vapors may form explosive mixture with air.
<b>Conditions to avoid</b>	: Heat, flames and sparks.
<b>Materials to avoid</b>	: Avoid oxidizing agents.
<b>Thermal decomposition</b>	: No data available
<b>Hazardous decomposition products</b>	: Carbon oxides Sulfur oxides
<b>Other data</b>	: No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information****Acute oral toxicity**

tert-Nonanethiol : LD50: 5,550 mg/kg  
Species: Rat  
Method: OECD Test Guideline 401  
Symptoms: Disorientation, Loss of balance

tert-Dodecanethiol LD50: > 2,000 mg/kg  
Species: Rat  
Sex: female  
Method: OECD Test Guideline 423

**Acute inhalation toxicity**

tert-Nonanethiol : LC50: > 7.04 mg/l  
Exposure time: 4.5 h  
Species: Rat  
Sex: male and female  
Test atmosphere: vapor  
Method: OECD Test Guideline 403

tert-Dodecanethiol LC50: > 1.97 mg/l  
Exposure time: 4 h  
Species: Rat  
Sex: male and female  
Test atmosphere: vapor  
Method: OECD Test Guideline 403  
Information given is based on data obtained from similar substances.



**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

**Acute dermal toxicity**

- tert-Nonanethiol : LD50: > 2,000 mg/kg  
Species: Rat  
Sex: male  
Method: OECD Test Guideline 402
- tert-Dodecanethiol : LD50: > 2,000 mg/kg  
Species: Rat  
Sex: male  
Method: OECD Test Guideline 402  
Information given is based on data obtained from similar substances.

**Sulfole® 100 Mercaptan  
Skin irritation**

- : Skin irritation  
largely based on animal evidence.  
May cause skin irritation and/or dermatitis.

**Sulfole® 100 Mercaptan  
Eye irritation**

- : Eye irritation  
largely based on animal evidence.  
Vapors may cause irritation to the eyes, respiratory system  
and the skin.

**Sulfole® 100 Mercaptan  
Sensitization**

- : Causes sensitization.  
largely based on animal evidence.  
Causes sensitization.

**Repeated dose toxicity**

- tert-Nonanethiol : Species: Rat, male and female  
Sex: male and female  
Application Route: Inhalation  
Dose: 0, 26, 98 ppm  
Exposure time: 4 wk  
Number of exposures: 6 h/d, 5 days/wk  
Lowest observable effect level: 26 ppm  
Method: OECD Guideline 412  
Target Organs: Kidney, Liver  
Information given is based on data obtained from similar substances.

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

Species: Rat, female  
Sex: female  
Application Route: Inhalation  
Dose: 5, 25, 100 ppm  
Exposure time: 13 wk  
Number of exposures: 6h/d, 5d/wk  
NOEL: 25 ppm  
Method: OECD Test Guideline 413  
Information given is based on data obtained from similar substances.

Species: Rat, male  
Sex: male  
Application Route: Inhalation  
Dose: 5, 25, 100 ppm  
Exposure time: 13 wk  
Number of exposures: 6h/d, 5d/wk  
NOEL: 25 ppm  
Method: OECD Test Guideline 413  
Information given is based on data obtained from similar substances.

tert-Dodecanethiol

Species: Rat, male  
Sex: male  
Application Route: Inhalation  
Dose: 0, 26, 98 ppm  
Exposure time: 4 wk  
Number of exposures: 6 h/d, 5 d/wk  
Lowest observable effect level: 26 ppm  
Method: OECD Test Guideline 412  
Target Organs: Kidney, Liver

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

Species: Rat, female  
Sex: female  
Application Route: Inhalation  
Dose: 0, 26, 98 ppm  
Exposure time: 4 wk  
Number of exposures: 6 h/d, 5 d/wk  
NOEL: 26 ppm  
Method: OECD Guideline 412  
Target Organs: Liver, Kidney

Species: Dog, male and female  
Sex: male and female  
Application Route: Inhalation  
Dose: 0, 25, 106 ppm  
Exposure time: 4 wk  
Number of exposures: 6 h/d, 5 d/wk  
NOEL: 25 ppm  
Lowest observable effect level: 109 ppm  
Method: OECD Test Guideline 412  
Target Organs: Liver

Species: Mouse, male and female  
Sex: male and female  
Application Route: Inhalation  
Dose: 0, 25, 109 ppm  
Exposure time: 4 wk  
Number of exposures: 6 h/d, 5 d/wk  
Lowest observable effect level: 25 ppm  
Method: OECD Test Guideline 412  
Target Organs: Liver

Species: Rat, male  
Sex: male  
Application Route: oral gavage  
Dose: 50, 100, 200 mg/kg  
Exposure time: 10 wk  
Number of exposures: once daily  
NOEL: 200 mg/kg  
Method: OECD Guideline 422  
Target Organs: Kidney, Liver

Species: Rat, female  
Sex: female  
Application Route: oral gavage  
Dose: 50, 100, 200 mg/kg  
Exposure time: 8 - 9 wk  
Number of exposures: once daily  
NOEL: 200 mg/kg  
Method: OECD Guideline 422  
Target Organs: Liver

Species: Rat, male  
Sex: male  
Application Route: Inhalation  
Dose: 5, 25, 100 ppm  
Exposure time: 13 wk  
Number of exposures: 6h/d, 5d/wk  
NOEL: 25 ppm  
Method: OECD Test Guideline 413

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

Species: Rat, female  
Sex: female  
Application Route: Inhalation  
Dose: 5, 25, 100 ppm  
Exposure time: 13 wk  
Number of exposures: 6h/d, 5d/wk  
NOEL: 25 ppm  
Method: OECD Test Guideline 413

**Genotoxicity in vitro**

tert-Nonanethiol : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: Mutagenicity (Escherichia coli - reverse mutation assay)  
Result: negative  
Remarks: In vitro tests did not show mutagenic effects

tert-Dodecanethiol Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Mouse lymphoma assay  
Metabolic activation: with and without metabolic activation  
Method: OECD Guideline 476  
Result: negative

Test Type: Sister Chromatid Exchange Assay  
Metabolic activation: with and without metabolic activation  
Method: OECD Guideline 479  
Result: negative

Test Type: Chromosome aberration test in vitro  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

**Genotoxicity in vivo**

tert-Dodecanethiol : Test Type: In vivo micronucleus test  
Species: Mouse  
Route of Application: Oral  
Dose: 1250, 2500, 5000 mg/kg/bw  
Method: Mutagenicity (micronucleus test)  
Result: negative  
Remarks: Information given is based on data obtained from similar substances.

**Reproductive toxicity**

tert-Dodecanethiol : Species: Rat  
Sex: male  
Application Route: oral gavage  
Dose: 50, 100, 200 mg/kg/d  
Exposure time: 10 wk  
Number of exposures: Daily  
Method: OECD Guideline 422

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

NOAEL Parent: 200 mg/kg  
Animal testing did not show any effects on fertility.

Species: Rat  
Sex: female  
Application Route: oral gavage  
Dose: 50, 100, 200 mg/kg/d  
Exposure time: 8 - 9 wk  
Number of exposures: Daily  
Method: OECD Guideline 422  
NOAEL Parent: 200 mg/kg  
NOAEL F1: 100 mg/kg  
Animal testing did not show any effects on fertility.  
Reduced fetal weight.

Species: Rat  
Sex: male  
Application Route: oral gavage  
Dose: 25, 75, 200 mg/kg/d  
Exposure time: 18 wk  
Number of exposures: Daily  
Method: OECD Test Guideline 443  
NOAEL Parent: 200 mg/kg  
NOAEL F1: 200 mg/kg  
NOAEL F2: 200 mg/kg  
Animal testing did not show any effects on fertility.

Species: Rat  
Sex: female  
Application Route: oral gavage  
Dose: 25, 75, 200 mg/kg/d  
Exposure time: 16 - 18 wk  
Number of exposures: Daily  
Method: OECD Test Guideline 443  
NOAEL Parent: 200 mg/kg  
NOAEL F1: 200 mg/kg  
NOAEL F2: 200 mg/kg  
Animal testing did not show any effects on fertility.  
Reduced fetal weight.

**Developmental Toxicity**

tert-Nonanethiol

: Species: Rat  
Application Route: Inhalation  
Dose: 0, 22.7, 88.6 ppm  
Number of exposures: 6 h/d  
Test period: GD 6 - 19  
Method: OECD Guideline 414  
NOAEL Teratogenicity:  $\geq$  88.6 ppm  
NOAEL Maternal:  $\geq$  88.6 ppm  
No adverse effects expected  
Information given is based on data obtained from similar substances.

tert-Dodecanethiol

Species: Rat  
Application Route: Inhalation  
Dose: 0, 22.7, 88.6 ppm  
Number of exposures: 6 hrs/d  
Test period: GD 6-19

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

Method: OECD Guideline 414  
 NOAEL Teratogenicity:  $\geq 88.6$  ppm  
 No adverse effects expected

Species: Mouse  
 Application Route: Inhalation  
 Dose: 0, 22.7, 88.6 ppm  
 Number of exposures: 6 hrs/d  
 Test period: GD 6-19  
 Method: OECD Guideline 414  
 NOAEL Teratogenicity:  $\geq 88.6$  ppm  
 No adverse effects expected

Species: Rabbit  
 Application Route: oral gavage  
 Dose: 0, 50, 100, 200 mg/kg/d  
 Number of exposures: Daily  
 Test period: GD 6-28  
 Method: OECD Guideline 414  
 NOAEL Teratogenicity: 100 mg/kg  
 NOAEL Maternal: 100 mg/kg  
 Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

**Sulfole® 100 Mercaptan**  
**Aspiration toxicity**

: May be harmful if swallowed and enters airways.

**CMR effects**

tert-Nonanethiol : Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
 Teratogenicity: Animal testing did not show any effects on fetal development.

tert-Dodecanethiol Carcinogenicity: Not available  
 Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
 Teratogenicity: Animal testing did not show any effects on fetal development.  
 Reproductive toxicity: No toxicity to reproduction

**Sulfole® 100 Mercaptan**  
**Further information**

: Solvents may degrease the skin.

**SECTION 12: Ecological information**

**Toxicity to fish**

tert-Nonanethiol : No data available

tert-Dodecanethiol LL50:  $> 100$  mg/l  
 Exposure time: 96 h  
 Species: Danio rerio (Zebra Fish)  
 static test Method: OECD Test Guideline 203  
 No toxicity at the limit of solubility.

**Toxicity to daphnia and other aquatic invertebrates**

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

tert-Nonanethiol : EC50: 0.090 mg/l  
Exposure time: 48 h  
Species: Daphnia magna (Water flea)  
Immobilization Method: OECD Test Guideline 202

tert-Dodecanethiol EC50: > 0.056 mg/l  
Exposure time: 48 h  
Species: Daphnia magna (Water flea)  
semi-static test Method: OECD Test Guideline 202  
No toxicity at the limit of solubility.

**Toxicity to algae**

tert-Nonanethiol : No data available

**M-Factor**

1,1-dimethylheptanethiol : M-Factor (Acute Aquat. Tox.) 10  
M-Factor (Chron. Aquat. Tox.) 10

**Toxicity to bacteria**

tert-Dodecanethiol : NOEC: 8.6 mg/l  
Exposure time: 3 h  
Growth rate  
Respiration inhibition  
Method: OECD Test Guideline 209  
  
NOEC: > 10 mg/l  
Exposure time: 3 h  
Growth rate  
Respiration inhibition  
Method: OECD Test Guideline 209

**Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)**

tert-Dodecanethiol : NOEC: 0.0108 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
semi-static test  
Method: OECD Test Guideline 211  
No toxicity at the limit of solubility.

**Biodegradability**

tert-Nonanethiol : aerobic  
Result: Not readily biodegradable.  
0 %  
Testing period: 28 d  
Method: Directive 67/548/EEC Annex V, C.4.D.

tert-Dodecanethiol : aerobic  
Result: Not readily biodegradable.

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

0 %  
 Testing period: 28 d  
 Method: OECD Test Guideline 301D

**Bioaccumulation**

tert-Nonanethiol : Accumulation in aquatic organisms is unlikely.  
 Information given is based on data obtained from similar substances.

tert-Dodecanethiol : Species: Danio rerio (zebra fish)  
 Exposure time: 15 d  
 Bioconcentration factor (BCF): > 500 - < 1,950  
 Method: OECD Test Guideline 305  
 Biomagnification factor <1  
 The product may be accumulated in organisms.

**Mobility**

tert-Nonanethiol : No data available

tert-Dodecanethiol : After release, adsorbs onto soil.

**Results of PBT assessment**

tert-Nonanethiol : Non-classified PBT substance, Non-classified vPvB substance

tert-Dodecanethiol : Non-classified PBT substance, Non-classified vPvB substance

Additional ecological information : Very toxic to aquatic life with long lasting effects.

**Ecotoxicology Assessment****Short-term (acute) aquatic hazard**

tert-Nonanethiol : Very toxic to aquatic life.

**Long-term (chronic) aquatic hazard**

tert-Nonanethiol : Very toxic to aquatic life with long lasting effects.

tert-Dodecanethiol : May cause long lasting harmful effects to aquatic life.

**SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or



**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

**SECTION 14: Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NA1993, COMBUSTIBLE LIQUID, N.O.S., (TERT-DODECANETHIOL, TERT-NONANETHIOL), III

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (TERT-NONANETHIOL), 9, III, (67 °C c.c.), MARINE POLLUTANT, (TERT-NONANETHIOL)

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (TERT-NONANETHIOL), 9, III

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (TERT-NONANETHIOL), 9, III, (-)

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

90, UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (TERT-NONANETHIOL), 9, III

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (TERT-NONANETHIOL), 9, III

**Maritime transport in bulk according to IMO instruments**

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

**SECTION 15: Regulatory information****National legislation**

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Respiratory or skin sensitization  
Skin corrosion or irritation  
Serious eye damage or eye irritation

**EPCRA - EMERGENCY PLANNING COMMUNITY RIGHT - TO - KNOW**

**CERCLA Reportable Quantity** : This material does not contain any components with a CERCLA RQ.

**SARA 302 Reportable Quantity** : This material does not contain any components with a SARA 302 RQ.

**SARA 302 Threshold Planning Quantity** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 304 Reportable Quantity** : This material does not contain any components with a section 304 EHS RQ.

**SARA 313 Components** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

**Ozone-Depletion Potential** : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**US State Regulations**

Pennsylvania Right To Know

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

: tert-Nonanethiol - 25360-10-5  
 tert-Dodecanethiol - 25103-58-6

California Prop. 65  
 Components


: This product, as shipped, does not contain any carcinogens or reproductive toxins presently known by the State of California to cause cancer or reproductive toxicity at a level of exposure subject to the requirements of California Proposition 65.

**Notification status**

Europe REACH	:	This product is in full compliance according to REACH regulation 1907/2006/EC.
Switzerland CH INV	:	On the inventory, or in compliance with the inventory
United States of America (USA) TSCA	:	On or in compliance with the active portion of the TSCA inventory
Canada DSL	:	All components of this product are on the Canadian DSL
Australia AIIC	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	Not in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Japan ISHL	:	On the inventory, or in compliance with the inventory
Korea KECI	:	Not in compliance with the inventory
Philippines PICCS	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory
Taiwan TCSI	:	On the inventory, or in compliance with the inventory
Other TECI	:	Not in compliance with the inventory

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 2  
 Fire Hazard: 2  
 Reactivity Hazard: 0



**Revision Date** : 2025-10-29  
**Date of last issue** : 2020-09-11

**Further information**

Legacy SDS Number : 34660

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the

**Sulfole® 100 Mercaptan**

Version 1.5

Revision Date 2025-10-29

specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate