

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product information**

Product Name : SCENTINEL® O-10 Gas Odorant  
Material : 1129547, 1129546, 1127873, 1098432, 1104051, 1024703,  
1024707, 1024706, 1024705, 1024704  
Use : Odorant  
Company : Chevron Phillips Chemical Company LP  
Specialty Chemicals  
9500 Lakeside Blvd.  
The Woodlands, TX 77381

**Emergency telephone:****Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000

Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606

Slovakia: +421 2 5477 4166

Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared the SDS : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com

Website : www.CPChem.com

**ODOR-FADE WARNING**

**A GAS LEAK CAN CAUSE A FIRE OR EXPLOSION RESULTING IN SERIOUS INJURY OR DEATH.**

Be aware that the stenching chemical added to gas to make it detectable may not warn of a gas leak or the presence of propane or natural gas to all persons in every instance.

Instances where the odorant in an odorized gas may be undetectable include:

- Odor intensity may fade or be eliminated for a variety of chemical and physical causes, including the oxidation of rusting pipes, adsorption into or sticking onto the interior of pipes or appliances, or absorption into liquids.
- Contact with soil in underground leaks may de-odorize or remove odorant from the gas.
- Some people have a diminished ability, or inability to smell the stench. Factors that negatively affect a person's sense of smell include age, gender, medical conditions, and alcohol/tobacco usage.
- The stench of odorized gas may not awaken sleeping persons.
- Other odors may mask or hide the stench.
- Exposure to the odor for even a short period of time, may cause nasal fatigue, where a person can no longer smell the stench.

Gas detectors listed by the Underwriters Laboratories (UL) can be used as an extra measure of safety for detecting gas leaks, especially under conditions where the odorant alone may not provide an adequate warning. Gas detectors emit a loud, shrill sound when gas is present and do not depend on sense of smell. Because the odor intensity can fade or people may have problems with

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

their sense of smell, we recommend installing, per manufacturer's instructions, one or more combustible gas detectors, in suitable locations to ensure adequate coverage to detect gas leaks.

Educate yourself, your employees, and your customers with the content of this warning and other important facts associated with the so-called "odor-fade phenomenon."

**SECTION 2: Hazards identification****Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

**Classification**

: Flammable liquids, Category 2  
Eye irritation, Category 2A  
Skin sensitization, Category 1

**Labeling**

Symbol(s)

:



Symbol(s)

:



Signal Word

: Danger  
Danger

Hazard Statements

: H225: Highly flammable liquid and vapor.  
H317: May cause an allergic skin reaction.  
H320: Causes eye irritation.  
H225: Highly flammable liquid and vapor.  
H317: May cause an allergic skin reaction.  
H319: Causes serious eye irritation.

Precautionary Statements

: **Prevention:**  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ eye protection/ face protection.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P240 Ground and bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P261 Avoid breathing mist or vapors.

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

P264 Wash skin thoroughly after handling.  
 P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.

P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

P501 Dispose of contents/ container to an approved waste disposal plant.

**Carcinogenicity:****IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 3: Composition/information on ingredients**

Synonyms : Mercaptan Mixture  
Gas Odorant

Molecular formula : Mixture

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

| Component           | CAS-No.  | Weight % |
|---------------------|----------|----------|
| Isopropyl Mercaptan | 75-33-2  | 60 - 75  |
| t-Butyl Mercaptan   | 75-66-1  | 5 - 15   |
| n-Propyl Mercaptan  | 107-03-9 | 5 - 15   |
| Dimethyl Sulfide    | 75-18-3  | 5 - 15   |

**SECTION 4: First aid measures**

- General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.
- If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

**Notes to physician**

- Risks : May be harmful if swallowed. May be harmful if swallowed and enters airways. May cause an allergic skin reaction. Causes serious eye irritation.  
May cause an allergic skin reaction. Causes serious eye irritation.
- Treatment : Treat symptomatically.

**SECTION 5: Firefighting measures**

- Flash point : <0°C (<32°F)  
Method: closed cup  
estimated
- Autoignition temperature : No data available
- Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical.
- Unsuitable extinguishing media : High volume water jet.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
- Fire and explosion protection : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
- Hazardous decomposition products : Carbon oxides. Sulfur oxides.

**SECTION 6: Accidental release measures**

- Personal precautions : Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**SECTION 7: Handling and storage****Handling**

- Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

**Storage**

Requirements for storage : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Use : Odorant

**SECTION 8: Exposure controls/personal protection****Ingredients with workplace control parameters****Chevron Phillips Chemical Company LP**

| Components        | Basis        | Value | Control parameters | Note |
|-------------------|--------------|-------|--------------------|------|
| t-Butyl Mercaptan | Manufacturer | TWA   | 0.5 ppm,           |      |

**US**

| Components         | Basis     | Value | Control parameters | Note |
|--------------------|-----------|-------|--------------------|------|
| n-Propyl Mercaptan | NIOSH REL | C     | 0.5 ppm, 1.6 mg/m3 |      |
| Dimethyl Sulfide   | ACGIH     | TWA   | 10 ppm,            |      |

**Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Air-Purifying Respirator for Organic Vapors. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection in relation to its type, to the

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Footwear protecting against chemicals.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties****Appearance**

Form : liquid  
Physical state : liquid  
Color : Clear  
Odor : Repulsive

**Safety data**

Flash point : <0°C (<32°F)  
Method: closed cup  
estimated

Lower explosion limit : No data available

Upper explosion limit : No data available

Oxidizing properties : No

Autoignition temperature : No data available

Thermal decomposition : No data available

Molecular formula : Mixture

Molecular weight : Not applicable

pH : Not applicable

Freezing point : <-45.6°C (<-50.1°F)

Pour point : No data available

Boiling point/boiling range : 46.1-76.6°C (115.0-169.9°F)

Vapor pressure : 9.00 PSI  
at 37.8°C (100.0°F)  
estimated

Relative density : 0.82  
at 15.6 °C (60.1 °F)

Density : 822 g/l



**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

|  |                               |
|--|-------------------------------|
| Water solubility                       | : ~ 0.396 PPH                 |
| Partition coefficient: n-octanol/water | : No data available           |
| Viscosity, kinematic                   | : 0.39 cSt<br>at 40°C (104°F) |
| Relative vapor density                 | : 1<br>(Air = 1.0)            |
| Evaporation rate                       | : 1                           |
| Percent volatile                       | : > 99 %                      |

**SECTION 10: Stability and reactivity**

|   |   |
|---|---|
| <b>Reactivity</b>                         | : Stable under recommended storage conditions.  |
| <b>Chemical stability</b>                 | : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.  |
| <b>Possibility of hazardous reactions</b> |   |
| <b>Hazardous reactions</b>                | : Hazardous reactions: Hazardous polymerization does not occur.<br><br>Hazardous reactions: Vapors may form explosive mixture with air. |
| <b>Conditions to avoid</b>                | : Heat, flames and sparks.  |
| <b>Thermal decomposition</b>              | : No data available   |
| <b>Hazardous decomposition products</b>   | : Carbon oxides<br>Sulfur oxides  |
| <b>Other data</b>                         | : No decomposition if stored and applied as directed.   |

**SECTION 11: Toxicological information****SCENTINEL® O-10 Gas Odorant**

**Acute oral toxicity** : Acute toxicity estimate: 2,799 mg/kg  
Method: Calculation method

**SCENTINEL® O-10 Gas Odorant**

**Acute inhalation toxicity** : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

Method: Calculation method

**SCENTINEL® O-10 Gas Odorant**

**Acute dermal toxicity** : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**SCENTINEL® O-10 Gas Odorant**

**Skin irritation** : slight irritation. largely based on animal evidence.  
May cause skin irritation and/or dermatitis.

**SCENTINEL® O-10 Gas Odorant**

**Eye irritation** : Mild eye irritation.  
May cause irreversible eye damage.

**SCENTINEL® O-10 Gas Odorant**

**Sensitization** : Causes sensitization. largely based on animal evidence.

**Repeated dose toxicity**

Isopropyl Mercaptan : Species: Rat, male and female  
Sex: male and female  
Application Route: Inhalation  
Exposure time: 13 wks  
Number of exposures: 6hrs/d, 5 d/wk  
NOEL: 0.367 mg/l 99.6 ppm  
Lowest observable effect level: 1.488 mg/l 403.4 ppm  
Method: OECD Test Guideline 413  
Target Organs: Liver, Kidney, Upper respiratory tract, Blood  
Information given is based on data obtained from similar substances.

Species: Rat, male and female  
Sex: male and female  
Application Route: oral gavage  
Dose: 10, 50, 200 mg/kg bw/day  
Exposure time: 42-53 days  
Number of exposures: Daily  
NOEL: 50 mg/kg  
Lowest observable effect level: 200 mg/kg  
Method: OECD Guideline 422  
Target Organs: Liver, Blood  
Information given is based on data obtained from similar substances.

Species: Rat, male and female  
Sex: male and female  
Application Route: Inhalation  
Exposure time: 13 wks  
Number of exposures: 6hrs/d, 5 d/wk  
NOEL: >= 196 ppm  
Method: OECD Test Guideline 413  
Target Organs: Kidney, Upper respiratory tract, Blood  
Information given is based on data obtained from similar substances.

t-Butyl Mercaptan

Species: Rat, Male and female  
Sex: Male and female  
Application Route: Inhalation

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

Dose: 9, 97, 196 ppm  
 Exposure time: 13 wks  
 Number of exposures: 6 hrs/d, 5 d/wk  
 NOEL: > 196 ppm

Species: Rat, Male and female  
 Sex: Male and female  
 Application Route: oral gavage  
 Dose: 10, 50, 200 mg/kg bw/day  
 Exposure time: 42-53 days  
 Number of exposures: Daily  
 NOEL: 50 mg/kg bw/day  
 Lowest observable effect level: 200 mg/kg bw/day  
 Method: OECD Guideline 422

Species: Rat, Male and female  
 Sex: Male and female  
 Application Route: Inhalation  
 Dose: 25.1, 99.6, 403.4 ppm  
 Exposure time: 13 wks  
 Number of exposures: 6 hrs/d, 5 d/wk  
 NOEL: 99.6 ppm  
 Lowest observable effect level: 403.4 ppm  
 Method: OECD Guideline 413  
 Target Organs: Liver, Kidney, Blood, Upper respiratory tract  
 Information given is based on data obtained from similar substances.

**n-Propyl Mercaptan**

Species: Rat, male and female  
 Sex: male and female  
 Application Route: Inhalation  
 Dose: 9, 97, 196 ppm  
 Exposure time: 13 wks  
 Number of exposures: 6 hrs/d, 5 d/wk  
 NOEL: 196 ppm  
 Method: OECD Test Guideline 413  
 Information given is based on data obtained from similar substances.

**Dimethyl Sulfide**

Species: Rat, Male and female  
 Sex: Male and female  
 Application Route: Oral diet  
 Dose: 0, 2.5, 25, 250 mg/kg bw/day  
 Exposure time: 14 wk  
 Number of exposures: daily  
 NOEL: 250 mg/kg  
 Method: OECD Test Guideline 408  
 No adverse effects expected

**Genotoxicity in vitro****Isopropyl Mercaptan**

: Test Type: reverse mutation assay  
 Test system: Salmonella typhimurium  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 471  
 Result: negative

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

|                             |   |
|-----------------------------|---|
|                             | <p>Test Type: Mouse lymphoma assay<br/>Metabolic activation: with and without metabolic activation<br/>Method: OECD Test Guideline 490<br/>Result: negative</p> <p>Test Type: Micronucleus test<br/>Metabolic activation: with and without metabolic activation<br/>Method: OECD Test Guideline 487<br/>Result: negative</p>  |
| t-Butyl Mercaptan           | <p>Test Type: Ames test<br/>Metabolic activation: with and without metabolic activation<br/>Method: OECD Test Guideline 471<br/>Result: negative</p> <p>Test Type: Mouse lymphoma assay<br/>Metabolic activation: with and without metabolic activation<br/>Method: OECD Test Guideline 476<br/>Result: negative</p> <p>Test Type: Sister Chromatid Exchange Assay<br/>Metabolic activation: with and without metabolic activation<br/>Result: negative</p>   |
| n-Propyl Mercaptan          | <p>Test Type: Ames test<br/>Metabolic activation: with and without metabolic activation<br/>Method: OECD Test Guideline 471<br/>Result: negative</p> <p>Test Type: Cytogenetic assay<br/>Metabolic activation: with and without metabolic activation<br/>Method: OECD Test Guideline 473<br/>Result: negative</p> <p>Test Type: Mouse lymphoma assay<br/>Metabolic activation: with and without metabolic activation<br/>Method: OECD Test Guideline 476<br/>Result: negative<br/>Remarks: Information given is based on data obtained from similar substances.</p> |
| Dimethyl Sulfide            | <p>Test Type: Ames test<br/>Metabolic activation: with and without metabolic activation<br/>Method: OECD Test Guideline 471<br/>Result: negative</p> <p>Test Type: Mouse lymphoma assay<br/>Metabolic activation: with and without metabolic activation<br/>Method: OECD Guideline 476<br/>Result: negative</p>   |
| <b>Genotoxicity in vivo</b> |   |
| t-Butyl Mercaptan           | <p>: Test Type: Mouse micronucleus assay<br/>Species: Mouse<br/>Dose: 1250, 2500, 5000 mg/kg<br/>Method: OECD Test Guideline 474<br/>Result: negative</p>   |

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

Dimethyl Sulfide

Test Type: In vivo micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Route of Application: Oral  
Dose: 1250, 2500, 5000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative

**Reproductive toxicity**

Isopropyl Mercaptan

: Species: Rat  
Sex: male and female  
Application Route: oral gavage  
Dose: 10, 50, 200 mg/kg/bw  
Exposure time: 42 d  
Number of exposures: Daily  
Method: OECD Guideline 422  
NOAEL Parent:  $\geq 200$  mg/kg  
NOAEL F1: 50 mg/kg  
Information given is based on data obtained from similar substances.  
No adverse effects expected

t-Butyl Mercaptan

Species: Rat  
Sex: male and female  
Application Route: oral gavage  
Dose: 10, 50, 200 mg/kg bw/day  
Number of exposures: Daily  
Test period: 42 -53 days  
Method: OECD Guideline 422  
NOAEL Parent: 200 mg/kg bw/day  
NOAEL F1: 50 mg/kg bw/day  
No adverse effects expected

**Developmental Toxicity**

Isopropyl Mercaptan

: Species: Rat  
Application Route: Inhalation  
Dose: 11, 99, 195 ppm  
Exposure time: 6h/d  
Test period: GD 9 - 19  
Method: OECD Guideline 414  
NOAEL Teratogenicity:  $\geq 195$  ppm  
NOAEL Maternal:  $\geq 195$  ppm  
Information given is based on data obtained from similar substances.

Species: Mouse  
Application Route: Inhalation  
Dose: 11, 99, 195 ppm  
Exposure time: 6h/d  
Test period: GD 9 - 19  
Method: OECD Guideline 414  
NOAEL Teratogenicity:  $\geq 195$  ppm  
NOAEL Maternal:  $\geq 195$  ppm  
Information given is based on data obtained from similar substances.

t-Butyl Mercaptan

Species: Mouse

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

Application Route: Inhalation  
 Dose: 11, 99, 195 ppm  
 Exposure time: GD 6-16  
 Number of exposures: 6 hrs/d  
 NOAEL Teratogenicity: > = 195 ppm  
 NOAEL Maternal: > = 195 ppm

Species: Rat  
 Application Route: Inhalation  
 Dose: 11, 99, 195 ppm  
 Exposure time: GD6-19  
 Number of exposures: 6 hrs/d  
 NOAEL Teratogenicity: > =195 ppm  
 NOAEL Maternal: > = 195 ppm

Species: Rat  
 Application Route: oral gavage  
 Dose: 10, 50, 200 mg/kg bw/day  
 Exposure time: 42-53 days  
 Number of exposures: Daily  
 NOAEL Teratogenicity: 50 mg/kg bw /day  
 NOAEL Maternal: 200 mg/kg bw /day

Dimethyl Sulfide

Species: Rat  
 Application Route: oral gavage  
 Dose: 100, 500, 1000 mg/kg  
 Exposure time: GD 6 - 19  
 Number of exposures: daily  
 Test period: 20 d  
 Method: OECD Guideline 414  
 NOAEL Teratogenicity: 1,000 mg/kg  
 NOAEL Maternal: 1,000 mg/kg

**SCENTINEL® O-10 Gas Odorant**

**Aspiration toxicity** : May be harmful if swallowed and enters airways.

**Sensitization**

n-Propyl Mercaptan : May cause an allergic skin reaction.

**CMR effects**

Isopropyl Mercaptan : Carcinogenicity: Not available  
 Mutagenicity: In vitro tests did not show mutagenic effects  
 Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

t-Butyl Mercaptan : Carcinogenicity: Not available  
 Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects., In vivo tests did not show mutagenic effects  
 Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

n-Propyl Mercaptan : Carcinogenicity: Not available  
 Mutagenicity: In vitro tests did not show mutagenic effects  
 Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

animal experiments., No toxicity to reproduction

Dimethyl Sulfide

Carcinogenicity: Not available

Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects., In vivo tests did not show mutagenic effects

Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

**SCENTINEL® O-10 Gas Odorant****Further information** : Solvents may degrease the skin.**SECTION 12: Ecological information****Toxicity to fish**

Isopropyl Mercaptan

: LC50: 34 mg/l

Exposure time: 96 h

semi-static test Analytical monitoring: yes

Method: OECD Test Guideline 203

Information given is based on data obtained from similar substances.

t-Butyl Mercaptan

LC50: 34 mg/l

Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout)

semi-static test Method: OECD Test Guideline 203

n-Propyl Mercaptan

LC50: 1.3 mg/l

Exposure time: 96 h

Species: Pimephales promelas (fathead minnow)

semi-static test Analytical monitoring: yes

Test substance: yes

Method: OECD Test Guideline 203

Toxic to aquatic organisms.

Dimethyl Sulfide

LC50: 213 mg/l

Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 203

**Toxicity to daphnia and other aquatic invertebrates**

Isopropyl Mercaptan

: EC50: 0.25 - 0.5 mg/l

Exposure time: 48 h

Species: Daphnia magna (Water flea)

static test Test substance: yes

Method: OECD Test Guideline 202

t-Butyl Mercaptan

EC50: 6.7 mg/l

Exposure time: 48 h

Species: Daphnia magna (Water flea)

static test Method: OECD Test Guideline 202

n-Propyl Mercaptan

EC50: 70 µg/l

Exposure time: 48 h

Species: Daphnia magna (Water flea)

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

Analytical monitoring: yes  
 Test substance: yes  
 Method: OECD Test Guideline 202  
 Very toxic to aquatic organisms.

**Dimethyl Sulfide**

EC50: 29 mg/l  
 Exposure time: 48 h  
 Species: *Daphnia magna* (Water flea)  
 static test Method: OECD Test Guideline 202

**Toxicity to algae****Isopropyl Mercaptan**

: ErC50: 21.9 mg/l  
 Exposure time: 72 h  
 Species: *Pseudokirchneriella subcapitata* (green algae)  
 static test Method: OECD Test Guideline 201

**t-Butyl Mercaptan**

EC50: 24 mg/l  
 Exposure time: 72 h  
 Species: *Pseudokirchneriella subcapitata* (green algae)  
 Method: OECD Test Guideline 201

**n-Propyl Mercaptan**

ErC50: 3 mg/l  
 Exposure time: 72 h  
 Species: *Pseudokirchneriella subcapitata* (algae)  
 Growth inhibition Method: OECD Test Guideline 201  
 Information given is based on data obtained from similar substances.

**Dimethyl Sulfide**

IC50: > 113.7 mg/l  
 Exposure time: 72 h  
 Species: *Selenastrum capricornutum* (algae)  
 Method: OECD Test Guideline 201

**M-Factor****propane-2-thiol**

: M-Factor (Acute Aquat. Tox.) 1  
 M-Factor (Chron. Aquat. Tox.) 1

**M-Factor****propane-1-thiol**

: M-Factor (Acute Aquat. Tox.) 10  
 M-Factor (Chron. Aquat. Tox.) 10

**Toxicity to bacteria****Isopropyl Mercaptan**

: EC50: 880.5 mg/l  
 Exposure time: 3 h  
 Respiration inhibition  
 Method: OECD Test Guideline 209

**n-Propyl Mercaptan**

EC50: 880.5 mg/l  
 Exposure time: 3 h  
 Respiration inhibition  
 Method: OECD Test Guideline 209



**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

Information given is based on data obtained from similar substances.

**Biodegradability** : Taking into consideration the properties of several ingredients, the product is estimated not to be readily biodegradable according to OECD classification.

**Elimination information (persistence and degradability)**

**Bioaccumulation**

**Isopropyl Mercaptan** : Bioconcentration factor (BCF): 6  
Method: QSAR modeled data  
This material is not expected to bioaccumulate.

**t-Butyl Mercaptan** : Bioconcentration factor (BCF): 12  
Method: QSAR modeled data  
This material is not expected to bioaccumulate.

**n-Propyl Mercaptan** : Bioconcentration factor (BCF): 7.26  
This material is not expected to bioaccumulate.

**Dimethyl Sulfide** : No bioaccumulation is to be expected (log Pow <= 4).

**Mobility**

**Isopropyl Mercaptan** : Method: Calculation, Mackay Level III Fugacity Model  
The product will be dispersed amongst the various environmental compartments (soil/ water/ air).

**t-Butyl Mercaptan** : Method: Calculation, Mackay Level III Fugacity Model  
The product will be dispersed amongst the various environmental compartments (soil/ water/ air).

**n-Propyl Mercaptan** : Method: Calculation, Mackay Level III Fugacity Model  
The product will be dispersed amongst the various environmental compartments (soil/ water/ air).

**Dimethyl Sulfide** : Method: Calculation, Mackay Level III Fugacity Model  
The product will be dispersed amongst the various environmental compartments (soil/ water/ air).

**Results of PBT assessment**

**Isopropyl Mercaptan** : Non-classified PBT substance, Non-classified vPvB substance

**t-Butyl Mercaptan** : Non-classified PBT substance, Non-classified vPvB substance

**n-Propyl Mercaptan** : Non-classified PBT substance, Non-classified vPvB substance

**Dimethyl Sulfide** : Non-classified PBT substance, Non-classified vPvB substance

**Additional ecological information** : Very toxic to aquatic life with long lasting effects.

**Ecotoxicology Assessment**

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

## Short-term (acute) aquatic hazard

Isopropyl Mercaptan : Very toxic to aquatic life.

t-Butyl Mercaptan : Toxic to aquatic life.

n-Propyl Mercaptan : Very toxic to aquatic life.

Dimethyl Sulfide : Harmful to aquatic life.

## Long-term (chronic) aquatic hazard

Isopropyl Mercaptan : Very toxic to aquatic life with long lasting effects.

t-Butyl Mercaptan : Toxic to aquatic life with long lasting effects.

n-Propyl Mercaptan : Very toxic to aquatic life with long lasting effects.

Dimethyl Sulfide : This material is not expected to be harmful to aquatic organisms.

**SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

**SECTION 14: Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

UN3336, MERCAPTANS, LIQUID, FLAMMABLE, N.O.S., (ISOPROPYL MERCAPTAN, N-PROPYL MERCAPTAN), 3, II

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

UN3336, MERCAPTANS, LIQUID, FLAMMABLE, N.O.S., (ISOPROPYL MERCAPTAN, N-PROPYL MERCAPTAN), 3, II, (< 0 °C c.c.), MARINE POLLUTANT, (ISOPROPYL MERCAPTAN, N-PROPYL MERCAPTAN)

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

UN3336, MERCAPTANS, LIQUID, FLAMMABLE, N.O.S., (ISOPROPYL MERCAPTAN, N-PROPYL MERCAPTAN), 3, II

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

UN3336, MERCAPTANS, LIQUID, FLAMMABLE, N.O.S., (ISOPROPYL MERCAPTAN, N-PROPYL MERCAPTAN), 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS, (ISOPROPYL MERCAPTAN, N-PROPYL MERCAPTAN)

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

33, UN3336, MERCAPTANS, LIQUID, FLAMMABLE, N.O.S., (ISOPROPYL MERCAPTAN, N-PROPYL MERCAPTAN), 3, II, ENVIRONMENTALLY HAZARDOUS, (ISOPROPYL MERCAPTAN, N-PROPYL MERCAPTAN)

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

UN3336, MERCAPTANS, LIQUID, FLAMMABLE, N.O.S., (ISOPROPYL MERCAPTAN, N-PROPYL MERCAPTAN), 3, II, ENVIRONMENTALLY HAZARDOUS, (ISOPROPYL MERCAPTAN, N-PROPYL MERCAPTAN)

**Maritime transport in bulk according to IMO instruments**

**SECTION 15: Regulatory information****National legislation**

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Respiratory or skin sensitization  
Serious eye damage or eye irritation

**CERCLA Reportable Quantity** : Calculated RQ exceeds reasonably attainable upper limit.  
Carbon disulfide  
Carbon disulfide

**SARA 302 Reportable Quantity** : Calculated RQ exceeds reasonably attainable upper limit.  
Carbon disulfide

**SARA 302 Threshold Planning Quantity** : This material does not contain any components with a section 302 EHS TPQ.  
**SARA 304 Reportable Quantity** : Calculated RQ exceeds reasonably attainable upper limit.

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

Carbon disulfide 75-15-0

100 lbs

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

: Toluene - 108-88-3  
Benzene - 71-43-2  
Carbon disulfide - 75-15-0

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489):

: Dimethyl Sulfide - 75-18-3

**US State Regulations****Pennsylvania Right To Know**

: Isopropyl Mercaptan - 75-33-2  
n-Propyl Mercaptan - 107-03-9  
t-Butyl Mercaptan - 75-66-1  
Dimethyl Sulfide - 75-18-3  
Carbon disulfide - 75-15-0  
Methyl Mercaptan - 74-93-1  
Dimethyl Disulfide - 624-92-0

California Prop. 65 Components : WARNING: This product can expose you to chemicals including [listed below], which is [are] known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov/food](http://www.P65Warnings.ca.gov/food).

Benzene

71-43-2

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

WARNING: This product can expose you to chemicals including [listed below], which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).


|                  |          |
|------------------|----------|
| Carbon disulfide | 75-15-0  |
| Toluene          | 108-88-3 |
| Benzene          | 71-43-2  |

**Notification status**

|                                     |   |
|-------------------------------------|---|
| Europe REACH                        | : This product is in full compliance according to REACH regulation 1907/2006/EC.  |
| Switzerland CH INV                  | : On the inventory, or in compliance with the inventory   |
| United States of America (USA) TSCA | : On or in compliance with the active portion of the TSCA inventory   |
| Canada DSL                          | : All components of this product are on the Canadian DSL  |
| Other AICS                          | : On the inventory, or in compliance with the inventory   |
| New Zealand NZIoC                   | : Not in compliance with the inventory  |
| Japan ENCS                          | : On the inventory, or in compliance with the inventory   |
| Korea KECI                          | : A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations. |
| Philippines PICCS                   | : On the inventory, or in compliance with the inventory   |
| China IECSC                         | : On the inventory, or in compliance with the inventory   |
| Taiwan TCSI                         | : On the inventory, or in compliance with the inventory   |

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 2  
Fire Hazard: 3  
Reactivity Hazard: 0



**Revision Date** : 2025-12-09  
**Date of last issue** : 2022-08-17

**Further information**

Legacy SDS Number : 99730

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a

**SCENTINEL® O-10 Gas Odorant**

Version 3.0

Revision Date 2025-12-09

guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

| Key or legend to abbreviations and acronyms used in the safety data sheet |  |       |  |
|---|--|-------|--|
| ACGIH   | American Conference of Government Industrial Hygienists  | LD50  | Lethal Dose 50%  |
| AIIC  | Australian Inventory of Industrial Chemicals             | LOAEL | Lowest Observed Adverse Effect Level   |
| DSL   | Canada, Domestic Substances List                         | NFPA  | National Fire Protection Agency  |
| NDSL  | Canada, Non-Domestic Substances List                     | NIOSH | National Institute for Occupational Safety & Health                                  |
| CNS   | Central Nervous System                                   | NTP   | National Toxicology Program  |
| CAS   | Chemical Abstract Service                                | NZIoC | New Zealand Inventory of Chemicals   |
| EC50  | Effective Concentration                                  | NOAEL | No Observable Adverse Effect Level   |
| EC50  | Effective Concentration 50%                              | NOEC  | No Observed Effect Concentration   |
| EGEST   | EOSCA Generic Exposure Scenario Tool                     | OSHA  | Occupational Safety & Health Administration  |
| EOSCA   | European Oilfield Specialty Chemicals Association        | PEL   | Permissible Exposure Limit   |
| EINECS  | European Inventory of Existing Chemical Substances       | PICCS | Philippines Inventory of Commercial Chemical Substances                              |
| MAK   | Germany Maximum Concentration Values                     | PRNT  | Presumed Not Toxic   |
| GHS   | Globally Harmonized System                               | RCRA  | Resource Conservation Recovery Act   |
| >=  | Greater Than or Equal To                                 | STEL  | Short-term Exposure Limit  |
| IC50  | Inhibition Concentration 50%                             | SARA  | Superfund Amendments and Reauthorization Act.  |
| IARC  | International Agency for Research on Cancer              | TLV   | Threshold Limit Value  |
| IECSC   | Inventory of Existing Chemical Substances in China       | TWA   | Time Weighted Average  |
| ENCS  | Japan, Inventory of Existing and New Chemical Substances | TSCA  | Toxic Substance Control Act  |
| KECI  | Korea, Existing Chemical Inventory                       | UVCB  | Unknown or Variable Composition, Complex Reaction Products, and Biological Materials |
| <=  | Less Than or Equal To                                    | WHMIS | Workplace Hazardous Materials Information System                                     |
| LC50  | Lethal Concentration 50%                                 | ATE   | Acute toxicity estimate  |