

## Drispac® (Regular and Superlo®) Polymer

Version 1.7 Revision Date 2025-12-01

according to GB/T 16483 and GB/T 17519

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product information**

Product Name : Drispac® (Regular and Superlo®) Polymer Material : 1127332, 1016806, 1016803, 1116045

Use : Drilling Mud Additive

Uses advised against : This material should not be used for purposes other than the

identified uses in section 1 without expert advice.

Company : Chevron Phillips Chemical Company LP

**Drilling Specialties Company LLC** 

9500 Lakeside Blvd. The Woodlands. TX 77381

Local : See Company Address

#### **Emergency telephone:**

#### Health:

866.442.9628 (North America) 1.832.813.4984 (International)

#### Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week) Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

SDS Number:100000014007 1/10

## **Drispac® (Regular and Superlo®) Polymer**

Version 1.7 Revision Date 2025-12-01

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico "Agostino Gemelli", Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico "Umberto I" Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera "Antonio Cardarelli" Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera "Papa Giovanni XXIII" Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858:

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000 Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606 Slovakia: +421 2 5477 4166 Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24

hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared : Product Safety and Toxicology Group

the SDS

E-mail address : SDS@CPChem.com Website : www.CPChem.com

#### **SECTION 2: Hazards identification**

Classification of the substance or mixture

GHS Classification and Labeling: Follow GB 13690, GB 15258 and GB 30000.2 to GB 30000.29 (GHS 2013)

#### **Emergency Overview**

Form: Powder Physical state: solid Color: White to off-white Odor: Slight

#### Classification

Not a hazardous substance or mixture.

#### Labeling

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### **SECTION 3: Composition/information on ingredients**

Synonyms : Viscosifier, Water loss control agent

SDS Number:100000014007 2/10

## Drispac® (Regular and Superlo®) Polymer

Version 1.7 Revision Date 2025-12-01

Chemical name	CAS-No. / EINECS-No.	Concentration		
		[wt%]		
Sodium Carboxymethylcellulose	9004-32-4	98 - 100		

Contains no hazardous ingredients according to GHS.

#### **SECTION 4: First aid measures**

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical

advice. If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses. Protect unharmed eye. If eye

irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do not give milk or alcoholic

beverages. Never give anything by mouth to an unconscious

person. If symptoms persist, call a physician.

Notes to physician

Treatment : Treat symptomatically.

#### **SECTION 5: Firefighting measures**

Flash point : Not applicable

Autoignition temperature : Not applicable

Unsuitable extinguishing

media

High volume water jet.

Specific hazards during fire

fighting

: Risks of ignition followed by flame propagation or secondary explosions shall be prevented by avoiding accumulation of

dust, e.g. on floors and ledges.

Special protective

equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

potential dust explosion hazard. Provide appropriate exhaust

surrounding environment.

Fire and explosion

protection

: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

ventilation at places where dust is formed.

## **SECTION 6: Accidental release measures**

Personal precautions : Avoid dust formation.

SDS Number:100000014007 3/10

## Drispac® (Regular and Superlo®) Polymer

Version 1.7 Revision Date 2025-12-01

Environmental precautions : Prevent further leakage or spillage if safe to do so. If the

product contaminates rivers and lakes or drains inform

respective authorities.

Methods for cleaning up : Pick up and arrange disposal without creating dust. Sweep up

and shovel. Keep in suitable, closed containers for disposal.

Additional advice : Contaminated surfaces will be extremely slippery. Avoid

spillage on floor as the product can become very slippery when

wet. Avoid dispersal of dust in the air (i.e., clearing dust

surfaces with compressed air).

#### **SECTION 7: Handling and storage**

#### Handling

Advice on safe handling : For personal protection see section 8. Smoking, eating and

drinking should be prohibited in the application area.

Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by

themselves be sufficient.

Advice on protection against fire and explosion

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Provide appropriate exhaust

ventilation at places where dust is formed.

#### **Storage**

Requirements for storage areas and containers
Uses advised against

: Electrical installations / working materials must comply with the

technological safety standards.

: This material should not be used for purposes other than the

identified uses in section 1 without expert advice.

Advice on common storage : No materials to be especially mentioned.

Use : Drilling Mud Additive

#### **SECTION 8: Exposure controls/personal protection**

#### Not listed

#### **Engineering measures**

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

#### Personal protective equipment

Respiratory protection : If ventilation or other engineering controls are not adequate to

SDS Number:100000014007 4/10

## Drispac® (Regular and Superlo®) Polymer

Version 1.7 Revision Date 2025-12-01

maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Air-Purifying Respirator for Dusts and Mists / P100. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators

may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Safety glasses.

Skin and body protection : Choose body protection according to the amount and

concentration of the substance and the task performed at the work place. Appropriate PPE may include: Lightweight

protective clothing. Safety shoes.

Hygiene measures : General industrial hygiene practice.

#### **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

#### **Appearance**

Form : Powder Physical state : solid

Color : White to off-white

Odor : Slight

Odor Threshold : No data available

Safety data

Flash point : Not applicable

Lower explosion limit : Not applicable

Upper explosion limit : Not applicable

Oxidizing properties : no

Autoignition temperature : Not applicable

Thermal decomposition : No data available

Molecular weight : No data available

SDS Number:100000014007 5/10

## Drispac® (Regular and Superlo®) Polymer

Version 1.7 Revision Date 2025-12-01

pH : Not applicable

Pour point : No data available

Melting point/ range No data available

Boiling point/boiling range : No data available

Vapor pressure : Not applicable

Relative density : Not applicable

Density : 1.5 g/cm3

Water solubility : Completely Soluble

Partition coefficient: n-

octanol/water

: No data available

Solubility in other solvents : No data available

Viscosity, kinematic : No data available

Relative vapor density : Not applicable

Evaporation rate : No data available

### **SECTION 10: Stability and reactivity**

**Reactivity**: Stable at normal ambient temperature and pressure.

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

#### Possibility of hazardous reactions

**Hazardous reactions** : Further information: Stable under recommended storage

conditions., No hazards to be specially mentioned.

Conditions to avoid : Generation of Dusts.

Materials to avoid : No data available.

Thermal decomposition : No data available

Other data : No decomposition if stored and applied as directed.

SDS Number:100000014007 6/10

## Drispac® (Regular and Superlo®) Polymer

Version 1.7 Revision Date 2025-12-01

#### **SECTION 11: Toxicological information**

**Acute oral toxicity** 

Sodium : LD50: 27,000 mg/kg

Carboxymethylcellulose Species: Rat

Acute inhalation toxicity

Sodium : LC50: > 5800 mg/m3Exposure time: 4 h

Carboxymethylcellulose Species: Rat

Test atmosphere: dust/mist

Drispac® (Regular and Superlo®) Polymer
Further information : No data available.

#### **SECTION 12: Ecological information**

**Ecotoxicity effects** 

**Toxicity to fish** : This material is not expected to be harmful to aquatic

organisms.

Toxicity to daphnia and other aquatic invertebrates

: This material is not expected to be harmful to aquatic

organisms.

**Toxicity to algae** : This material is not expected to be harmful to aquatic

organisms.

Biodegradability

Sodium : This material is expected to be readily biodegradable.

Carboxymethylcellulose

Bioaccumulation

Sodium : This material is not expected to bioaccumulate.

Carboxymethylcellulose

Mobility

Sodium : No data available

Carboxymethylcellulose

Additional ecological : No data available

information

#### **Ecotoxicology Assessment**

Short-term (acute) aquatic hazard

Sodium : This material is not expected to be harmful to aquatic

Carboxymethylcellulose organisms.

SDS Number:100000014007 7/10

## Drispac® (Regular and Superlo®) Polymer

Version 1.7 Revision Date 2025-12-01

Long-term (chronic) aquatic hazard

Sodium : This material is not expected to be harmful to aquatic

Carboxymethylcellulose organisms.

#### **SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

## **SECTION 14: Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

#### **US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### **IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

## RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

SDS Number:100000014007 8/10

## Drispac® (Regular and Superlo®) Polymer

Version 1.7 Revision Date 2025-12-01

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Maritime transport in bulk according to IMO instruments

#### **SECTION 15: Regulatory information**

#### **Notification status**

Europe REACH : This product is in full compliance according to REACH

regulation 1907/2006/EC.

Switzerland CH INV : Not in compliance with the inventory

United States of America (USA) : On or in compliance with the active portion of the

TSCA TSCA inventory

Canada DSL : All components of this product are on the Canadian

DSL

Australia AIIC : On the inventory, or in compliance with the inventory New Zealand NZIoC : On the inventory, or in compliance with the inventory Japan ISHL : On the inventory, or in compliance with the inventory : On the inventory, or in compliance with the inventory

Korea KECI : Not in compliance with the inventory

Philippines PICCS : On the inventory, or in compliance with the inventory China IECSC : On the inventory, or in compliance with the inventory Taiwan TCSI : On the inventory, or in compliance with the inventory Other TECI : On the inventory, or in compliance with the inventory

#### **SECTION 16: Other information**

#### **Further information**

Legacy SDS Number : 25950

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%	
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	

SDS Number:100000014007 9/10

## Drispac® (Regular and Superlo®) Polymer

Version 1.7 Revision Date 2025-12-01

CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

SDS Number:100000014007 10/10