



## Methyl-3 Mercaptopropionate

Version 3.0

Revision Date 2026-01-28

According to Regulation (EC) No. 1907/2006, Regulation (EC) No. 2020/878

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1

##### Product information

Product Name : Methyl-3 Mercaptopropionate  
 Material : 1131212, 1113892, 1086430, 1093790, 1086431, 1086432,  
 1086433, 1066661, 1025300, 1024824, 1027475, 1024823

##### EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
Methyl 3- Mercaptopropionate	2935-90-2 220-912-4	Chevron Phillips Chemicals International NV 01-2119491310-47-0000

#### 1.2

##### Relevant identified uses of the substance or mixture and uses advised against

Relevant Identified Uses Supported : Intermediate: The substance is registered as a Transported Isolated Intermediate with Strictly Controlled Conditions (SCC) defined in Article 18(4) of Regulation EC No. 1907/2006 and must therefore be handled as such.

Uses advised against : This material should not be used for purposes other than the identified uses in section 1 without expert advice.

#### 1.3

##### Details of the supplier of the safety data sheet

**Company** : Chevron Phillips Chemical Company LP  
 9500 Lakeside Blvd.  
 The Woodlands, TX 77381

**Local** : Chevron Phillips Chemicals International N.V.  
 Airport Plaza (Stockholm Building)  
 Leonardo Da Vincilaan 19  
 1831 Diegem  
 Belgium

SDS Requests: (800) 852-5530  
 Responsible Party: Product Safety Group  
 Email:sds@cpchem.com

#### 1.4

**Emergency telephone:**

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

**Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000

Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606

Slovakia: +421 2 5477 4166

Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared the SDS : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

**SECTION 2: Hazards identification****2.1****Classification of the substance or mixture****REGULATION (EC) No 1272/2008****REGULATION (EC) No 1272/2008****REGULATION (EC) No 1272/2008**

Acute toxicity, Category 3

H301:

Toxic if swallowed.

Acute toxicity, Category 2

H330:

Fatal if inhaled.

Acute toxicity, Category 4

H312:

Harmful in contact with skin.

Eye irritation, Category 2

H319:

Causes serious eye irritation.

Short-term (acute) aquatic hazard,  
Category 1

H400:

Very toxic to aquatic life.

Long-term (chronic) aquatic hazard,  
Category 1

H410:

Very toxic to aquatic life with long lasting effects.

**2.2****Labeling (REGULATION (EC) No 1272/2008)**

Hazard pictograms

:



Signal Word

:

Danger

Hazard Statements

:

H301

Toxic if swallowed.

H312

Harmful in contact with skin.

H319

Causes serious eye irritation.

H330

Fatal if inhaled.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary Statements

:

**Prevention:**

P260

Do not breathe mist or vapors.

P273

Avoid release to the environment.

**Response:**P301 + P310 + P330 IF SWALLOWED: Immediately call a  
POISON CENTER/ doctor. Rinse mouth.P304 + P340 + P310 IF INHALED: Remove person to fresh  
air and keep comfortable for breathing.  
Immediately call a POISON CENTER/  
doctor.

P391

Collect spillage.

**Storage:**

P403 + P233

Store in a well-ventilated place. Keep  
container tightly closed.

Hazardous ingredients which must be listed on the label:

- 2935-90-2 Methyl 3-Mercaptopropionate

**2.3**

SDS Number:100000013277

3/17

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

**Other hazards**

Results of PBT and vPvB assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients**

Synonyms : MMP  
Methyl beta-Mercaptopropionate  
Methyl-3 Mercaptopropionate

Molecular formula : C4H8O2S

**Hazardous ingredients**

Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]	Specific Conc. Limits, M-factors and ATEs
Methyl 3-Mercaptopropionate	2935-90-2 220-912-4	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 4; H312 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	99 - 100	ATE 194 mg/kg  ATE vapor 0,5 mg/l  ATE 1.903,7 mg/kg  M [Acute]=1 M [Chronic]=1

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: First aid measures****4.1****Description of first-aid measures**

General advice : Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : Call a physician or poison control center immediately. If unconscious, place in recovery position and seek medical advice.

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

- In case of skin contact : Take victim immediately to hospital. If on skin, rinse well with water. If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

**4.2 Most important symptoms and effects, both acute and delayed  
Notes to physician**

- Symptoms : No data available.
- Risks : No data available.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Treatment : Treat symptomatically.

**SECTION 5: Firefighting measures**

- Flash point : 67°C (153°F)  
Method: closed cup
- Autoignition temperature : No data available

**5.1  
Extinguishing media**

- Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>).
- Unsuitable extinguishing media : High volume water jet.

**5.2  
Special hazards arising from the substance or mixture**

- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

**5.3  
Advice for firefighters**

- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
- Fire and explosion : Do not spray on a naked flame or any incandescent material.

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

protection : Keep away from open flames, hot surfaces and sources of ignition.

Hazardous decomposition products : Sulfur oxides.

**SECTION 6: Accidental release measures****6.1****Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.

**6.2****Environmental precautions**

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

**6.3****Methods and materials for containment and cleaning up**

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

**6.4****Reference to other sections**

Reference to other sections : For personal protection see section 8. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1****Precautions for safe handling  
Handling**

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.

**7.2****Conditions for safe storage, including any incompatibilities****Storage**

Requirements for storage areas and containers : Prevent unauthorized access. No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

Uses advised against : to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.  
: This material should not be used for purposes other than the identified uses in section 1 without expert advice.

**SECTION 8: Exposure controls/personal protection****8.1****Control parameters  
Ingredients with workplace control parameters**

RU

Компоненты	Основа	Величина	Параметры контроля	Заметка
Сероводород	RU OEL	ПДК разовая	10 mg/m3	0, 2, пары и/или газы
	RU OEL	ПДК разовая	10 mg/m3	2, пары и/или газы
	РФ ПДК	ПДК разовая	10 mg/m3	2, пары и/или газы

2 2 класс - высокоопасные

O вещества с остронаправленным механизмом действия, требующие автоматического контроля за их содержанием в воздухе

**8.2****Exposure controls  
Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as: Full-Face Supplied-Air Respirator. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

- Eye protection : Eye wash bottle with pure water.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Flame retardant protective clothing. Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing apparatus. Footwear protecting against chemicals.
- Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

In case of an accident during maintenance/cleaning, this substance must be handled under Strictly Controlled Conditions (SCC) in accordance with REACH regulation Article 18(4) for transported isolated intermediates.

**SECTION 9: Physical and chemical properties****9.1****Information on basic physical and chemical properties****Appearance**

- Form : liquid
- Physical state : liquid
- Color : Colorless
- Odor : Repulsive

**Safety data**

- Flash point : 67°C (153°F)  
Method: closed cup
- Lower explosion limit : No data available
- Upper explosion limit : No data available
- Oxidizing properties : No
- Autoignition temperature : No data available
- Molecular formula : C4H8O2S
- Molecular weight : 120,18 g/mol
- pH : Not applicable
- Freezing point : No data available
- Pour point : No data available
- Boiling point/boiling range : 166-169°C (331-336°F)
- Vapor pressure : 2,00 MMHG  
at 21°C (70°F)
- Relative density : 1,11

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

at 15 °C (59 °F), estimated

Water solubility	: negligible
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Relative vapor density	: 4,1 (Air = 1.0)
Evaporation rate	: No data available
Percent volatile	: > 99 %

**9.2****Other information**

Conductivity : No data available

**SECTION 10: Stability and reactivity****10.1****Reactivity** : Stable under recommended storage conditions.**10.2****Chemical stability** : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.**10.3****Possibility of hazardous reactions****Hazardous reactions** : Hazardous reactions: Hazardous polymerization does not occur.

Hazardous reactions: Vapors may form explosive mixture with air.

**10.4****Conditions to avoid** : Heat, flames and sparks.**10.6****Hazardous decomposition products** : Sulfur oxides**Other data** : No decomposition if stored and applied as directed.**SECTION 11: Toxicological information****11.1****Information on toxicological effects****Methyl-3 Mercaptopropionate**

SDS Number:100000013277

9/17

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

**Acute oral toxicity** : Acute toxicity estimate: 194,58 mg/kg  
Method: Calculation method

**Methyl-3 Mercaptopropionate**  
**Acute inhalation toxicity** : Acute toxicity estimate: 0,5016 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Calculation method

**Methyl-3 Mercaptopropionate**  
**Acute dermal toxicity** : Acute toxicity estimate: 1.910 mg/kg  
Method: Calculation method

**Skin irritation**

Methyl 3-Mercaptopropionate : No skin irritation

**Methyl-3 Mercaptopropionate**

**Eye irritation** : Irritation to eyes, reversing within 7 days  
  
Vapors may cause irritation to the eyes, respiratory system and the skin.

**Sensitization**

Methyl 3-Mercaptopropionate : Did not cause sensitization on laboratory animals.

**Repeated dose toxicity**

Methyl 3-Mercaptopropionate : Species: Rat, Male and female  
Sex: Male and female  
Application Route: oral gavage  
Dose: 25, 50, 100 mg/kg  
Exposure time: 28 day  
Number of exposures: daily  
NOEL: 50 mg/kg  
Lowest observable effect level: 100 mg/kg  
Method: OECD Test Guideline 407  
Target Organs: Stomach

**Genotoxicity in vitro**

Methyl 3-Mercaptopropionate : Test Type: Ames test  
Result: negative  
  
Test Type: Mouse lymphoma assay  
Result: negative  
  
Test Type: Sister Chromatid Exchange Assay  
Result: positive

**Reproductive toxicity**

Methyl 3-Mercaptopropionate : Species: Rat  
Sex: male and female

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

Application Route: oral gavage  
 Dose: 25, 50, 100 mg/kg  
 Number of exposures: daily  
 Test period: 28 d  
 Method: OECD Guideline 422  
 NOAEL Parent: 100 mg/kg  
 NOAEL F1: 100 mg/kg  
 no abnormalities observed

**Developmental Toxicity**

Methyl 3-Mercaptopropionate : Species: Rat  
 Application Route: Oral diet  
 Dose: 25, 50, 100 mg/kg  
 Test period: 28 d  
 NOAEL Teratogenicity: 100 mg/kg  
 NOAEL Maternal: 100 mg/kg  
 No adverse effects expected

**Methyl-3 Mercaptopropionate  
 Aspiration toxicity** : No aspiration toxicity classification.

**CMR effects**

Methyl 3-Mercaptopropionate : Carcinogenicity: Not available  
 Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
 Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

**11.2****Information on other hazards****Methyl-3 Mercaptopropionate**

**Further information** : No data available.  
 Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**SECTION 12: Ecological information****12.1****Toxicity****Toxicity to fish**

Methyl 3-Mercaptopropionate : LC50: 1,7 mg/l  
 Exposure time: 96 h  
 Species: Oncorhynchus mykiss (rainbow trout)  
 flow-through test Analytical monitoring: yes  
 Method: OECD Test Guideline 203

**Toxicity to daphnia and other aquatic invertebrates**

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

Methyl 3-Mercaptopropionate : 0,55 mg/l  
 Exposure time: 48 h  
 Species: Daphnia magna (Water flea)  
 static test Analytical monitoring: yes  
 Method: OECD Test Guideline 202

**Toxicity to algae**

Methyl 3-Mercaptopropionate : ErC50: 0,65 mg/l  
 Species: Desmodesmus subspicatus (green algae)  
 Analytical monitoring: yes  
 Method: OECD Test Guideline 201

**M-Factor**

methyl 3-mercaptopropionate : M-Factor (Acute Aquat. Tox.) 1  
 M-Factor (Chron. Aquat. Tox.) 1

**12.2****Persistence and degradability**

## Biodegradability

Methyl 3-Mercaptopropionate : aerobic  
 Result: Not readily biodegradable.  
 46,0 %  
 Method: OECD Test Guideline 301

**12.3****Bioaccumulative potential**

## Bioaccumulation

Methyl 3-Mercaptopropionate : Bioconcentration factor (BCF): 3,16  
 Method: Estimated based on individual component values.

**12.4****Mobility in soil**

## Mobility

Methyl 3-Mercaptopropionate : No data available

**12.5****Results of PBT and vPvB assessment**

Results of PBT assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6****Endocrine disrupting properties**

Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

levels of 0.1% or higher.

**12.7****Other adverse effects**

Additional ecological information : Very toxic to aquatic life with long lasting effects.

**12.8****Additional Information****Ecotoxicology Assessment**

Short-term (acute) aquatic hazard  
Methyl 3-Mercaptopropionate : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard  
Methyl 3-Mercaptopropionate : Very toxic to aquatic life with long lasting effects.

**SECTION 13: Disposal considerations****13.1****Waste treatment methods**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

**SECTION 14: Transport information****14.1 - 14.7****Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

UN2810, TOXIC, LIQUIDS, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II, (67 °C c.c.), MARINE POLLUTANT, (METHYL 3-MERCAPTOPROPIONATE)

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II, (D/E), ENVIRONMENTALLY HAZARDOUS, (METHYL 3-MERCAPTOPROPIONATE)

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

60, UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II, ENVIRONMENTALLY HAZARDOUS, (METHYL 3-MERCAPTOPROPIONATE)

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II, ENVIRONMENTALLY HAZARDOUS, (METHYL 3-MERCAPTOPROPIONATE)

Maritime transport in bulk according to IMO instruments

**SECTION 15: Regulatory information****15.1****Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**National legislation**

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

**Water hazard class (Germany)** : WGK 3 highly hazardous to water**15.2****Chemical Safety Assessment****Components** : methyl 3-mercaptopropionate  
A Chemical Safety Assessment is not required for this substance. 220-912-4**Major Accident Hazard Legislation** : 96/82/EC Toxic 2  
Update: 2003

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

Quantity 1: 50 t  
Quantity 2: 200 t

: 96/82/EC Update: 2003  
Dangerous for the environment  
9a

Quantity 1: 100 t  
Quantity 2: 200 t

: ZEU\_SEVES3 Update:  
ACUTE TOXIC  
H2

Quantity 1: 50 t  
Quantity 2: 200 t

: ZEU\_SEVES3 Update:  
ENVIRONMENTAL HAZARDS  
E1


Quantity 1: 100 t  
Quantity 2: 200 t

**Notification status**

Europe REACH	:	This product is in full compliance according to REACH regulation 1907/2006/EC.
Switzerland CH INV	:	On the inventory, or in compliance with the inventory
United States of America (USA) TSCA	:	On or in compliance with the active portion of the TSCA inventory
Canada DSL	:	All components of this product are on the Canadian DSL
Australia AIC	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	Not in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Japan ISHL	:	On the inventory, or in compliance with the inventory
Korea KECI	:	All substances in this product were registered, notified to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on CPChem's notifications or if the Importer of Record themselves notified the substances.
Philippines PICCS	:	On the inventory, or in compliance with the inventory
Taiwan TCSI	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory
Other TECI	:	Not in compliance with the inventory

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 3  
Fire Hazard: 1  
Reactivity Hazard: 0



**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

**Revision Date** : 2026-01-28  
**Date of last issue** : 2025-09-24

**Further information**

Legacy SDS Number : 75720

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

**Methyl-3 Mercaptopropionate**

Version 3.0

Revision Date 2026-01-28

**Full text of H-Statements referred to under sections 2 and 3.**

H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.