



Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

MSDS number: AA00974-0000000612

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name : Methyl-3 Mercaptopropionate
 Material : 1131212, 1113892, 1086430, 1093790, 1086431, 1086432,
 1086433, 1066661, 1025300, 1024824, 1027475, 1024823

Recommended use of the product : Chemical intermediate
 Restrictions on use : This material should not be used for purposes other than the identified uses in section 1 without expert advice.

Address : Chevron Phillips Chemical Company LP
 9500 Lakeside Blvd.
 The Woodlands, TX 77381

Address : CHEVRON PHILLIPS CHEMICALS ASIA PTE. LTD.
 C/O DONG WOO CORPORATION
 #B-2601,JEONGJAIL-RO,
 BUNDANG-GU,SEONGNAMI-SI,
 GYEONGGI-DO,13557
 SOUTH KOREA
 Telephone no.: +612-9186-1132

Emergency telephone:

Health:

866.442.9628 (North America)
 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)
 Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090
 Mexico CHEMTREC 01-800-681-9531 (24 hours)
 South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
 Argentina: +(54)-1159839431
 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
 Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)
 Belgium: 070 245 245 (24 hours/day, 7 days/week)

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

Bulgaria: +359 2 9154 233
 Croatia: +3851 2348 342 (24 hours/day, 7 days/week)
 Cyprus: 1401
 Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402
 Denmark: Danish Poison Center (Gifftlinjen): +45 8212 1212
 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
 Finland: 0800 147 111 09 471 977 (24 hours/day)
 France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)
 Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
 Greece: (0030) 2107793777 (24 hours/day, 7 days/week)
 Hungary: +36-80-201-199 (24 hours/day, 7 days/week)
 Iceland: 543 2222 (24 hours/day, 7 days/week)
 Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
 Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;
 Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)
 Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
 Lithuania: +370 (85) 2362052
 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)
 Malta: +356 2395 2000
 The Netherlands: NVIC: +31 (0)88 755 8000
 Norway: 22 59 13 00 (24 hours/day, 7 days/week)
 Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
 Portugal: CIAV phone number: +351 800 250 250
 Romania: +40213183606
 Slovakia: +421 2 5477 4166
 Slovenia: Phone number: 112
 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)
 Sweden: 112 – ask for Poisons Information

Organization that prepared the SDS : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com

Website : www.CPChem.com

Appointees : 회사명: 리이치24시코리아(주).

주소: 서울특별시 강남구 강남대로 94길 34,4층

전화: +82-02-6245-1610

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

SECTION 2: Hazards identification**Hazard classification**

Standards for classification and labeling of chemical substances and material safety data sheet (ministry of employment and labor public notice No. 2020-130) (GHS 2015)

Classification

: Flammable liquids, Category 4
 Acute toxicity, Category 3, Oral
 Acute toxicity, Category 2, Inhalation
 Acute toxicity, Category 4, Dermal
 Serious eye damage/eye irritation, Category 2B
 Short-term (acute) aquatic hazard, Category 1
 Long-term (chronic) aquatic hazard, Category 1

Warning label elements including precautionary statements

Symbol(s)



Signal Word

: Danger

Hazard Statements

: H227: Combustible liquid.
 H301: Toxic if swallowed.
 H312: Harmful in contact with skin.
 H320: Causes eye irritation.
 H330: Fatal if inhaled.
 H400: Very toxic to aquatic life.
 H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**
 P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P260: Do not breathe mist or vapors.
 P264: Wash skin thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.
 P271: Use only outdoors or in a well-ventilated area.
 P273: Avoid release to the environment.
 P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P284: Wear respiratory protection.
Response:
 P301 + P310 + P330: IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
 P302 + P352 + P312: IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.
 P304 + P340 + P310: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

POISON CENTER/ doctor.
 P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313: If eye irritation persists: Get medical advice/ attention.
 P362 + P364: Take off contaminated clothing and wash it before reuse.
 P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
 P391: Collect spillage.
Storage:
 P403 + P233: Store in a well-ventilated place. Keep container tightly closed.
 P405: Store locked up.
Disposal:
 P501: Dispose of contents/ container according to waste-related laws

Other hazards which do not result in classification : None

SECTION 3: Composition/information on ingredients

Synonyms : MMP
 Methyl beta-Mercaptopropionate
 Methyl-3 Mercaptopropionate

Molecular formula : C₄H₈O₂S

Common name	Synonyms	CAS-No.	Concentration	KECI Number
Methyl 3-Mercaptopropionate	methyl 3-mercaptopropionate	2935-90-2	99 % - 100%	KE-23109

SECTION 4: First aid measures

General advice : Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

- In case of eye contact : Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- In case of skin contact : Take victim immediately to hospital. If on skin, rinse well with water. If on clothes, remove clothes.
- If inhaled : Call a physician or poison control center immediately. If unconscious, place in recovery position and seek medical advice.
- If swallowed : Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

Other cautions for Doctors

- Symptoms : No data available.
- Risks : No data available.
- Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

- Flash point : 67°C (153°F)
Method: closed cup
- Autoignition temperature : No data available
- Suitable extinguishing media : Carbon dioxide (CO2).
- Unsuitable extinguishing media : High volume water jet.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

- Fire and explosion protection : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.
- Hazardous decomposition products : Sulfur oxides.

SECTION 6: Accidental release measures

- Personal precautions : Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage**Handling**

- Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.

Secure storage

- Requirements for storage areas and containers : Prevent unauthorized access. No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
- Uses advised against : This material should not be used for purposes other than the identified uses in section 1 without expert advice.
- Specific Use : Chemical intermediate

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

SECTION 8: Exposure controls/personal protection**Chemical exposure standards, biological exposure standards, etc.**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

- Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:. Full-Face Supplied-Air Respirator. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Eye protection : Eye wash bottle with pure water.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Flame retardant protective clothing. Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing apparatus. Footwear protecting against chemicals.
- Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties**

Number:100000013277

7/17

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

Appearance	
Physical state	: liquid
Color	: Colorless
Odor	: Repulsive
Odor Threshold	: No data available
pH	: Not applicable
Freezing point	: No data available
Pour point	No data available
Boiling point/boiling range	: 166-169°C (331-336°F)
Flash point	: 67°C (153°F) Method: closed cup
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapor pressure	: 2.00 MMHG at 21°C (70°F)
Solubility	: negligible
Relative density	: 1.11 at 15 °C (59 °F), estimated
Vapor density	: 4.1 (Air = 1.0)
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Viscosity, kinematic	: No data available
Molecular weight	: 120.18 g/mol

SECTION 10: Stability and reactivity

Reactivity : Stable under recommended storage conditions.

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

Chemical stability : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions

Hazardous reactions : Hazardous reactions: Hazardous polymerization does not occur.

Hazardous reactions: Vapors may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Hazardous decomposition products : Sulfur oxides

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**Information on exposure routes****Methyl-3 Mercaptopropionate**

Acute oral toxicity : Acute toxicity estimate: 194.58 mg/kg
Method: Calculation method

Methyl-3 Mercaptopropionate

Acute inhalation toxicity : Acute toxicity estimate: 0.5016 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Methyl-3 Mercaptopropionate

Acute dermal toxicity : Acute toxicity estimate: 1,910 mg/kg
Method: Calculation method

Skin corrosion or irritation

Methyl 3-Mercaptopropionate : No skin irritation

Methyl-3 Mercaptopropionate

Eye corrosion or irritation : Irritation to eyes, reversing within 7 days

Vapors may cause irritation to the eyes, respiratory system and the skin.

Sensitization

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

Methyl 3-Mercaptopropionate : Did not cause sensitization on laboratory animals.

Methyl-3 Mercaptopropionate

Skin sensitization Not applicable

Repeated dose toxicity

Methyl 3-Mercaptopropionate : Species: Rat, Male and female
Sex: Male and female
Application Route: oral gavage
Dose: 25, 50, 100 mg/kg
Exposure time: 28 day
Number of exposures: daily
NOEL: 50 mg/kg
Lowest observable effect level: 100 mg/kg
Method: OECD Test Guideline 407
Target Organs: Stomach

Germ cell mutagenicity (in vitro)

Methyl 3-Mercaptopropionate : Test Type: Ames test
Result: negative

Test Type: Mouse lymphoma assay
Result: negative

Test Type: Sister Chromatid Exchange Assay
Result: positive

Developmental Toxicity

Methyl 3-Mercaptopropionate : Species: Rat
Application Route: Oral diet
Dose: 25, 50, 100 mg/kg
Test period: 28 d
NOAEL Teratogenicity: 100 mg/kg
NOAEL Maternal: 100 mg/kg
No adverse effects expected

**Specific Target Organ
Toxicity (Single Exposure)**

No data available

**Specific Target Organ
Toxicity (Repeated
Exposure)**

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

No data available

Methyl-3 Mercaptopropionate**Aspiration toxicity** : No aspiration toxicity classification.**CMR effects**

Methyl 3-Mercaptopropionate : Carcinogenicity: Not available
Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Reproductive toxicity: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

Reproductive toxicity

Methyl 3-Mercaptopropionate : Species: Rat
Sex: male and female
Application Route: oral gavage
Dose: 25, 50, 100 mg/kg
Number of exposures: daily
Test period: 28 d
Method: OECD Guideline 422
NOAEL Parent: 100 mg/kg
NOAEL F1: 100 mg/kg
no abnormalities observed

Methyl-3 Mercaptopropionate**Further information** : No data available.**SECTION 12: Ecological information**

Ecological Toxicity

Toxicity to fish

Methyl 3-Mercaptopropionate : LC50: 1.7 mg/l
Exposure time: 96 h
Species: Oncorhynchus mykiss (rainbow trout)
flow-through test Analytical monitoring: yes
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

Methyl 3-Mercaptopropionate : 0.55 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)
static test Analytical monitoring: yes
Method: OECD Test Guideline 202

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

Toxicity to algae

Methyl 3-Mercaptopropionate : ErC50: 0.65 mg/l
Species: Desmodesmus subspicatus (green algae)
Analytical monitoring: yes
Method: OECD Test Guideline 201

M-Factor

methyl 3-mercaptopropionate : M-Factor (Acute Aquat. Tox.) 1
M-Factor (Chron. Aquat. Tox.) 1

Persistence and degradability

Methyl 3-Mercaptopropionate : aerobic
Result: Not readily biodegradable.
46.0 %
Method: OECD Test Guideline 301

Bioaccumulative

Methyl 3-Mercaptopropionate : Bioconcentration factor (BCF): 3.16
Method: Estimated based on individual component values.

Mobility

Methyl 3-Mercaptopropionate : No data available

Results of PBT assessment

Methyl 3-Mercaptopropionate : Non-classified PBT substance

Other adverse effects : Very toxic to aquatic life with long lasting effects.

Ecotoxicology Assessment**Short-term (acute) aquatic hazard**

Methyl 3-Mercaptopropionate : Very toxic to aquatic life.

Long-term (chronic) aquatic hazard

Methyl 3-Mercaptopropionate : Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Disposal method : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Disposal precaution : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

UN Number	:	UN2810
UN Product Shipping Name	:	TOXIC LIQUID, ORGANIC, N.O.S.
Hazard Class	:	6.1
Packing Group	:	II - Hazardous Properties
Marine Pollutant	:	Not applicable
Special Safety Measures on Mode of Transport	:	No data available

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN2810, TOXIC, LIQUIDS, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II, (67°C), MARINE POLLUTANT, (METHYL 3-MERCAPTOPROPIONATE)

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II,
(D/E), ENVIRONMENTALLY HAZARDOUS, (METHYL 3-MERCAPTOPROPIONATE)**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II,
ENVIRONMENTALLY HAZARDOUS, (METHYL 3-MERCAPTOPROPIONATE)**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (METHYL 3-MERCAPTOPROPIONATE), 6.1, II,
ENVIRONMENTALLY HAZARDOUS, (METHYL 3-MERCAPTOPROPIONATE)**Maritime transport in bulk according to IMO instruments****SECTION 15: Regulatory information****National legislation****Regulation under the Occupational Safety and Health Act**

A Material Safety Datasheet (MSDS) for this product is not required according to article 41 of the ISHA.

Regulation	Chemical name	Threshold limits
Harmful Substances Prohibited from Manufacturing	:	Not applicable
Harmful Substances Required Permission for Manufacture	:	Not applicable

Number:100000013277

14/17

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

Act on the Registration and Evaluation, etc. of Chemical Substances, Chemicals Control Act

Regulation	Chemical name	Threshold limits
Toxic Chemicals	: Not applicable	
Prohibited Chemicals	: Not applicable	
Restricted Chemicals	: Not applicable	
Toxic Release Inventory	: Not applicable	

Dangerous Substances Safety Management Act

Dangerous Substances : Flammable liquids, Type 2 petroleums, Water insoluble liquid
 Safety Management Act

Regulations by the Waste Management Act : Not applicable

Regulations by other domestic and foreign laws

Europe REACH : This product is in full compliance according to REACH regulation 1907/2006/EC.

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) TSCA : On or in compliance with the active portion of the TSCA inventory

Canada DSL : All components of this product are on the Canadian DSL

Australia AIIC : On the inventory, or in compliance with the inventory

New Zealand NZIoC : Not in compliance with the inventory

Japan ENCS : On the inventory, or in compliance with the inventory

Japan ISHL : On the inventory, or in compliance with the inventory

Korea KECI : All substances in this product were registered, notified to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on CPChem's notifications or if the Importer of Record themselves notified the substances.

Philippines PICCS : On the inventory, or in compliance with the inventory

Taiwan TCSI : On the inventory, or in compliance with the inventory

China IECSC : On the inventory, or in compliance with the inventory

Other TECI : Not in compliance with the inventory

Other regulations : No data available

Methyl-3 Mercaptopropionate


Version 2.0

Revision Date 2026-01-28

SECTION 16: Other information

Source of data	:	Korea. GHS based classification
Date of initial writing	:	2024-10-28
Revision number	:	1
Last revision date	:	2029-10-28

NFPA Classification : Health Hazard: 3
Fire Hazard: 1
Reactivity Hazard: 0

**Other information**

None.

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AiIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level

Methyl-3 Mercaptopropionate

Version 2.0

Revision Date 2026-01-28

EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate