

SAFETY DATA SHEET



2-Methyl-2-Butene

Version 1.8

Revision Date 2026-02-19

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : 2-Methyl-2-Butene
Material : 1083996, 1021754, 1021753, 1021755, 1034801, 1030212
Use : Chemical intermediate
Company : Chevron Phillips Chemical Company LP
Specialty Chemicals
9500 Lakeside Blvd.
The Woodlands, TX 77381

Local : See Company Address

Emergency telephone:

Health:

866.442.9628 (North America)
1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)
Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090
Mexico CHEMTREC 01-800-681-9531 (24 hours)
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
Argentina: +(54)-1159839431
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)
Belgium: 070 245 245 (24 hours/day, 7 days/week)
Bulgaria: +359 2 9154 233
Croatia: +3851 2348 342 (24 hours/day, 7 days/week)
Cyprus: 1401
Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402
Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212
Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Finland: 0800 147 111 09 471 977 (24 hours/day)
France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)
Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Greece: (0030) 2107793777 (24 hours/day, 7 days/week)
Hungary: +36-80-201-199 (24 hours/day, 7 days/week)
Iceland: 543 2222 (24 hours/day, 7 days/week)
Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

2-Methyl-2-Butene

Version 1.8

Revision Date 2026-02-19

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000

Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606

Slovakia: +421 2 5477 4166

Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared the SDS : Product Safety and Toxicology Group
 E-mail address : SDS@CPChem.com
 Website : www.CPChem.com

SECTION 2: Hazards identification**Classification of the substance or mixture****GHS Classification and labelling according to JIS Z 7252-2019 and JIS Z 7253-2019 (GHS 2015)****Classification**

: Flammable liquids, Category 2
 Acute toxicity, Category 4, Oral
 Germ cell mutagenicity, Category 2
 Specific target organ toxicity - single exposure, Category 3,
 Narcotic effects
 Aspiration hazard, Category 1
 Short-term (acute) aquatic hazard, Category 2
 Long-term (chronic) aquatic hazard, Category 2

Labeling**Symbol(s)****Signal Word**

: Danger

2-Methyl-2-Butene

Version 1.8

Revision Date 2026-02-19

Hazard Statements	: H225: Highly flammable liquid and vapor. H302: Harmful if swallowed. H304: May be fatal if swallowed and enters airways. H336: May cause drowsiness or dizziness. H341: Suspected of causing genetic defects. H411: Toxic to aquatic life with long lasting effects.
Precautionary Statements	: Prevention: P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233: Keep container tightly closed. P240: Ground and bond container and receiving equipment. P241: Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242: Use non-sparking tools. P243: Take action to prevent static discharges. P261: Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264: Wash skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P273: Avoid release to the environment. P280: Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P308 + P313: IF exposed or concerned: Get medical advice/ attention. P331: Do NOT induce vomiting. P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P391: Collect spillage. Storage: P403 + P233: Store in a well-ventilated place. Keep container tightly closed. P403 + P235: Store in a well-ventilated place. Keep cool. Disposal: P501: Dispose of contents/ container to an approved waste disposal plant.

SECTION 3: Composition/information on ingredients

Synonyms	: 2-MB-2 beta-Isoamylene Isoamylene		
Molecular formula	: C5H10		
Chemical name	CAS-No.	Concentration	ENCS/ISHL number
2-methyl-2-butene	513-35-9	88 % - 95%	2-19

2-Methyl-2-Butene

Version 1.8

Revision Date 2026-02-19

2-methyl-1-butene	563-46-2	5 % - 12%	2-19
-------------------	----------	-----------	------

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.

In case of skin contact : If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5: Firefighting measures

Flash point : -45°C (-49°F)
Method: Setaflash Closed Cup

Autoignition temperature : No data available

Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical.

Unsuitable extinguishing media : High volume water jet.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.

Fire and explosion protection : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

2-Methyl-2-Butene

Version 1.8

Revision Date 2026-02-19

Hazardous decomposition products : Carbon oxides.

SECTION 6: Accidental release measures

Personal precautions : Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7: Handling and storage

Handling

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Storage

Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Use : Chemical intermediate

SECTION 8: Exposure controls/personal protection

Engineering measures

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits.

2-Methyl-2-Butene

Version 1.8

Revision Date 2026-02-19

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as: A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Flame retardant antistatic protective clothing. Workers should wear antistatic footwear.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Form : liquid
Physical state : liquid
Color : Colorless
Odor : Mild

Safety data

Flash point : -45°C (-49°F)
Method: Setaflash Closed Cup

Lower explosion limit : 1.4 %(V)

Oxidizing properties : No

2-Methyl-2-Butene

Version 1.8

Revision Date 2026-02-19

Autoignition temperature	: No data available
Molecular formula	: C5H10
Molecular weight	: 70.15 g/mol
pH	: Not applicable
Pour point	: No data available
Boiling point/boiling range	: 38.6°C (101.5°F)
Vapor pressure	: 14.30 PSI at 37.8°C (100.0°F)
Relative density	: 0.67 at 15.6 °C (60.1 °F)
Water solubility	: negligible
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: 0.29 mm ² /s at 20°C (68°F)
Relative vapor density	: No data available
Evaporation rate	: 1
Percent volatile	: > 99 %

SECTION 10: Stability and reactivity

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous reactions	
Hazardous reactions	: Hazardous reactions: Hazardous polymerization does not occur. Further information: No decomposition if stored and applied as directed. Hazardous reactions: Vapors may form explosive mixture with air.

2-Methyl-2-Butene

Version 1.8

Revision Date 2026-02-19

Conditions to avoid	: Heat, flames and sparks.
Materials to avoid	: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
Hazardous decomposition products	: Carbon oxides
Other data	: No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Acute oral toxicity

2-methyl-2-butene : LD50: 1,000 - 1,700 mg/kg
Species: Rat

Acute inhalation toxicity

2-methyl-2-butene : LC50: > 175 mg/l
Exposure time: 4 h
Species: Rat
Test atmosphere: vapor

Acute dermal toxicity

2-methyl-2-butene : LD50: > 2,000 mg/kg
Species: Rat

Skin irritation

2-methyl-2-butene : Skin irritation
May cause skin irritation in susceptible persons.

Eye irritation

2-methyl-2-butene : No eye irritation
Vapors may cause irritation to the eyes, respiratory system and the skin.

Sensitization

2-methyl-2-butene : Did not cause sensitization on laboratory animals.

Repeated dose toxicity

2-methyl-2-butene : Species: Rat, Male and female
Sex: Male and female
Application Route: Inhalation
Dose: 580, 2000, 7000 ppm
Exposure time: 4 wk
Number of exposures: 6 h/d, 7 d/wk
NOEL: 580 ppm
Method: OECD Guideline 422

2-Methyl-2-Butene

Version 1.8

Revision Date 2026-02-19

Genotoxicity in vitro

2-methyl-2-butene : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Method: OECD Test Guideline 480
Result: negative

Genotoxicity in vivo

2-methyl-2-butene : Test Type: Mouse micronucleus assay
Species: Rat
Cell type: Bone marrow
Route of Application: Inhalation
Exposure time: 6 h/d 2d
Method: OECD Test Guideline 474
Result: positive

Reproductive toxicity

2-methyl-2-butene : Species: Rat
Sex: male and female
Application Route: Inhalation
Dose: 580, 2000, 7000 ppm
Number of exposures: 6 h/d, 7 d/wk
Test period: 4 wks
Method: OECD Guideline 422
NOAEL Parent: 7000 ppm
NOAEL F1: 7000 ppm
no abnormalities observed

Developmental Toxicity

2-methyl-2-butene : Species: Rat
Application Route: Inhalation
Dose: 500, 2000, 8000 ppm
Exposure time: 6 h/d
Test period: Days 5 -21
Method: OECD Guideline 414
NOAEL Teratogenicity: 8000 ppm
NOAEL Maternal: 8000 ppm
Information given is based on data obtained from similar substances.
Animal testing did not show any effects on fetal development.

2-Methyl-2-Butene Aspiration toxicity

: May be fatal if swallowed and enters airways.

CMR effects

2-methyl-2-butene : Carcinogenicity: Limited evidence of carcinogenicity in animal studies
Mutagenicity: In vitro tests showed mutagenic effects
Teratogenicity: Animal testing did not show any effects on fetal development.
Reproductive toxicity: Animal testing did not show any effects

2-Methyl-2-Butene

Version 1.8

Revision Date 2026-02-19

on fertility.

2-Methyl-2-Butene Further information

: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Solvents may degrease the skin.

SECTION 12: Ecological information

Toxicity to fish

2-methyl-2-butene : LC50: 4.99 mg/l
Exposure time: 96 h
Species: *Oncorhynchus mykiss* (rainbow trout)
semi-static test Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

2-methyl-2-butene : EC50: 3.84 mg/l
Exposure time: 48 h
Species: *Daphnia magna* (Water flea)
static test Method: OECD Test Guideline 202

Toxicity to algae

2-methyl-2-butene : ErC50: 13.2 mg/l
Exposure time: 72 h
Species: *Pseudokirchneriella subcapitata* (green algae)
static test Method: OECD Test Guideline 201

Biodegradability

2-methyl-2-butene : aerobic
7 %
Testing period: 28 d
Method: OECD Test Guideline 301D
This material is not expected to be readily biodegradable.

Results of PBT assessment 2-methyl-2-butene

: Non-classified PBT substance, Non-classified vPvB substance

Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

Ecotoxicology Assessment

Short-term (acute) aquatic hazard
2-methyl-2-butene : Toxic to aquatic life.

Long-term (chronic) aquatic hazard

2-Methyl-2-Butene

Version 1.8

Revision Date 2026-02-19

2-methyl-2-butene : Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN1993, FLAMMABLE LIQUIDS, N.O.S., (2-METHYL-2-BUTENE, 2-METHYL-1-BUTENE), 3, II

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN1993, FLAMMABLE LIQUID, N.O.S., (2-METHYL-2-BUTENE, 2-METHYL-1-BUTENE), 3, II, (-45 °C c.c.), MARINE POLLUTANT, (2-METHYL-2-BUTENE)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN1993, FLAMMABLE LIQUID, N.O.S., (2-METHYL-2-BUTENE, 2-METHYL-1-BUTENE), 3, II

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN1993, FLAMMABLE LIQUID, N.O.S., (2-METHYL-2-BUTENE, 2-METHYL-1-BUTENE), 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS, (2-METHYL-2-BUTENE)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

33,UN1993,FLAMMABLE LIQUID, N.O.S., (2-METHYL-2-BUTENE, 2-METHYL-1-BUTENE), 3, II, ENVIRONMENTALLY HAZARDOUS, (2-METHYL-2-BUTENE)

2-Methyl-2-Butene

Version 1.8

Revision Date 2026-02-19

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN1993, FLAMMABLE LIQUID, N.O.S., (2-METHYL-2-BUTENE, 2-METHYL-1-BUTENE), 3, II, ENVIRONMENTALLY HAZARDOUS, (2-METHYL-2-BUTENE)

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

National legislation

Poisonous and Deleterious Substances Control Law

: Not applicable

Industrial Safety and Health Law

Substances Subject to be Notified Names : Not applicable
Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances) : Inflammable Substance
Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances) : Inflammable Substance
Harmful Substances Required Permission for Manufacture Hazardous Substances : Not applicable
Subject to Labeling Requirements : Not applicable
Ordinance on Prevention of Organic Solvent Poisoning : Not applicable
Ordinance on Prevention of Lead Poisoning : Not applicable
Harmful Substances Prohibited from Manufacture : Not applicable
Ordinance on Prevention of Hazards Due to Specified Chemical Substances : Not applicable
Ordinance on Prevention of Tetraalkyl Lead Poisoning : Not applicable
Substances Prevented From Impairment of Health : Not applicable
Listed

Chemical Substance Control Law

2-Methyl-2-Butene

Version 1.8

Revision Date 2026-02-19

: Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

: Not applicable

Other regulations

Fire Service Law	: Flammable liquids Special flammables Hazardous rank I
High Pressure Gas Safety Act	: Not applicable
Explosive Control Law	: Not applicable
Vessel Safety Law	: Flammable liquids (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)
Aviation Law	: Flammable liquid (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Notification status

Europe REACH	: Not in compliance with the inventory
Switzerland CH INV	: On the inventory, or in compliance with the inventory
United States of America (USA)	: On or in compliance with the active portion of the TSCA inventory
TSCA	
Canada DSL	: All components of this product are on the Canadian DSL
Australia AIIC	: On the inventory, or in compliance with the inventory
New Zealand NZIoC	: On the inventory, or in compliance with the inventory
Japan ENCS	: On the inventory, or in compliance with the inventory
Korea KECL	: A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations.
Philippines PICCS	: On the inventory, or in compliance with the inventory
Taiwan TCSI	: On the inventory, or in compliance with the inventory
China IECSC	: On the inventory, or in compliance with the inventory

SECTION 16: Other information**Further information**

Legacy SDS Number : 110000

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

2-Methyl-2-Butene

Version 1.8

Revision Date 2026-02-19

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate