



## 2-Methyl-2-Butene

Version 2.2

Revision Date 2026-02-19

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### Product information

**Product Name** : 2-Methyl-2-Butene  
**Material** : 1083996, 1021754, 1021753, 1021755, 1034801, 1030212  
**Use** : Chemical intermediate  
**Company** : Chevron Phillips Chemical Company LP  
 Specialty Chemicals  
 9500 Lakeside Blvd.  
 The Woodlands, TX 77381

#### Emergency telephone:

##### Health:

866.442.9628 (North America)  
 1.832.813.4984 (International)

##### Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)  
 Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090  
 Mexico CHEMTREC 01-800-681-9531 (24 hours)  
 South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600  
 Argentina: +(54)-1159839431  
 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)  
 Belgium: 070 245 245 (24 hours/day, 7 days/week)  
 Bulgaria: +359 2 9154 233  
 Croatia: +3851 2348 342 (24 hours/day, 7 days/week)  
 Cyprus: 1401  
 Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402  
 Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212  
 Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Finland: 0800 147 111 09 471 977 (24 hours/day)  
 France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)  
 Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Greece: (0030) 2107793777 (24 hours/day, 7 days/week)  
 Hungary: +36-80-201-199 (24 hours/day, 7 days/week)  
 Iceland: 543 2222 (24 hours/day, 7 days/week)  
 Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

**2-Methyl-2-Butene**

Version 2.2

Revision Date 2026-02-19

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)  
 Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Lithuania: +370 (85) 2362052  
 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)  
 Malta: +356 2395 2000  
 The Netherlands: NVIC: +31 (0)88 755 8000  
 Norway: 22 59 13 00 (24 hours/day, 7 days/week)  
 Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
 Portugal: CIAV phone number: +351 800 250 250  
 Romania: +40213183606  
 Slovakia: +421 2 5477 4166  
 Slovenia: Phone number: 112  
 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)  
 Sweden: 112 – ask for Poisons Information

Organization that prepared the SDS : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com

**SECTION 2: Hazards identification****Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

**Classification**

: Flammable liquids, Category 2  
 Acute toxicity, Category 4, Oral  
 Skin irritation, Category 2  
 Germ cell mutagenicity, Category 2  
 Carcinogenicity, Category 2  
 Specific target organ toxicity - single exposure, Category 3,  
 Central nervous system  
 Aspiration hazard, Category 1

**Labeling**

Symbol(s) :



Signal Word : Danger

Hazard Statements : H225: Highly flammable liquid and vapor.  
 H302: Harmful if swallowed.  
 H304: May be fatal if swallowed and enters airways.  
 H315: Causes skin irritation.  
 H336: May cause drowsiness or dizziness.  
 H341: Suspected of causing genetic defects.  
 H351: Suspected of causing cancer.

Precautionary Statements : **Prevention:**

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been

**2-Methyl-2-Butene**

Version 2.2

Revision Date 2026-02-19

read and understood.

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P331 Do NOT induce vomiting.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Carcinogenicity:****IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 3: Composition/information on ingredients**

Synonyms : 2-MB-2  
beta-Isoamylene  
Isoamylene

Molecular formula : C5H10

Component	CAS-No.	Weight %
2-methyl-2-butene	513-35-9	88 - 95
2-methyl-1-butene	563-46-2	5 - 12

## 2-Methyl-2-Butene

Version 2.2

Revision Date 2026-02-19

### SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.

In case of skin contact : If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

### SECTION 5: Firefighting measures

Flash point : -45°C (-49°F)  
Method: Setaflash Closed Cup

Autoignition temperature : No data available

Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical.

Unsuitable extinguishing media : High volume water jet.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.

Fire and explosion protection : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Hazardous decomposition products : Carbon oxides.

## 2-Methyl-2-Butene

Version 2.2

Revision Date 2026-02-19

### SECTION 6: Accidental release measures

Personal precautions	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods for cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### SECTION 7: Handling and storage

#### Handling

Advice on safe handling	: Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.
Advice on protection against fire and explosion	: Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

#### Storage

Requirements for storage areas and containers	: No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Use	: Chemical intermediate

### SECTION 8: Exposure controls/personal protection

#### Engineering measures

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits.

## 2-Methyl-2-Butene

Version 2.2

Revision Date 2026-02-19

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

### Personal protective equipment

Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as: A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Flame retardant antistatic protective clothing. Workers should wear antistatic footwear.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

#### Appearance

Form : liquid  
Physical state : liquid  
Color : Colorless  
Odor : Mild

#### Safety data

Flash point : -45°C (-49°F)  
Method: Setaflash Closed Cup

Lower explosion limit : 1.4 %(V)

Oxidizing properties : No

## 2-Methyl-2-Butene

Version 2.2

Revision Date 2026-02-19

Autoignition temperature	: No data available
Molecular formula	: C5H10
Molecular weight	: 70.15 g/mol
pH	: Not applicable
Pour point	: No data available
Boiling point/boiling range	: 38.6°C (101.5°F)
Vapor pressure	: 14.30 PSI at 37.8°C (100.0°F)
Relative density	: 0.67 at 15.6 °C (60.1 °F)
Water solubility	: negligible
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: 0.29 mm <sup>2</sup> /s at 20°C (68°F)
Relative vapor density	: No data available
Evaporation rate	: 1
Percent volatile	: > 99 %

### SECTION 10: Stability and reactivity

<b>Reactivity</b>	: Stable under recommended storage conditions.
<b>Chemical stability</b>	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
<b>Possibility of hazardous reactions</b>	
<b>Hazardous reactions</b>	: Hazardous reactions: Hazardous polymerization does not occur.  Further information: No decomposition if stored and applied as directed.  Hazardous reactions: Vapors may form explosive mixture with air.

## 2-Methyl-2-Butene

Version 2.2

Revision Date 2026-02-19

<b>Conditions to avoid</b>	: Heat, flames and sparks.
<b>Materials to avoid</b>	: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
<b>Hazardous decomposition products</b>	: Carbon oxides
<b>Other data</b>	: No decomposition if stored and applied as directed.

### SECTION 11: Toxicological information

#### Acute oral toxicity

2-methyl-2-butene : LD50: 1,000 - 1,700 mg/kg  
Species: Rat

#### Acute inhalation toxicity

2-methyl-2-butene : LC50: > 175 mg/l  
Exposure time: 4 h  
Species: Rat  
Test atmosphere: vapor

#### Acute dermal toxicity

2-methyl-2-butene : LD50: > 2,000 mg/kg  
Species: Rat

#### Skin irritation

2-methyl-2-butene : Skin irritation  
May cause skin irritation in susceptible persons.

#### Eye irritation

2-methyl-2-butene : No eye irritation  
Vapors may cause irritation to the eyes, respiratory system and the skin.

#### Sensitization

2-methyl-2-butene : Did not cause sensitization on laboratory animals.

#### Repeated dose toxicity

2-methyl-2-butene : Species: Rat, Male and female  
Sex: Male and female  
Application Route: Inhalation  
Dose: 580, 2000, 7000 ppm  
Exposure time: 4 wk  
Number of exposures: 6 h/d, 7 d/wk  
NOEL: 580 ppm  
Method: OECD Guideline 422

## 2-Methyl-2-Butene

Version 2.2

Revision Date 2026-02-19

### Genotoxicity in vitro

2-methyl-2-butene : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Method: OECD Test Guideline 480  
Result: negative

### Genotoxicity in vivo

2-methyl-2-butene : Test Type: Mouse micronucleus assay  
Species: Rat  
Cell type: Bone marrow  
Route of Application: Inhalation  
Exposure time: 6 h/d 2d  
Method: OECD Test Guideline 474  
Result: positive

### Reproductive toxicity

2-methyl-2-butene : Species: Rat  
Sex: male and female  
Application Route: Inhalation  
Dose: 580, 2000, 7000 ppm  
Number of exposures: 6 h/d, 7 d/wk  
Test period: 4 wks  
Method: OECD Guideline 422  
NOAEL Parent: 7000 ppm  
NOAEL F1: 7000 ppm  
no abnormalities observed

### Developmental Toxicity

2-methyl-2-butene : Species: Rat  
Application Route: Inhalation  
Dose: 500, 2000, 8000 ppm  
Exposure time: 6 h/d  
Test period: Days 5 -21  
Method: OECD Guideline 414  
NOAEL Teratogenicity: 8000 ppm  
NOAEL Maternal: 8000 ppm  
Information given is based on data obtained from similar substances.  
Animal testing did not show any effects on fetal development.

### 2-Methyl-2-Butene Aspiration toxicity

: May be fatal if swallowed and enters airways.

### CMR effects

2-methyl-2-butene : Carcinogenicity: Limited evidence of carcinogenicity in animal studies  
Mutagenicity: In vitro tests showed mutagenic effects  
Teratogenicity: Animal testing did not show any effects on fetal development.  
Reproductive toxicity: Animal testing did not show any effects

## 2-Methyl-2-Butene

Version 2.2

Revision Date 2026-02-19

on fertility.

### 2-Methyl-2-Butene Further information

: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Solvents may degrease the skin.

## SECTION 12: Ecological information

### Toxicity to fish

2-methyl-2-butene : LC50: 4.99 mg/l  
Exposure time: 96 h  
Species: *Oncorhynchus mykiss* (rainbow trout)  
semi-static test Method: OECD Test Guideline 203

### Toxicity to daphnia and other aquatic invertebrates

2-methyl-2-butene : EC50: 3.84 mg/l  
Exposure time: 48 h  
Species: *Daphnia magna* (Water flea)  
static test Method: OECD Test Guideline 202

### Toxicity to algae

2-methyl-2-butene : ErC50: 13.2 mg/l  
Exposure time: 72 h  
Species: *Pseudokirchneriella subcapitata* (green algae)  
static test Method: OECD Test Guideline 201

### Biodegradability

2-methyl-2-butene : aerobic  
7 %  
Testing period: 28 d  
Method: OECD Test Guideline 301D  
This material is not expected to be readily biodegradable.

### Results of PBT assessment 2-methyl-2-butene

: Non-classified PBT substance, Non-classified vPvB substance

### Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

### Ecotoxicology Assessment

Short-term (acute) aquatic hazard  
2-methyl-2-butene : Toxic to aquatic life.

Long-term (chronic) aquatic hazard

## 2-Methyl-2-Butene

Version 2.2

Revision Date 2026-02-19

2-methyl-2-butene : Toxic to aquatic life with long lasting effects.

### SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

### SECTION 14: Transport information

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

#### US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN1993, FLAMMABLE LIQUIDS, N.O.S., (2-METHYL-2-BUTENE, 2-METHYL-1-BUTENE), 3, II

#### IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN1993, FLAMMABLE LIQUID, N.O.S., (2-METHYL-2-BUTENE, 2-METHYL-1-BUTENE), 3, II, (-45 °C c.c.), MARINE POLLUTANT, (2-METHYL-2-BUTENE)

#### IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN1993, FLAMMABLE LIQUID, N.O.S., (2-METHYL-2-BUTENE, 2-METHYL-1-BUTENE), 3, II

#### ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN1993, FLAMMABLE LIQUID, N.O.S., (2-METHYL-2-BUTENE, 2-METHYL-1-BUTENE), 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS, (2-METHYL-2-BUTENE)

#### RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

33,UN1993,FLAMMABLE LIQUID, N.O.S., (2-METHYL-2-BUTENE, 2-METHYL-1-BUTENE), 3, II, ENVIRONMENTALLY HAZARDOUS, (2-METHYL-2-BUTENE)

## 2-Methyl-2-Butene

Version 2.2

Revision Date 2026-02-19

### ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN1993, FLAMMABLE LIQUID, N.O.S., (2-METHYL-2-BUTENE, 2-METHYL-1-BUTENE), 3, II, ENVIRONMENTALLY HAZARDOUS, (2-METHYL-2-BUTENE)

Maritime transport in bulk according to IMO instruments

### SECTION 15: Regulatory information

#### National legislation

SARA 311/312 Hazards	: Flammable (gases, aerosols, liquids, or solids) Acute toxicity (any route of exposure) Germ cell mutagenicity Carcinogenicity Aspiration hazard Skin corrosion or irritation Specific target organ toxicity (single or repeated exposure)
CERCLA Reportable Quantity	: Calculated RQ exceeds reasonably attainable upper limit. Methanol
SARA 302 Reportable Quantity	: This material does not contain any components with a SARA 302 RQ.
SARA 302 Threshold Planning Quantity	: This material does not contain any components with a section 302 EHS TPQ.
SARA 304 Reportable Quantity	: This material does not contain any components with a section 304 EHS RQ.
SARA 313 Components	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

Ozone-Depletion Potential	: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
---------------------------	---

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

## 2-Methyl-2-Butene

Version 2.2

Revision Date 2026-02-19

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

: 2-methyl-1-butene - 563-46-2

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMi Intermediate or Final VOC's (40 CFR 60.489).

### US State Regulations

#### Pennsylvania Right To Know

: 2-methyl-2-butene - 513-35-9  
2-methyl-1-butene - 563-46-2

#### California Prop. 65 Components

: WARNING: This product can expose you to chemicals including [listed below], which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Methanol

67-56-1

### Notification status

Europe REACH

: Not in compliance with the inventory

Switzerland CH INV

: On the inventory, or in compliance with the inventory

United States of America (USA)

: On or in compliance with the active portion of the TSCA inventory

TSCA

: All components of this product are on the Canadian DSL

Canada DSL

: On the inventory, or in compliance with the inventory

Australia AIIC

: On the inventory, or in compliance with the inventory

New Zealand NZIoC

: On the inventory, or in compliance with the inventory

Japan ENCS

: On the inventory, or in compliance with the inventory

Korea KECL

: A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations.

Philippines PICCS

: On the inventory, or in compliance with the inventory

Taiwan TCSI

: On the inventory, or in compliance with the inventory

China IECSC

: On the inventory, or in compliance with the inventory


**2-Methyl-2-Butene**

Version 2.2

Revision Date 2026-02-19

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 2  
 Fire Hazard: 4  
 Reactivity Hazard: 0



**Revision Date** : 2026-02-19  
**Date of last issue** : 2021-04-05

**Further information**

Legacy SDS Number : 110000

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoc	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research	TLV	Threshold Limit Value

**2-Methyl-2-Butene**

Version 2.2

Revision Date 2026-02-19

	on Cancer		
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate