

**Sodium Methyl Mercaptide**

Version 1.14

Revision Date 2026-03-04

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product information**

Product Name : Sodium Methyl Mercaptide
Material : 1114147, 1114146, 1114145, 1065936, 1066239, 1030037,
1029154, 1029192, 1034903
Use : Chemical intermediate
Company : Chevron Phillips Chemical Company LP
Specialty Chemicals
9500 Lakeside Blvd.
The Woodlands, TX 77381

Emergency telephone:**Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Sodium Methyl Mercaptide

Version 1.14

Revision Date 2026-03-04

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000

Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606

Slovakia: +421 2 5477 4166

Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared the SDS : Product Safety and Toxicology Group
 E-mail address : SDS@CPChem.com
 Website : www.CPChem.com

SECTION 2: Hazards identification**Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification

: Flammable liquids, Category 3
 Acute toxicity, Category 4, Oral
 Skin corrosion, Sub-category 1A
 Serious eye damage, Category 1

Labeling

Symbol(s) :



Signal Word :

: Danger

Hazard Statements :

: H226: Flammable liquid and vapor.
 H302: Harmful if swallowed.
 H314: Causes severe skin burns and eye damage.

Sodium Methyl Mercaptide

Version 1.14

Revision Date 2026-03-04

Precautionary Statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Symptoms of Overexposure : No data available

Carcinogenicity:**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3: Composition/information on ingredients

Synonyms : Methanethiol sodium salt
SMM
Sodium methanethiolate

Sodium Methyl Mercaptide

Version 1.14

Revision Date 2026-03-04

Sodium methyl mercaptide 21%

Molecular formula : CH₃SNa

Component	CAS-No.	Weight %
Sodium Methanethiolate	5188-07-8	20 - 25
Sodium Hydroxide	1310-73-2	0.4 - 1

SECTION 4: First aid measures

- General advice : Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance.
- If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. If on skin, rinse well with water. If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water. Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

Notes to physician

- Symptoms : No data available.
- Risks : No data available.
- Treatment : No data available.

SECTION 5: Firefighting measures

- Flash point : 29°C (84°F)
Method: Tag closed cup
- Autoignition temperature : No data available
- Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide (CO₂). Dry chemical.
- Unsuitable extinguishing media : High volume water jet.

Sodium Methyl Mercaptide

Version 1.14

Revision Date 2026-03-04

- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
- Fire and explosion protection : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of ignition.
- Hazardous decomposition products : Sulfur oxides.

SECTION 6: Accidental release measures

- Personal precautions : Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7: Handling and storage**Handling**

- Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of ignition.

Storage

Sodium Methyl Mercaptide

Version 1.14

Revision Date 2026-03-04

Requirements for storage : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Use : Chemical intermediate

SECTION 8: Exposure controls/personal protection**Ingredients with workplace control parameters****US**

Components	Basis	Value	Control parameters	Note
Sodium Hydroxide	ACGIH	C	2 mg/m ³	
	OSHA Z-1	TWA	2 mg/m ³	
	OSHA Z-1-A	C	2 mg/m ³	

Immediately Dangerous to Life or Health Concentrations (IDLH)

Substance name	CAS-No.	Control parameters	Update
Sodium Hydroxide	1310-73-2	Immediately Dangerous to Life or Health Concentration Value 10 mg/m ³	1995-03-01

Engineering measures

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as: Air-Purifying Respirator for Organic Vapors. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Sodium Methyl Mercaptide

Version 1.14

Revision Date 2026-03-04

Eye protection	: Eye wash bottle with pure water.
Skin and body protection	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Flame retardant antistatic protective clothing. Workers should wear antistatic footwear. Complete head face and neck protection. Rubber apron. Footwear protecting against chemicals.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

Form	: liquid
Physical state	: liquid
Color	: Colorless
Odor	: Pungent

Safety data

Flash point	: 29°C (84°F) Method: Tag closed cup
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Oxidizing properties	: No
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Molecular formula	: CH ₃ SNa
Molecular weight	: 70.08 g/mol
pH	: > 10
Pour point	: No data available
Boiling point/boiling range	: Not applicable, Decomposes
Vapor pressure	: 20.00 MMHG at 24°C (75°F)
Relative density	: No data available
Density	: 1.113 G/ML at 30°C (86°F)
Water solubility	: soluble

Sodium Methyl Mercaptide

Version 1.14

Revision Date 2026-03-04

Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Relative vapor density	: 1 (Air = 1.0)
Evaporation rate	: No data available
Percent volatile	: 79 %
Conductivity	: No data available

SECTION 10: Stability and reactivity

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous reactions	
Hazardous reactions	: Hazardous reactions: Hazardous polymerization does not occur. Hazardous reactions: Vapors may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Materials to avoid	: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
Thermal decomposition	: No data available
Hazardous decomposition products	: Sulfur oxides
Other data	: No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**Acute oral toxicity**

Sodium Methanethiolate	: LD50: 581 mg/kg Species: Rat Sex: male and female Method: OECD Test Guideline 401
------------------------	--

Acute inhalation toxicity

Sodium Methyl Mercaptide

Version 1.14

Revision Date 2026-03-04

Sodium Methanethiolate : No data available

Acute dermal toxicity

Sodium Methanethiolate : LD50: > 400 mg/kg
 Species: Rat
 Sex: male and female
 Method: OECD Test Guideline 402

**Sodium Methyl Mercaptide
Skin irritation**

: Extremely corrosive and destructive to tissue.
 Information given is based on tests on the mixture itself.

**Sodium Methyl Mercaptide
Eye irritation**

: Irreversible effects on the eye

**Sodium Methyl Mercaptide
Sensitization**

: Did not cause sensitization on laboratory animals.

Repeated dose toxicity

Sodium Methanethiolate : Species: Rat, male
 Sex: male
 Application Route: Inhalation
 Dose: 0, 2, 17, 57 ppm
 Exposure time: 13 wk
 Number of exposures: 7 h/d, 5 d/wk
 NOEL: 0.033 mg/l 17 ppm
 Lowest observable effect level: 0.118 mg/l 57 ppm
 Target Organs: Liver
 Information given is based on data obtained from similar substances.

Species: Rat, male
 Sex: male
 Application Route: oral gavage
 Dose: 5, 15, 45 mg/kg/day
 Exposure time: 8 wk
 Number of exposures: once/d, 7 d/wk
 NOEL: 15 mg/kg
 Lowest observable effect level: 45 mg/kg
 Method: OECD Test Guideline 422
 Target Organs: Blood, spleen

Species: Rat, female
 Sex: female
 Application Route: oral gavage
 Dose: 5, 15, 45 mg/kg/day
 Exposure time: 8 - 9 wk
 Number of exposures: once/d, 7 d/wk
 NOEL: 15 mg/kg
 Lowest observable effect level: 45 mg/kg
 Method: OECD Test Guideline 422
 Target Organs: Blood, spleen

Genotoxicity in vitro

Sodium Methyl Mercaptide

Version 1.14

Revision Date 2026-03-04

Sodium Methanethiolate : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Cytogenetic assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: Ambiguous

Sodium Hydroxide Test Type: Ames test
Result: negative

Test Type: DNA damage and repair assay
Result: negative

Test Type: Mammalian cell gene mutation assay
Result: positive

Genotoxicity in vivo

Sodium Methanethiolate : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Route of Application: Oral
Method: OECD Test Guideline 474
Result: negative

Sodium Hydroxide Test Type: Mouse micronucleus assay
Result: negative

Reproductive toxicity

Sodium Methanethiolate : Species: Rat
Sex: male
Application Route: oral gavage
Dose: 5, 15, 45 mg/kg
Exposure time: 8 wk
Number of exposures: once/d, 7 d/wk
Test period: 4 wks pre mating, mating and...
Method: OECD Guideline 422
NOAEL Parent: > 45 mg/kg
NOAEL F1: > 45 mg/kg

Species: Rat
Sex: female
Application Route: oral gavage
Dose: 5, 15, 45 mg/kg
Exposure time: 8 - 9 wk
Number of exposures: once/d, 7 d/wk
Test period: 4 wks pre mating, mating and...
Method: OECD Guideline 422
NOAEL Parent: > 45 mg/kg
NOAEL F1: > 45 mg/kg

Sodium Methyl Mercaptide
Aspiration toxicity : No aspiration toxicity classification.

Sodium Methyl Mercaptide

Version 1.14

Revision Date 2026-03-04

Sodium Methyl Mercaptide**Further information** : Solvents may decrease the skin.**SECTION 12: Ecological information****Toxicity to fish**

Sodium Methanethiolate : LC50: 1.8 mg/l
 Exposure time: 96 h
 Species: Danio rerio (Zebra Fish)
 semi-static test Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

Sodium Methanethiolate : EC50: 1.32 - 2.46 mg/l
 Exposure time: 48 h
 Species: Daphnia magna (Water flea)
 static test Method: OECD Test Guideline 202

Toxicity to algae

Sodium Methanethiolate : ErC50: 15 mg/l
 Exposure time: 72 h
 Species: Pseudokirchneriella subcapitata (green algae)
 static test Method: OECD Test Guideline 201

Biodegradability

Sodium Methanethiolate : aerobic
 Result: Readily biodegradable.
 64 %
 Testing period: 28 d
 Method: OECD Test Guideline 301D

Bioaccumulation

Sodium Methanethiolate : This material is not expected to bioaccumulate.

Mobility

Sodium Methanethiolate : No data available

Additional ecological information : Toxic to aquatic life.

Ecotoxicology Assessment**Short-term (acute) aquatic hazard**

Sodium Methanethiolate : Toxic to aquatic life.

Long-term (chronic) aquatic hazard

Sodium Methanethiolate : This product has no known ecotoxicological effects.

Sodium Methyl Mercaptide

Version 1.14

Revision Date 2026-03-04

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

- Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN2920, CORROSIVE LIQUIDS, FLAMMABLE, N.O.S., (SODIUM METHANETHIOLATE, SODIUM HYDROXIDE), 8 (3), I, RQ (SODIUM HYDROXIDE)

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S., (SODIUM METHANETHIOLATE, SODIUM HYDROXIDE), 8 (3), I, (29 °C c.c.)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S., (SODIUM METHANETHIOLATE, SODIUM HYDROXIDE), 8 (3), I

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S., (SODIUM METHANETHIOLATE, SODIUM HYDROXIDE), 8 (3), I, (D/E)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

883, UN2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S., (SODIUM METHANETHIOLATE, SODIUM HYDROXIDE), 8 (3), I

Sodium Methyl Mercaptide

Version 1.14

Revision Date 2026-03-04

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN2920, CORROSIVE LIQUID, FLAMMABLE, N.O.S., (SODIUM METHANETHIOLATE, SODIUM HYDROXIDE), 8 (3), I

Maritime transport in bulk according to IMO instruments**SECTION 15: Regulatory information****National legislation**

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Acute toxicity (any route of exposure)

CERCLA Reportable Quantity : Listed substances in the product are at low enough levels to not be expected to exceed the RQ

Sodium Hydroxide

SARA 302 Reportable Quantity : This material does not contain any components with a SARA 302 RQ.

SARA 302 Threshold Planning Quantity : This material does not contain any components with a section 302 EHS TPQ.

SARA 304 Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

Sodium Methyl Mercaptide

Version 1.14

Revision Date 2026-03-04

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations**Pennsylvania Right To Know**

: Water - 7732-18-5
 Sodium Methanethiolate - 5188-07-8
 Sodium Hydroxide - 1310-73-2

California Prop. 65 Components


: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

Europe REACH	:	Not in compliance with the inventory
Switzerland CH INV	:	Not in compliance with the inventory
United States of America (USA) TSCA	:	On or in compliance with the active portion of the TSCA inventory
Canada NDSL	:	None of the components of this product are on the Canadian DSL, but all are on the NDSL
Australia AIC	:	Not in compliance with the inventory
New Zealand NZIoC	:	Not in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Japan ISHL	:	On the inventory, or in compliance with the inventory
Korea KECI	:	All substances in this product were registered, notified to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on CPChem's notifications or if the Importer of Record themselves notified the substances.
Philippines PICCS	:	On the inventory, or in compliance with the inventory
Taiwan TCSI	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory
Other TECI	:	Not in compliance with the inventory

SECTION 16: Other information**NFPA Classification**

: Health Hazard: 3
 Fire Hazard: 2
 Reactivity Hazard: 0



Sodium Methyl Mercaptide

Version 1.14

Revision Date 2026-03-04

Revision Date : 2026-03-04
Date of last issue : 2025-06-12

Further information

Legacy SDS Number : 681520

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate