

**Synfluid® PAO 6 cSt**

Version 1.18

Revision Date 2026-06-10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product information**

Product Name : Synfluid® PAO 6 cSt  
Material : 1111741, 1111740, 1111734, 1079874, 1079931, 1079667  
Use : Synthetic Lubricants

Uses advised against :  
This material should not be used for purposes other than the identified uses in section 1 without expert advice.

**Company** : Chevron Phillips Chemical Company LP  
9500 Lakeside Blvd.  
The Woodlands, TX 77381

**Emergency telephone:****Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

**Transport:**

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Gifftlinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

**Synfluid® PAO 6 cSt**

Version 1.18

Revision Date 2026-06-10

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000

Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606

Slovakia: +421 2 5477 4166

Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared the SDS : Product Safety and Toxicology Group  
 E-mail address : SDS@CPChem.com  
 Website : www.CPChem.com

**SECTION 2: Hazards identification****Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

**Classification**

:  
 Not a hazardous substance or mixture.

**Labeling**

Not a hazardous substance or mixture.

**Carcinogenicity:****IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Synfluid® PAO 6 cSt**

Version 1.18

Revision Date 2026-06-10

**SECTION 3: Composition/information on ingredients**

Synonyms : Polyalphaolefin  
PAO

Molecular formula : Polymer

| Component                         | CAS-No.    | Weight % |
|-----------------------------------|------------|----------|
| 1-Decene Homopolymer Hydrogenated | 68037-01-4 | 100      |

Contains no hazardous ingredients according to GHS.

**SECTION 4: First aid measures**

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

**Notes to physician**

Treatment : Treat symptomatically.

**SECTION 5: Firefighting measures**

Flash point : 239-258°C (462-496°F)  
Method: ASTM D-92

Autoignition temperature : 354°C (669°F)

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet.

Specific hazards during fire fighting : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Synfluid® PAO 6 cSt**

Version 1.18

Revision Date 2026-06-10

Fire and explosion protection : Normal measures for preventive fire protection.

Hazardous decomposition products : Carbon oxides.

**SECTION 6: Accidental release measures**

Personal precautions : Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.

Environmental precautions : No special environmental precautions required.

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

**SECTION 7: Handling and storage****Handling**

Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

**Storage**

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.

Uses advised against : This material should not be used for purposes other than the identified uses in section 1 without expert advice.

Advice on common storage : No materials to be especially mentioned.

Use : Synthetic Lubricants

**SECTION 8: Exposure controls/personal protection****Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Personal protective equipment**

**Synfluid® PAO 6 cSt**

Version 1.18

Revision Date 2026-06-10

|                          |   |  |
|--------------------------|---|--|
| Respiratory protection   | : | If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate.  |
| Hand protection          | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. |
| Eye protection           | : | Eye wash bottle with pure water. Tightly fitting safety goggles.   |
| Skin and body protection | : | Choose body protection according to the amount and concentration of the substance and the task performed at the work place. Appropriate PPE may include: Lightweight protective clothing.  |
| Hygiene measures         | : | General industrial hygiene practice.   |

**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties****Appearance**

|                |   |                  |
|----------------|---|------------------|
| Physical state | : | liquid           |
| Color          | : | Clear, Colorless |
| Odor           | : | Odorless         |

**Safety data**

|                              |   |  |
|------------------------------|---|--|
| Flash point                  | : | 239-258°C (462-496°F)<br>Method: ASTM D-92 |
| Lower explosion limit        | : | Not applicable                             |
| Upper explosion limit        | : | Not applicable                             |
| Flammability (solid, gas)    | : |  |
| Oxidizing properties         | : | no   |
| Autoignition temperature     | : | 354°C (669°F)                              |
| Thermal decomposition        | : | No data available                          |
| Molecular formula            | : | Polymer                                    |
| Molecular weight             | : | Varies                                     |
| pH                           | : | Not applicable                             |
| Pour point                   | : | No data available                          |
| Melting point/freezing point | : | Not applicable                             |

**Synfluid® PAO 6 cSt**

Version 1.18

Revision Date 2026-06-10

|  |  |
|--|--|
| Boiling point/boiling range            | : 419°C (786°F)  |
| Vapor pressure                         | : 0.70 MMHG<br>at 149°C (300°F)                        |
| Relative density                       | : 0.83<br>at 15.6 °C (60.1 °F)                         |
| Water solubility                       | : Soluble in hydrocarbon solvents; insoluble in water. |
| Partition coefficient: n-octanol/water | : No data available                                    |
| Viscosity, kinematic                   | : 30.5 cSt<br>at 40°C (104°F)                          |
| Relative vapor density                 | : 10<br>(Air = 1.0)                                    |
| Evaporation rate                       | : No data available                                    |

**SECTION 10: Stability and reactivity**

|   |  |
|---|--|
| <b>Reactivity</b>                         | : Stable at normal ambient temperature and pressure.   |
| <b>Chemical stability</b>                 | : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure. |
| <b>Possibility of hazardous reactions</b> |  |
| <b>Hazardous reactions</b>                | : Further information: Stable under recommended storage conditions., No hazards to be specially mentioned.                             |
| <b>Conditions to avoid</b>                | : No data available.   |
| <b>Materials to avoid</b>                 | : No data available.   |
| <b>Thermal decomposition</b>              | : No data available  |
| <b>Hazardous decomposition products</b>   | : Carbon oxides  |
| <b>Other data</b>                         | : No decomposition if stored and applied as directed.  |

**SECTION 11: Toxicological information**

|                            |  |
|----------------------------|--|
| <b>Synfluid® PAO 6 cSt</b> |  |
| <b>Acute oral toxicity</b> | : LD50 Oral: > 5,000 mg/kg<br>Species: Rat |

**Synfluid® PAO 6 cSt**

Version 1.18

Revision Date 2026-06-10

**Synfluid® PAO 6 cSt**

**Acute inhalation toxicity** : LC50: > 5.2 mg/l  
 Exposure time: 4 h  
 Species: Rat  
 Test atmosphere: dust/mist

**Synfluid® PAO 6 cSt**

**Acute dermal toxicity** : LD50: > 2,000 mg/kg  
 Species: Rabbit

**Synfluid® PAO 6 cSt**

**Skin irritation** : No skin irritation

**Synfluid® PAO 6 cSt**

**Eye irritation** : No eye irritation

**Synfluid® PAO 6 cSt**

**Sensitization** : Did not cause sensitization on laboratory animals.

**Repeated dose toxicity**

1-Decene Homopolymer  
 Hydrogenated : Species: Rat  
 Application Route: Oral  
 Dose: 0, 8000, 20000, 50000 ppm  
 Exposure time: 28 day  
 Number of exposures: daily  
 NOEL: 6,245 mg/kg  
 Method: OECD Test Guideline 407

Species: Rat  
 Application Route: oral gavage  
 Dose: 0, 1000, 7000, 50000 ppm  
 Exposure time: 13 weeks  
 Number of exposures: daily  
 NOEL: 4,159.4 mg/kg  
 Method: OCED Guideline 408

**Synfluid® PAO 6 cSt**

**Genotoxicity in vitro** : Remarks: No adverse effects expected, Information given is based on data obtained from similar substances.

**Synfluid® PAO 6 cSt**

**Genotoxicity in vivo** : Remarks: No adverse effects expected, Information given is based on data obtained from similar substances.

**Synfluid® PAO 6 cSt**

**Carcinogenicity** : Remarks: This information is not available.

**Reproductive toxicity**

**Synfluid® PAO 6 cSt**

Version 1.18

Revision Date 2026-06-10

1-Decene Homopolymer Hydrogenated : Species: Rat  
 Sex: male and female  
 Application Route: oral gavage  
 Dose: 0, 100, 500, 1000 mg/kg  
 Number of exposures: daily  
 Test period: 10 weeks  
 Method: OECD Test Guideline 415  
 NOAEL Parent: 1,000 mg/kg

**Developmental Toxicity**

1-Decene Homopolymer Hydrogenated : Animal testing did not show any effects on fetal development. Information given is based on data obtained from similar substances.

**Aspiration toxicity**

1-Decene Homopolymer Hydrogenated : No aspiration toxicity classification.

**Toxicology Assessment****Synfluid® PAO 6 cSt  
CMR effects**

: Carcinogenicity:  
 Not classifiable as a human carcinogen.  
 Mutagenicity:  
 Animal testing did not show any mutagenic effects.  
 Teratogenicity:  
 no developmental effects  
 Reproductive toxicity:  
 No toxicity to reproduction

**Synfluid® PAO 6 cSt  
Further information**

: No data available.

**SECTION 12: Ecological information****Ecotoxicity effects****Toxicity to fish**

: LL50: > 1,000 mg/l  
 Exposure time: 96 h  
 Species: Oncorhynchus mykiss (rainbow trout)  
 LC50: > 750 mg/l  
 Exposure time: 96 h  
 Species: Pimephales promelas (fathead minnow)

**Toxicity to daphnia and other aquatic invertebrates**

: EL50: > 1,000 mg/l  
 Exposure time: 48 h  
 Species: Daphnia magna (Water flea)  
 static test Method: OECD Test Guideline 202

**Toxicity to algae**

: NOELR: 1,000 mg/l  
 Exposure time: 72 h  
 Species: Scenedesmus capricornutum (fresh water algae)

**Synfluid® PAO 6 cSt**

Version 1.18

Revision Date 2026-06-10

static test Method: OECD Test Guideline 201

EC50: &gt; 1,000 mg/l

Exposure time: 96 h

Species: *Selenastrum capricornutum* (algae)

Biodegradability : This material is not expected to be readily biodegradable.  
Expected to be inherently biodegradable.

Elimination information (persistence and degradability)

Bioaccumulation : This material is not expected to bioaccumulate.

Mobility : No data available

Results of PBT assessment

1-Decene Homopolymer : Non-classified PBT substance, Non-classified vPvB substance  
Hydrogenated

Additional ecological information : No data available

**Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

Long-term (chronic) aquatic hazard : This material is not expected to be harmful to aquatic organisms.

**SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

**SECTION 14: Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**Synfluid® PAO 6 cSt**

Version 1.18

Revision Date 2026-06-10

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

|                          |          |  |
|--------------------------|----------|--|
| <b>Other information</b> | <b>:</b> | <b>Polyolefin (molecular weight 300+), S.T. 2, Cat.Y</b> |
|--------------------------|----------|--|

**Maritime transport in bulk according to IMO instruments**

**SECTION 15: Regulatory information****National legislation**

**SARA 311/312 Hazards** : No SARA Hazards

CERCLA Reportable Quantity : This material does not contain any components with a CERCLA RQ.

SARA 302 Reportable Quantity : This material does not contain any components with a SARA 302 RQ.

SARA 302 Threshold Planning Quantity : This material does not contain any components with a section 302 EHS TPQ.

**Synfluid® PAO 6 cSt**

Version 1.18

Revision Date 2026-06-10

SARA 304 Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**Clean Air Act**

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

**US State Regulations**

Pennsylvania Right To Know : 1-Decene Homopolymer Hydrogenated - 68037-01-4

California Prop. 65 Components : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**Notification status**

Europe EU REACH : This product is in full compliance according to REACH regulation 1907/2006/EC.  
 Switzerland CH INV : On the inventory, or in compliance with the inventory  
 United States of America (USA) TSCA : On or in compliance with the active portion of the TSCA inventory  
 Canada DSL : All components of this product are on the Canadian DSL  
 Australia AU AIC : On the inventory, or in compliance with the inventory

**Synfluid® PAO 6 cSt**


Version 1.18

Revision Date 2026-06-10

|                   |   |   |
|-------------------|---|---|
| New Zealand NZIoC | : | On the inventory, or in compliance with the inventory<br>Notification number: HSR002606   |
| Japan ENCS        | : | On the inventory, or in compliance with the inventory   |
| Korea KECI        | : | All substances in this product were registered, notified to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on CPChem's notifications or if the Importer of Record themselves notified the substances. |
| Philippines PICCS | : | On the inventory, or in compliance with the inventory   |
| Taiwan TW TCSI    | : | On the inventory, or in compliance with the inventory   |
| China IECSC       | : | On the inventory, or in compliance with the inventory   |

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 0  
Fire Hazard: 1  
Reactivity Hazard: 0



**Revision Date** : 2026-06-10  
**Date of last issue** : 2026-06-10

Print Date : 2026-06-12

**Further information**

NSF H1, HX-1 Registered, meets USDA 1998 H1 Guidelines

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

|       |   |       |   |
|-------|---|-------|---|
| ACGIH | American Conference of Government Industrial Hygienists | LD50  | Lethal Dose 50%                                     |
| AIIC  | Australian Inventory of Industrial Chemicals            | LOAEL | Lowest Observed Adverse Effect Level                |
| DSL   | Canada, Domestic Substances List                        | NFPA  | National Fire Protection Agency                     |
| NDSL  | Canada, Non-Domestic Substances List                    | NIOSH | National Institute for Occupational Safety & Health |
| CNS   | Central Nervous System                                  | NTP   | National Toxicology Program                         |
| CAS   | Chemical Abstract Service                               | NZIoC | New Zealand Inventory of                            |

**Synfluid® PAO 6 cSt**

Version 1.18

Revision Date 2026-06-10

|        |  |       | Chemicals  |
|--------|--|-------|--|
| EC50   | Effective Concentration                                  | NOAEL | No Observable Adverse Effect Level   |
| EC50   | Effective Concentration 50%                              | NOEC  | No Observed Effect Concentration   |
| EGEST  | EOSCA Generic Exposure Scenario Tool                     | OSHA  | Occupational Safety & Health Administration  |
| EOSCA  | European Oilfield Specialty Chemicals Association        | PEL   | Permissible Exposure Limit   |
| EINECS | European Inventory of Existing Chemical Substances       | PICCS | Philippines Inventory of Commercial Chemical Substances                              |
| MAK    | Germany Maximum Concentration Values                     | PRNT  | Presumed Not Toxic   |
| GHS    | Globally Harmonized System                               | RCRA  | Resource Conservation Recovery Act   |
| >=     | Greater Than or Equal To                                 | STEL  | Short-term Exposure Limit  |
| IC50   | Inhibition Concentration 50%                             | SARA  | Superfund Amendments and Reauthorization Act.  |
| IARC   | International Agency for Research on Cancer              | TLV   | Threshold Limit Value  |
| IECSC  | Inventory of Existing Chemical Substances in China       | TWA   | Time Weighted Average  |
| ENCS   | Japan, Inventory of Existing and New Chemical Substances | TSCA  | Toxic Substance Control Act  |
| KECI   | Korea, Existing Chemical Inventory                       | UVCB  | Unknown or Variable Composition, Complex Reaction Products, and Biological Materials |
| <=     | Less Than or Equal To                                    | WHMIS | Workplace Hazardous Materials Information System                                     |
| LC50   | Lethal Concentration 50%                                 | ATE   | Acute toxicity estimate  |