

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21 Date of first issue: 2022-12-21

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : E-Series® Catalyst RG-1

Material : 1078356, 1070831, 1070922

Product code : 000000000000000000 000000000000000000

Recommended use of the chemical and restrictions on use

Recommended use : Chemical intermediate

Restrictions on use : None known.

Manufacturer or supplier's details

Address : Chevron Phillips Chemical Company LP
Specialty Chemicals
9500 Lakeside Blvd.
The Woodlands, TX 77381

Address : CHEVRON PHILLIPS CHEMICALS ASIA PTE. LTD.
C/O DONG WOO CORPORATION
#B-2601, JEONGJAIL-RO,
BUNDANG-GU, SEONGNAMI-SI,
GYEONGGI-DO, 13557
SOUTH KOREA
Telephone no.: +612-9186-1132

Emergency telephone:**Health:**

866.442.9628 (North America)
1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)
Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090
Mexico CHEMTREC 01-800-681-9531 (24 hours)
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
Argentina: +(54)-1159839431
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)
Belgium: 070 245 245 (24 hours/day, 7 days/week)
Bulgaria: +359 2 9154 233
Croatia: +3851 2348 342 (24 hours/day, 7 days/week)
Cyprus: 1401
Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402
Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212
Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Finland: 0800 147 111 09 471 977 (24 hours/day)

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21 Date of first issue: 2022-12-21

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)
 Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
 Greece: (0030) 2107793777 (24 hours/day, 7 days/week)
 Hungary: +36-80-201-199 (24 hours/day, 7 days/week)
 Iceland: 543 2222 (24 hours/day, 7 days/week)
 Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
 Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;
 Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)
 Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
 Lithuania: +370 (85) 2362052
 Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)
 Malta: +356 2395 2000
 The Netherlands: NVIC: +31 (0)88 755 8000
 Norway: 22 59 13 00 (24 hours/day, 7 days/week)
 Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
 Portugal: CIAV phone number: +351 800 250 250
 Romania: +40213183606
 Slovakia: +421 2 5477 4166
 Slovenia: Phone number: 112
 Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)
 Sweden: 112 – ask for Poisons Information

Organization that prepared the SDS : Product Safety and Toxicology Group
 E-mail address : SDS@CPChem.com
 Website : www.CPChem.com
 Appointees : 회사명: 리이치 24 시코리아(주).
 주소: 서울시 서초구 헌릉로 7,
 외국기업창업지원연구센터
 (IKP) 908-909호

E-Series® Catalyst RG-1

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21 Date of first issue: 2022-12-21

전화: +82-1067838981

2. HAZARDS IDENTIFICATION**GHS Classification**

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P273 Avoid release to the environment.

Response:
P391 Collect spillage.

Disposal:
P501 Dispose of contents and container according to wastes control act.

Other hazards which do not result in classification

No data available

3. COMPOSITION/INFORMATION ON INGREDIENTS**Components**

Chemical name	Common	CAS-No.	Concentration (%)
---------------	--------	---------	-------------------

SDS Number:100000105851

3/21

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version 1.1 Revision Date: 2026-08-03 SDS Number (Internal): 100000105851 MSDS number: AA00974-0000000188
 Date of last issue: 2022-12-21
 Date of first issue: 2022-12-21

	Name		w/w)
Aluminum Oxide	Alumina Oxide	1344-28-1	>= 95 - <= 100
Potassium Fluoride	potassium fluoride	7789-23-3	< 1
Silver Oxide	disilver oxide	20667-12-3	>= 0.25 - < 1
None			

4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

In case of eye contact : Flush eyes with water as a precaution.
 Remove contact lenses.
 Protect unharmed eye.
 Keep eye wide open while rinsing.
 If eye irritation persists, consult a specialist.

In case of skin contact : If on skin, rinse well with water.
 Call a physician if irritation develops or persists.

If inhaled : If unconscious, place in recovery position and seek medical advice.
 If symptoms persist, call a physician.

If swallowed : Keep respiratory tract clear.
 Do not give milk or alcoholic beverages.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : No information available.
 No information available.

Notes to physician : No information available.

5. FIRE-FIGHTING MEASURES**Suitable and unsuitable extinguishing media**

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
 Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21 Date of first issue: 2022-12-21

for fire-fighters

essary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
------------	---------	----------------------------------	--	-------

SAFETY DATA SHEET

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version 1.1 Revision Date: 2026-08-03 SDS Number (Internal): 100000105851 MSDS number: AA00974-0000000188
 Date of last issue: 2022-12-21
 Date of first issue: 2022-12-21

Aluminum Oxide	1344-28-1	TWA	10 mg/m3	KR OEL
		TWA (Respirable particulate matter)	1 mg/m3 (Aluminum)	ACGIH
Potassium Fluoride	7789-23-3	TWA	2.5 mg/m3 (Fluorine)	KR OEL
		TWA	2.5 mg/m3 (Fluorine)	ACGIH
Silver Oxide	20667-12-3	TWA (Dust and fume)	0.1 mg/m3 (Silver)	ACGIH

Other ingredients, which are listed in section 3 but not listed in this section, do not have established occupational exposure limit values.

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Potassium Fluoride	7789-23-3	Fluoride (Fluorine)	Urine	Prior to shift (16 hours after exposure ceases)	2 mg/l	ACGIH BEI
		Fluoride (Fluorine)	Urine	End of shift (As soon as possible after exposure ceases)	3 mg/l	ACGIH BEI
Potassium Fluoride	7789-23-3	Fluoride (Fluorine)	Urine	Prior to shift (16 hours after exposure ceases)	2 mg/l	ACGIH BEI
		Fluoride (Fluorine)	Urine	End of shift (As soon as possible after exposure ceases)	3 mg/l	ACGIH BEI

Engineering measures : Adequate ventilation to control airborne concentrations below the exposure guidelines/limits.

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21 Date of first issue: 2022-12-21

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment. Among the following personal protective equipment, the PPEs which require safety certification need to be certified by KOSHA.

Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate.
If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as:

Air-Purifying Respirator for Dusts and Mists / P100

A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Eye protection : Eye wash bottle with pure water
Safety glasses

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Wear as appropriate:
Protective suit
Safety shoes

SAFETY DATA SHEET

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21
			Date of first issue: 2022-12-21

Hygiene measures : Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Pellets
Color	: White to off-white
Odor	: No data available
Odor Threshold	: No data available
pH	: Not applicable
Pour point	: Not applicable
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: Not applicable
Lower explosion limit / Lower flammability limit	: Not applicable
Vapor pressure	: Not applicable
Solubility(ies) Water solubility	: Insoluble
Relative vapor density	: Not applicable
Relative density	: No data available
Density	: 70 - 80 LB/FT3
Partition coefficient: n-octanol/water	: Not applicable
Decomposition temperature	: No data available
Viscosity Viscosity, kinematic	: Not applicable

SDS Number:100000105851

8/21

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21 Date of first issue: 2022-12-21

Oxidizing properties : No

Molecular weight : Not applicable

10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions : Reactivity:
Stable under recommended storage conditions.
Chemical stability:
This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous reactions:
Hazardous polymerization does not occur.
Possibility of hazardous reactions:
Dust may form explosive mixture in air.
Reacts violently with water.
Possibility of hazardous reactions:
Stable under recommended storage conditions.
No hazards to be specially mentioned.

Conditions to avoid : No data available

Hazardous decomposition products : Metal Oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data available

Health hazard information**Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Remarks: No data available

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21
			Date of first issue: 2022-12-21

Components:**Aluminum Oxide:**

Acute oral toxicity	: LD50 (Rat): > 10,000 mg/kg Method: OECD Test Guideline 401 Assessment: Not harmful
Acute inhalation toxicity	: LC50 (Rat): > 2.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Information given is based on data obtained from similar substances.
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: Information given is based on data obtained from similar substances.

Potassium Fluoride:

Acute oral toxicity	: LD50 Oral (Rat): 148.5 mg/kg Test substance: yes GLP: yes Assessment: 2 - toxic
Acute inhalation toxicity	: LC50 (Rat): 1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Test substance: no GLP: yes Remarks: Information given is based on data obtained from similar substances.
Acute dermal toxicity	: LD50: 300 mg/kg Method: Converted acute toxicity point estimate

Skin corrosion/irritation**Product:**

Result	: No skin irritation
--------	----------------------

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21
			Date of first issue: 2022-12-21

Components:**Aluminum Oxide:**

Method	: OECD Test Guideline 404
Result	: No skin irritation

Potassium Fluoride:

Species	: Rabbit
Result	: No skin irritation
Remarks	: Information given is based on data obtained from similar substances.

Silver Oxide:

Result	: No skin irritation
--------	----------------------

Serious eye damage/eye irritation**Product:**

Remarks	: Product dust may be irritating to eyes, skin and respiratory system.
---------	--

Components:**Aluminum Oxide:**

Result	: No eye irritation
Method	: OECD Test Guideline 405

Potassium Fluoride:

Result	: Irreversible effects on the eye
Remarks	: Information given is based on data obtained from similar substances.

Silver Oxide:

Result	: Irreversible effects on the eye
--------	-----------------------------------

Respiratory or skin sensitization**Skin sensitization**

Did not cause sensitization on laboratory animals.

Skin sensitization

Information refers to the main ingredient.

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21
			Date of first issue: 2022-12-21

Product:

Result : No data available

Components:**Aluminum Oxide:**

Species : Guinea pig
Result : Did not cause sensitization on laboratory animals.

Carcinogenicity**Components:****Aluminum Oxide:**

No data available

Germ cell mutagenicity**Components:****Aluminum Oxide:**

No data available

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative

Reproductive toxicity**Components:****Aluminum Oxide:**

No data available

STOT-single exposure**Product:**

Remarks : Not classified due to data which are conclusive although insufficient for classification.

STOT-repeated exposure**Product:**

Remarks : Not classified due to data which are conclusive although insufficient for classification.

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21
			Date of first issue: 2022-12-21

ficient for classification.

Repeated dose toxicity

No data available

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information**Product:**

Remarks : No data available

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Aluminum Oxide:**

Toxicity to fish : NOEC (Salmo salar (Atlantic salmon)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : NOEC (Selenastrum capricornutum (algae)): > 100 mg/l
plants : Exposure time: 72 h
Method: OECD Test Guideline 201

Ecotoxicology Assessment

Acute aquatic toxicity : This material is not expected to be harmful to aquatic organisms.

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21
			Date of first issue: 2022-12-21

Chronic aquatic toxicity : This material is not expected to be harmful to aquatic organisms.

Silver Oxide:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.2 µg/l
Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.22 µg/l
Exposure time: 48 h
Test Type: semi-static test

Toxicity to algae/aquatic plants : EC10 (Chlamydomonas reinhardtii (green algae)): 0.54 µg/l
Exposure time: 24 h
Test Type: Growth inhibition

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 100

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability**Components:****Aluminum Oxide:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Silver Oxide:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential**Components:****Aluminum Oxide:**

Bioaccumulation : Remarks: This material is not expected to bioaccumulate.

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21
			Date of first issue: 2022-12-21

Silver Oxide:

Bioaccumulation : Remarks: No data available

Mobility in soil**Components:****Aluminum Oxide:**

Mobility : Remarks: No data available

Silver Oxide:

Mobility : Remarks: No data available

Other adverse effects**Product:**

Additional ecological information : Very toxic to aquatic life with long lasting effects.

Components:**Aluminum Oxide:**

Results of PBT and vPvB assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21
			Date of first issue: 2022-12-21

Disposal precautions

Dispose of contents and container according to wastes control act.

14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s.
	: ()
Class	: 9
Packing group	: III
Labels	: Class 9 - Miscellaneous Dangerous Goods

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
	: ()
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: no

Maritime transport in bulk according to IMO instruments

III - Less Hazardous Properties

Domestic regulation

Refer to section 15 for specific national regulation.

Special precautions for user

Remarks : UN3077

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION**National regulatory information****Regulation under the Occupational Safety and Health Act****Harmful Substances Prohibited from Manufacturing**

Not applicable

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21
			Date of first issue: 2022-12-21

Harmful Substances Required Permission for Manufacture

Not applicable

Harmful Agents to be kept below Occupational Exposure Limits

Chemical name	CAS-No.
α -Alumina	1344-28-1
Fluorides	7789-23-3

Harmful Agents Required to be kept below Permission Levels

Not applicable

Hazardous substances requiring management

Chemical name	CAS-No.	Threshold limits (%)
Aluminum and its compounds	1344-28-1	$\geq 1\%$

Special Management Materials

Not applicable

Controlled Substances Subject to Environment Monitoring

Chemical name	CAS-No.	Threshold limits (%)
Aluminum and its compounds	1344-28-1	$\geq 1\%$
Mineral dusts	1344-28-1	

Controlled Substances Subject to Health Examination

Chemical name	CAS-No.	Threshold limits (%)
Aluminum and its compounds	1344-28-1	$\geq 1\%$
Mineral dusts	1344-28-1	

Hazardous Substances Subject to Process Safety Management (PSM) Reporting Obligation

Not applicable

K-OSHA Hazardous Substances (Occupational Safety and Health Regulations, Table 9)

Category	Manufacturing or handling quantity
Acute toxic substances (oral)	100 kilogram
Acute toxic substances (dermal)	100 kilogram
Acute toxic substances (inhalation)	100 kilogram

Regulation under the Chemicals Control Act**Toxic Chemicals**

Not applicable

Restricted Chemicals

Not applicable

Prohibited Chemicals

Not applicable

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21
			Date of first issue: 2022-12-21

Toxic Release Inventory

Chemical name	CAS-No.	Group	Threshold limits (%)
Aluminium and its compounds	1344-28-1	Group II	>= 1 %

Accident Precaution Chemicals

Not applicable

Chemicals of Acute and Chronic Hazard to Human Health and the Environment**Substances Acutely hazardous to humans**

Not applicable

Substances Chronically hazardous to humans

Not applicable

Substances Hazardous to the environment

Not applicable

Accident Precaution Chemicals

Not applicable

Toxic Release Inventory

Chemical name	CAS-No.	Group	Threshold limits (%)
Aluminium and its compounds	1344-28-1	Group II	>= 1 %

Act on Registration and Evaluation of Chemical Substances (K-REACH)**Restricted Chemicals**

Not applicable

Prohibited Chemicals

Not applicable

Substances with Unconfirmed Hazards

Not applicable

Dangerous Substances Safety Management Act

Not Applicable to Dangerous Materials

International Chemical : Neither banned nor restricted

Weapons Convention (CWC)

Schedules of Toxic Chemicals and Precursors

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21
			Date of first issue: 2022-12-21

Waste Control Act

Industrial waste

Follow article 13 of the act to dispose the product waste

Industrial general wastes

Follow article 13 of the act to dispose the product waste

Other requirements in domestic and other countries**The ingredients of this product are reported in the following inventories:**

EU REACH	: A substance or substances in this product is not registered or notified to be registered. Importation or manufacture of this product is still permitted provided that it does not exceed the REACH minimum threshold quantity of the non-regulated substances.
CH INV	: On the inventory, or in compliance with the inventory
TSCA	: On or in compliance with the active portion of the TSCA inventory
DSL	: All components of this product are on the Canadian DSL
AU AIIC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: A substance(s) in this product was not registered, notified to be registered, or exempted from registration by CPChem according to K-REACH regulations.
PICCS	: On the inventory, or in compliance with the inventory
TW TCSI	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

16. OTHER INFORMATION**Further information**

Issuing date : 2022-12-21

Revision number and date

Number of Revision : 1.1

SAFETY DATA SHEET


**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Internal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21 Date of first issue: 2022-12-21

Revision Date : 2026-08-03
Other information : None.
Date format : yyyy/mm/dd

NFPA:**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
KR OEL : Harmful Agents to be kept below Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
KR OEL / TWA : Time Weighted Average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-

**E-Series® Catalyst RG-1**

Version 1.1

Revision Date 2026-08-03

Version	Revision Date:	SDS Number (Inter- nal):	MSDS number: AA00974-0000000188
1.1	2026-08-03	100000105851	Date of last issue: 2022-12-21 Date of first issue: 2022-12-21

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

KR / EN