

**Sulfole® 120 Mercaptan (tert-Dodecanethiol)**

Version 2.16

Revision Date 2026-09-24

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product information**

Product Name : Sulfole® 120 Mercaptan (tert-Dodecanethiol)
Material : 1124727, 1124726, 1121184, 1113774, 1017942, 1111452,
1024818, 1024817, 1103990, 1084934, 1101771, 1086417,
1086418, 1021548, 1036536, 1035962, 1021538, 1021539,
1021542, 1021543, 1021544, 1021546, 1021547, 1021550,
1021551, 1021552, 1021553, 1021719, 1032613, 1021545,
1021549, 10462848
Company : Chevron Phillips Chemical Company LP
9500 Lakeside Blvd.
The Woodlands, TX 77381

Emergency telephone:**Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)

Belgium: 070 245 245 (24 hours/day, 7 days/week)

Bulgaria: +359 2 9154 233

Croatia: +3851 2348 342 (24 hours/day, 7 days/week)

Cyprus: 1401

Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402

Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212

Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Finland: 0800 147 111 09 471 977 (24 hours/day)

France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)

Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Greece: (0030) 2107793777 (24 hours/day, 7 days/week)

Hungary: +36-80-201-199 (24 hours/day, 7 days/week)

Iceland: 543 2222 (24 hours/day, 7 days/week)

Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

Italy: POISON CENTER MILAN – Azienda Ospedaliera Niguarda Ca` Grande Tel. +39 02 66101029; POISON CENTER ROME – Policlinico “Agostino Gemelli”, Servizio di tossicologia clinica Tel. +39 06 3054343; POISON CENTER ROME – Ospedale Pediatrico Bambino Gesù Tel. +39 06 68593726; POISON CENTER ROME – Policlinico “Umberto I” Tel. +39 06 4997 8000; POISON CENTER FOGGIA – Azienda Ospedaliera Universitaria Riuniti Tel. +39 0881 732326; POISON CENTER NAPLES – Azienda Ospedaliera “Antonio Cardarelli” Tel. +39 081 7472870; POISON CENTER FLORENCE – Azienda Ospedaliera universitaria Careggi Tel. +39 055 7947819; POISON CENTER PAVIA – IRCCS Fondazione Salvatore Maugeri Tel. +39 0382 24444; POISON CENTER BERGAMO – Azienda Ospedaliera “Papa Giovanni XXIII” Tel. 800 883 300; POISON CENTER VERONA – Azienda Ospedaliera Universitaria integrata Tel. 800 011 858;

Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371 67042473. (24 hours.)

Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Lithuania: +370 (85) 2362052

Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)

Malta: +356 2395 2000

The Netherlands: NVIC: +31 (0)88 755 8000

Norway: 22 59 13 00 (24 hours/day, 7 days/week)

Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Portugal: CIAV phone number: +351 800 250 250

Romania: +40213183606

Slovakia: +421 2 5477 4166

Slovenia: Phone number: 112

Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24 hours/day, 7 days/week)

Sweden: 112 – ask for Poisons Information

Organization that prepared the SDS : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com

Website : www.CPChem.com

SECTION 2: Hazards identification**Classification of the substance or mixture**

GHS Classification and labelling according to JIS Z 7252-2019 and JIS Z 7253-2019 (GHS 2015)

Classification

: Flammable liquids, Category 4
 Skin corrosion/irritation, Category 2
 Skin sensitization, Sub-category 1B
 Specific target organ toxicity - single exposure, Category 3,
 Narcotic effects
 Short-term (acute) aquatic hazard, Category 1
 Long-term (chronic) aquatic hazard, Category 1

Labeling

Symbol(s)



Signal Word

: Warning

Hazard Statements

: H227: Combustible liquid.

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

H315: Causes skin irritation.
 H317: May cause an allergic skin reaction.
 H336: May cause drowsiness or dizziness.
 H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statements**: Prevention:**

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P261: Avoid breathing mist or vapors.
 P264: Wash skin thoroughly after handling.
 P271: Use only outdoors or in a well-ventilated area.
 P272: Contaminated work clothing should not be allowed out of the workplace.
 P273: Avoid release to the environment.
 P280: Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352: IF ON SKIN: Wash with plenty of water.
 P304 + P340 + P312: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
 P333 + P313: If skin irritation or rash occurs: Get medical advice/ attention.
 P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
 P391: Collect spillage.

Storage:

P403: Store in a well-ventilated place.
 P403 + P233: Store in a well-ventilated place. Keep container tightly closed.
 P405: Store locked up.

Disposal:

P501: Dispose of contents/ container to an approved waste disposal plant.

SECTION 3: Composition/information on ingredients**Synonyms**

: TDM
 Tertiary Dodecyl Mercaptan
 Tert Dodecyl Mercaptan

Molecular formula

: UVCB

Chemical name	CAS-No.	Concentration	ENCS/ISHL number
tert-Dodecanethiol	25103-58-6	90 % - 100%	2-464

SECTION 4: First aid measures**General advice**

: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled

: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

- In case of skin contact : If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

Notes to physician

- Symptoms : No information available.
- Risks : No information available.
- Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

- Flash point : 98-110°C (208-230°F)
Method: closed cup
- Autoignition temperature : 198-230°C (388-446°F)
- Unsuitable extinguishing media : High volume water jet.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Fire and explosion protection : Normal measures for preventive fire protection.
- Hazardous decomposition products : Carbon oxides. Sulfur oxides.

SECTION 6: Accidental release measures

- Personal precautions : Use personal protective equipment. Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage**Handling**

Advice on safe handling : Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection**Ingredients with workplace control parameters****Chevron Phillips Chemical Company LP**

Components	Basis	Value	Control parameters	Note
tert-Dodecanethiol	Manufacturer	TWA	0.1 ppm,	

JP

Components	Basis	Value	Control parameters	Note
------------	-------	-------	--------------------	------

Engineering measures

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

provides protection may be appropriate, such as:. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Remove and wash contaminated clothing before re-use. Skin should be washed after contact. Footwear protecting against chemicals.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
- Protective measures : Wear suitable protective equipment. When using do not eat, drink or smoke. Avoid contact with skin.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

- Physical state : liquid
- Color : Colorless
- Odor : Repulsive

Safety data

- Flash point : 98-110°C (208-230°F)
Method: closed cup
- Lower explosion limit : No data available
- Upper explosion limit : No data available
- Oxidizing properties : No
- Autoignition temperature : 198-230°C (388-446°F)
- Thermal decomposition : 300 °F
- Molecular formula : UVCB
- Molecular weight : Varies

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

pH	: Not applicable
Melting point/freezing point	: -16°C (3°F)
Pour point	No data available
Boiling point/boiling range	: 233°C (451°F)
Vapor pressure	: 4.00 Pa at 24°C (75°F)
Relative density	: 0.86 at 16 °C (61 °F)
Water solubility	: 0.00393 mg/l Method: OECD Test Guideline 105
Partition coefficient: n-octanol/water	: Pow: 7.43 at 20°C (68°F)
Viscosity, dynamic	: 2.6 cP at 20°C (68°F)
Viscosity, kinematic	: No data available
Relative vapor density	: 3 (Air = 1.0)
Evaporation rate	: < 1
Conductivity	: No data available

SECTION 10: Stability and reactivity

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous reactions	
Hazardous reactions	: Further information: No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, sparks, fire, and oxidizing agents.
Materials to avoid	: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

Thermal decomposition : 300 °F**Hazardous decomposition products** : Carbon oxides
Sulfur oxides**Other data** : No decomposition if stored and applied as directed.**SECTION 11: Toxicological information****Acute oral toxicity****tert-Dodecanethiol** : LD50: > 2,000 mg/kg
Species: Rat
Sex: female
Method: OECD Test Guideline 423**Acute inhalation toxicity****tert-Dodecanethiol** : LC50: > 1.97 mg/l
Exposure time: 4 h
Species: Rat
Sex: male and female
Test atmosphere: vapor
Method: OECD Test Guideline 403
Information given is based on data obtained from similar substances.**Acute dermal toxicity****tert-Dodecanethiol** : LD50: > 2,000 mg/kg
Species: Rat
Sex: male
Method: OECD Test Guideline 402
Information given is based on data obtained from similar substances.**Sulfole® 120 Mercaptan (tert-Dodecanethiol)****Skin irritation** : May cause skin irritation and/or dermatitis.**Sulfole® 120 Mercaptan (tert-Dodecanethiol)****Eye irritation** : Vapors may cause irritation to the eyes, respiratory system and the skin.**Sulfole® 120 Mercaptan (tert-Dodecanethiol)****Sensitization** : Causes sensitization.**Repeated dose toxicity****tert-Dodecanethiol** : Species: Rat, male
Sex: male
Application Route: Inhalation
Dose: 0, 26, 98 ppm
Exposure time: 4 wk
Number of exposures: 6 h/d, 5 d/wk

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

Lowest observable effect level: 26 ppm
Method: OECD Test Guideline 412
Target Organs: Kidney, Liver

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

Species: Rat, female
Sex: female
Application Route: Inhalation
Dose: 0, 26, 98 ppm
Exposure time: 4 wk
Number of exposures: 6 h/d, 5 d/wk
NOEL: 26 ppm
Method: OECD Guideline 412
Target Organs: Liver, Kidney

Species: Dog, male and female
Sex: male and female
Application Route: Inhalation
Dose: 0, 25, 106 ppm
Exposure time: 4 wk
Number of exposures: 6 h/d, 5 d/wk
NOEL: 25 ppm
Lowest observable effect level: 109 ppm
Method: OECD Test Guideline 412
Target Organs: Liver

Species: Mouse, male and female
Sex: male and female
Application Route: Inhalation
Dose: 0, 25, 109 ppm
Exposure time: 4 wk
Number of exposures: 6 h/d, 5 d/wk
Lowest observable effect level: 25 ppm
Method: OECD Test Guideline 412
Target Organs: Liver

Species: Rat, male
Sex: male
Application Route: oral gavage
Dose: 50, 100, 200 mg/kg
Exposure time: 10 wk
Number of exposures: once daily
NOEL: 200 mg/kg
Method: OECD Guideline 422
Target Organs: Kidney, Liver

Species: Rat, female
Sex: female
Application Route: oral gavage
Dose: 50, 100, 200 mg/kg
Exposure time: 8 - 9 wk
Number of exposures: once daily
NOEL: 200 mg/kg
Method: OECD Guideline 422
Target Organs: Liver

Species: Rat, male
Sex: male
Application Route: Inhalation
Dose: 5, 25, 100 ppm
Exposure time: 13 wk
Number of exposures: 6h/d, 5d/wk
NOEL: 25 ppm
Method: OECD Test Guideline 413

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

Species: Rat, female
Sex: female
Application Route: Inhalation
Dose: 5, 25, 100 ppm
Exposure time: 13 wk
Number of exposures: 6h/d, 5d/wk
NOEL: 25 ppm
Method: OECD Test Guideline 413

Genotoxicity in vitro

tert-Dodecanethiol

: Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Mouse lymphoma assay
Metabolic activation: with and without metabolic activation
Method: OECD Guideline 476
Result: negative

Test Type: Sister Chromatid Exchange Assay
Metabolic activation: with and without metabolic activation
Method: OECD Guideline 479
Result: negative

Test Type: Chromosome aberration test in vitro
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo

tert-Dodecanethiol

: Test Type: In vivo micronucleus test
Species: Mouse
Route of Application: Oral
Dose: 1250, 2500, 5000 mg/kg/bw
Method: Mutagenicity (micronucleus test)
Result: negative
Remarks: Information given is based on data obtained from similar substances.

Reproductive toxicity

tert-Dodecanethiol

: Species: Rat
Sex: male
Application Route: oral gavage
Dose: 50, 100, 200 mg/kg/d
Exposure time: 10 wk
Number of exposures: Daily
Method: OECD Guideline 422
NOAEL Parent: 200 mg/kg
Animal testing did not show any effects on fertility.

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

Species: Rat
Sex: female
Application Route: oral gavage
Dose: 50, 100, 200 mg/kg/d
Exposure time: 8 - 9 wk
Number of exposures: Daily
Method: OECD Guideline 422
NOAEL Parent: 200 mg/kg
NOAEL F1: 100 mg/kg
Animal testing did not show any effects on fertility.
Reduced fetal weight.

Species: Rat
Sex: male
Application Route: oral gavage
Dose: 25, 75, 200 mg/kg/d
Exposure time: 18 wk
Number of exposures: Daily
Method: OECD Test Guideline 443
NOAEL Parent: 200 mg/kg
NOAEL F1: 200 mg/kg
NOAEL F2: 200 mg/kg
Animal testing did not show any effects on fertility.

Species: Rat
Sex: female
Application Route: oral gavage
Dose: 25, 75, 200 mg/kg/d
Exposure time: 16 - 18 wk
Number of exposures: Daily
Method: OECD Test Guideline 443
NOAEL Parent: 200 mg/kg
NOAEL F1: 200 mg/kg
NOAEL F2: 200 mg/kg
Animal testing did not show any effects on fertility.
Reduced fetal weight.

Developmental Toxicity

tert-Dodecanethiol

: Species: Rat
Application Route: Inhalation
Dose: 0, 22.7, 88.6 ppm
Number of exposures: 6 hrs/d
Test period: GD 6-19
Method: OECD Guideline 414
NOAEL Teratogenicity: ≥ 88.6 ppm
No adverse effects expected

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

Species: Mouse
Application Route: Inhalation
Dose: 0, 22.7, 88.6 ppm
Number of exposures: 6 hrs/d
Test period: GD 6-19
Method: OECD Guideline 414
NOAEL Teratogenicity: ≥ 88.6 ppm
No adverse effects expected

Species: Rabbit
Application Route: oral gavage
Dose: 0, 50, 100, 200 mg/kg/d
Number of exposures: Daily
Test period: GD 6-28
Method: OECD Guideline 414
NOAEL Teratogenicity: 100 mg/kg
NOAEL Maternal: 100 mg/kg
Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Aspiration toxicity : May be harmful if swallowed and enters airways.

CMR effects

tert-Dodecanethiol : Carcinogenicity: Not available
Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Teratogenicity: Animal testing did not show any effects on fetal development.
Reproductive toxicity: No toxicity to reproduction

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Further information : Solvents may degrease the skin.

SECTION 12: Ecological information**Toxicity to fish**

tert-Dodecanethiol : LL50: > 100 mg/l
Exposure time: 96 h
Species: Danio rerio (Zebra Fish)
static test Method: OECD Test Guideline 203
No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates

tert-Dodecanethiol : EC50: > 0.056 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)
semi-static test Method: OECD Test Guideline 202
No toxicity at the limit of solubility.

Toxicity to bacteria

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

tert-Dodecanethiol : NOEC: 8.6 mg/l
Exposure time: 3 h
Growth rate
Respiration inhibition
Method: OECD Test Guideline 209

NOEC: > 10 mg/l
Exposure time: 3 h
Growth rate
Respiration inhibition
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

tert-Dodecanethiol : NOEC: 0.0108 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
semi-static test
Method: OECD Test Guideline 211
No toxicity at the limit of solubility.

Biodegradability

tert-Dodecanethiol : aerobic
Result: Not readily biodegradable.
0 %
Testing period: 28 d
Method: OECD Test Guideline 301D

Bioaccumulation

tert-Dodecanethiol : Species: Danio rerio (zebra fish)
Exposure time: 15 d
Bioconcentration factor (BCF): > 500 - < 1,950
Method: OECD Test Guideline 305
Biomagnification factor <1
The product may be accumulated in organisms.

Mobility

tert-Dodecanethiol : After release, adsorbs onto soil.

Results of PBT assessment

tert-Dodecanethiol : Non-classified PBT substance, Non-classified vPvB substance

Additional ecological information : May cause long lasting harmful effects to aquatic life.

Ecotoxicology Assessment**Long-term (chronic) aquatic hazard**

tert-Dodecanethiol : May cause long lasting harmful effects to aquatic life.

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN3334, AVIATION REGULATED LIQUID, N.O.S., (TERT-DODECANETHIOL), 9, III

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

TRANSPORTATION BY THIS AGENCY.

Other information	: tert- Dodecanethiol, S.T. 3, Cat.Y
--------------------------	---

Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information**National legislation****Poisonous and Deleterious Substances Control Law**

: Not applicable

Industrial Safety and Health Law

Substances Subject to be : tert-dodecanethiol(1152)
 Notified Names Law Article
 57-2 (Ministerial Order Article
 34-2 Appended Table 2)

Enforcement Order of the :
 Industrial Safety and Health
 Law - Attached table 1
 (Dangerous Substances)
 Enforcement Order of the :
 Industrial Safety and Health
 Law - Attached table 1
 (Dangerous Substances)

Harmful Substances Required : Not applicable
 Permission for Manufacture
 Hazardous Substances : tert-dodecanethiol (1152)
 Subject to Labeling
 Requirements Law Article 57
 (Ministerial Order Article 30
 Appended Table 2)

Ordinance on Prevention of : Not applicable
 Organic Solvent Poisoning
 Ordinance on Prevention of : Not applicable
 Lead Poisoning

Harmful Substances : Not applicable
 Prohibited from Manufacture
 Ordinance on Prevention of : Not applicable
 Hazards Due to Specified
 Chemical Substances

Ordinance on Prevention of : Not applicable
 Tetraalkyl Lead Poisoning

: Not applicable

: Not applicable

Substances Prevented From : Not applicable
 Impairment of Health Listed

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

Chemical Substance Control Law

: Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

: Not applicable

Other regulations

Fire Service Law : Flammable liquids
Type 3 petroleums
Hazardous rank III

Explosive Control Law : Not applicable

Vessel Safety Law : Not regulated as a dangerous good

Aviation Law : Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

High Pressure Gas Safety Act : Not applicable

Explosive Control Law : Not applicable

Vessel Safety Law : Not regulated as a dangerous good

Aviation Law : Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Notification status

Europe EU REACH : This product is in full compliance according to REACH regulation 1907/2006/EC.

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) TSCA : On or in compliance with the active portion of the TSCA inventory

Canada DSL : All components of this product are on the Canadian DSL

Australia AU AIIC : On the inventory, or in compliance with the inventory

New Zealand NZIoC : Not in compliance with the inventory

Japan ENCS : On the inventory, or in compliance with the inventory

Japan ISHL : On the inventory, or in compliance with the inventory

Korea KECI : All substances in this product were registered, notified to be registered, or exempted from registration by CPChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on CPChem's notifications or if the Importer of Record themselves notified the substances.

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

Philippines PICCS	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory
Taiwan TW TCSI	:	On the inventory, or in compliance with the inventory
Other TECI	:	On the inventory, or in compliance with the inventory

SECTION 16: Other information

Print Date : 2026-10-04

Further information

Legacy SDS Number : 34650

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act

Sulfole® 120 Mercaptan (tert-Dodecanethiol)

Version 2.16

Revision Date 2026-09-24

	New Chemical Substances		
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate